# **Albion Engineering Company**

# **Handbook & Catalog**

Providing You with
Tools & Technical Information to Solve
Your Application Needs







How Fast is Fast! this Cordless
Gun can dramatically decrease
the amount of time on a work site.
For example filling a 1/4 inch x 1/8 inch
joint the length of a football field can be
done in less than 2 minutes. That's
equivalent to 202 feet per minute.

# F (force) = P (pressure) x A (area)

(force): generated by Drive (pressure): in **M**aterial **C**ontainment **U**nit

(area): surface area of piston











www.albioneng.com

Catalog 333

**4TH Edition** 

# Engineering Dispensing Solutions.

Engineered Dispensing Solutions. Albion

Engineering is a third-generation company

internationally recognized

as a leader in the field

of hand held dispens-

ing technologies.

Albion supports

multiple industries

with innovative,

high quality dispensing

tools and accessories

for the most demand-

ing applications. Please visit our web site and/or request a catalog.

Pictured above, the original Albion dispenser (patent No. 1986166) dated 1935 from the United States Patent Office.

**ALBION Engineering Company** 

1250 N. Church Street Moorestown, NJ 08057-1102 856-235-6688 Fax Toll-Free: 800-841-7132 Email: service@albion.com

www.albioneng.com



# INTRODUCTION

I am proud to present to you our catalog and hope you will find it useful and educational. The catalog is divided into 3 major sections.

<u>Background Information</u>— detailing how a tool can be built, the benefits in each segment of the tool and how to select the right tool for your application.

Core Product Selection—sorted by how the material is packaged - bulk, sausage, or cartridge - we provide you with the "Core" tools for each section first and then variations of the core tools, allowing you to select the right tool for your specific needs and application.

<u>Nozzles and Accessories</u>— key components in the application process.

Incorporated within the catalog are "Albion Engineering Tidbits" which are designed to help you understand key elements behind the tools you are selecting and how they are used to improve your application needs.

Albion Engineering Company has served your dispensing needs for over 80 years. I am proud to be the third generation of Schneiders, and I hope our products meet your expectations.

Thank you.

Mark C. Schneider



Mark C. Schneider President



Franz K. Schneider 1963 - 1999



F. Karl Schneider 1929 - 1963

# **HOW A DISPENSING TOOL WORKS**

#### How a Dispensing Tool Works— Building a Tool

There are 3 core components in a dispensing tool: **Nozzle, Material Containment Unit,** and **Drive**. By customizing these components to meet your specific application needs, you can create the best dispensing tool.



Drive: Creates initial force or thrust Material Containment: Holds the bulk, sausage or cartridge material Nozzle: Reduces material to desired width


**Drive**— mechanism that creates force or thrust. There are three primary types available:

- Manual Drive: hand operated, portable, and efficient. Drives are available in a range of ratios depending on the viscosity of the material to be dispensed
- Air-Powered Drive: requires an air compressor, regulator, and hose. This setup is best for industrial applications
- · Cordless Drive: portable, powerful, quick, and effortless

#### Material Containment Unit (MCU)— contains the material to be dispensed.

- . Bulk Material: generally in pails
- Sausage Material: packaged in a Mylar sleeve which fits a standard tool
- · Cartridge Material: portable, convenient

Nozzle— determines the size and shape of the material to be dispensed



#### Nozzles:

Nozzles determine the size and shape of the material dispensed. The difficulty of pushing material through the nozzle will depend on its length and diameter.

#### Albion ENGINEERING Tidbit ™

#### **Nozzle Diameter Affects Pressure:**

As the diameter of the nozzle decreases and its length increases, more pressure is required inside of the material containment unit to dispense the material.

If your appplication requires a long or thin nozzle, choose a higher thrust drive.



#### Albion ENGINEERING Tidbit ™

Ī

#### Teflon® Facts and Trivia:1

- \* PTFE is inert to virtually all chemicals and considered the most slippery material in existance. As a DuPont registered trademark, **Teflon**® has become a familiar household name, recognized worldwide for the superior non-stick properties associated with its use as a coating on cookware and as a soil and stain repellent for fabric and textile products.
- \* Teflon® has been involved in the U.S. space program since the program's infancy. When Neil Armstrong took his historic "giant leap for mankind" in 1969, the moon module included numerous applications involving Teflon® resin, including space suits, blankets, heat shields, insulation, and cargo hold liners.
- \* As a liquid, **Teflon**® <u>repels water</u> and stains for apparel, home fashions, furniture, and uniform markets. **Teflon**® forms a molecular shield around each fiber, guarding them from oil and water-based stains, dust, and soil. ...without affecting their color, feel, or breathability.
- \* Teflon® is in the Statue of Liberty in New York harbor as an insulator and lubricator between the copper skin and the stainless steel skeleton.
- \* Teflon® in a composite sheet form with graphite is used for bearing pads in the George Washington Bridge in New York State to prevent corrosion of the steel plates.
- \* **Teflon**® is the slipperiest solid substance on Earth with the low static coefficient of friction of 0.04 (**Teflon**® on **Teflon**®).
- \* Albion is the <u>only Caulking gun company</u> to use **Teflon**® as a barrel coating material inside and out to make dispensing and cleanup easier.

<sup>1</sup>The History of **Teflon**<sup>®</sup> by DuPont. The Dupont website: http://www.DuPont tetrafluoroethylene (PTFE)

### **BARRELS**

#### **Material Containment Units:**

Material Containment Units contain the material to be dispensed. The force generated by the Drive System creates pressure inside the Material Containment Unit, forcing the material through the nozzle.

The following are the most common containers for materials:

Throughout the catalog you will see the force generated by the drive system in maximum pounds force ( $lb_f$ ) and the resulting maximum pressure generated inside the material containment unit in maximum pounds per square inch (psi) pressure associated with each tool.

- <u>Bulk</u>— the most cost effective material packaging, generally in 2 or 5 gallon pails that require self loading dispensing tools. Bulk dispensing guns are available in 3 different barrel diameters and in various lengths. Bulk tools come with dual leather pistons that push a multitude of material types.
- Sausage more cost-effective than cartridges. Less waste than cartridges. Sausage and Bulk dispensing tools are quite similar, except in the Sausage dispensing tool the plastic piston replaces the leather pistons to maximize efficiency. Albion highly recommends a solid **Teflon**® piston to minimize friction between the piston and the barrel, as well as maintaining the required thrust to dispense materials.
- <u>Cartridge</u>— cleanest and easiest packaging to dispense material, but the highest in cost per ounce. Single and two component cartridge designs vary significantly in quality and acceptable maximum pressure.



#### **Bulk and Sausage Dispensing Tool Barrels:**

Steel— the standard for many years; durable, reliable, and can be cleaned using a barrel brush (800-G01)

**Aluminum**— light weight; not as durable as a steel barrel, so care is required with this tool.

Teflon®-Coated Steel— a standard steel barrel coated with DuPont's Teflon®, the slipperiest substance known to man.¹ It's non-stick surface improves clean-up. Teflon®eases the dispensing tool process and substantially reduces the friction between the piston and barrel when coupled with Teflon®pistons, thus requiring less thrust to dispense material.

<sup>&</sup>lt;sup>1</sup> **Teflon**<sup>®</sup> is a registered trademark of DuPont<sup>™</sup> used under license by Albion Engineering Company.

#### **DRIVES**

#### **Drive Systems:**

Professional Line: We are especially proud of our Professional Line, which satisfies the needs of skilled craftsmen installing sealants and adhesives on a daily basis. These individuals require heavy-duty tools that are adaptable for special applications and are easily maintained with replacement parts. They expect their tools to perform day-in, day-out and to endure harsh chemicals. These tools must operate reliably over a wide range of temperatures and the unforgiving environment of construction job sites. The Professional Line is our long-developed solution for this demanding group. Drives in this category are Special Deluxe (most popular), Special Deluxe Plus, Ultra, Deluxe, Utility, Utility Plus, Air, Cordless and Push-Pull.

**B-Line:** Albion designed this line to compete with the best from around the world. By combining Albion state-of-the-art design and quality we offer tools that surpass the competition. Drives in this category are B1, B12, B18 and B26.

<u>Viper Line:</u> Basic guns designed for simple jobs. Typically offered at hardware, paint and DIY stores. We add to their value with our engineering and quality control. Drives in this category are R5, R6B & H10.


#### FACT: Caulking Gun Drives are Just Like the Gears of a Racing Bike:

Just as you would never choose the same bicycle gear for a level road as you would a steep hill, choose the correct caulking gun drive based on the thickness of the material you are dispensing and the length of the nozzle.

When you need to climb a steep hill on a bicycle you are thankful to have low output (high-thrust) gears. Think of dispensing a high viscosity product, like cold urethane or two-part epoxy, like a big hill to be climbed. Your speed in the low gear is decreased, but you can still handle the higher work load comfortably. Long nozzles (over 6") present a similar challenge. You need to gear-down to handle the work load.


When you are cycling a flat stretch of road (analogous to a dispensing a lower viscosity caulk like silicone or acrylic latex), you will be frustrated with that low gear - you are spinning your cranks (pulling the trigger) too easily and your output is low. You need to switch back to a higher gear (lower thrust gun drive) for higher output.

So choose your dispensing tool power based on the material and application - the same way you would choose the gear on your bike based on the terrain.



Relationships Between Drive Systems, Force (thrust), and Pressures (PSI) within the Material Containment Unit (MCU). Below is a standard "engineering" equation which shows the relationship between the Force generated (required) by the drive system and the pressure within the MCU. Note the decrease in pressure as the 2"dia 25/8"dia 33/8"dia 4"dia barrel diameter increases.

F (force) = P (pressure) X A (area)
(force): (pressure): in (area):
generated by Drive Material Containment Unit surface area of piston



#### Albion Professional Line

#### Special Deluxe Line of Manual Drives







Special Deluxe Plus Manual Drive



Ultra <u>M</u>anual Drive

#### **Special Deluxe:**

✓ 375 lb force 

✓ generally used by waterproofers & glaziers

#### **Special Deluxe Plus:**

√700 lb force

#### **Ultra Manual Drive:**

✓ 2 speeds: 1100 lb force and 375 lb force

#### Special Deluxe, Special Deluxe Plus, and Ultra Manual Drives-

Models are built for daily heavy-duty use and offer the best combination of price and performance.

Standard Drive features: \*reinforced construction for high-pressure applications \*welded heavy gauge steel \*Albion quality \*epoxy-coated handles for comfort and corrosion resistance \*T-pulls with 5/16" square smooth rod

Special Deluxe Manual Drive:

● 375 lb force

# Special Deluxe Plus Manual Drive:

- 700 lb force
- double the power of a Special Deluxe Drive

#### **Ultra Manual Drive:**

- 1100 lb force
- nearly 4 times the power of a Special Deluxe Drive

#### **Albion Professional Line**

#### Deluxe Manual Drives



Deluxe Manual Drive

Deluxe Manual Drive:
■ 375 lb force

Models are built for moderate daily use and offer a good combination of price and performance.

- ✓375 lb force
- ✓ 1/4" square smooth piston rod that rotates for 4 times longer life
- ✓ thumb activated instant pressure release
- formed steel construction and corrosion resistant zinc plating with solvent resistant leather piston
- ✓ the roofers' and framers' tool

#### **Albion Professional Line**

#### **Utility Manual Drives**





Utility Manual Drive

Utility Plus Manual Drive

#### **Utility Manual Drive:**

✓ 350 lb force 

the adhesive tool

#### **Utility Plus Manual Drive:**

✓ 600 lb force, almost twice the thrust of the Utility Drive with minimal added cost

#### Utility and Utility Plus Manual Drives-

#### Models for lighter duty use.

Standard Drive features: \*5/16" round smooth rod \*heavy guage steel and zinc plating \*fast acting 3-prong clip on cap \*durable coil springs \*Albion quality \*built for moderate use \*more durable than the average professional tool

Utility Manual Drive:

■ 350 lb force

#### **Utility Plus Manual Drive:**

- 600 lb force
  - double the power of a Utility Drive

#### Albion Professional Line

#### Push Pull



Push Pull Manual Drive

- ✓ a dispensing tool without a drive
- ✓ manual load and unload; pull back to load, push to dispense
- ✓ a lower cost alternative for quickly dispensing low viscosity fluids or priming equipment
- $\ensuremath{\boldsymbol{\nu}}$  excellent for large volume applications where control is not an issue
- ✓ uses the same durable replaceable components as a Special Deluxe Tool

### Albion ENGINEERING Tidbit™

#### Single Action Air Guns—

- Air power allows for smooth dispensing
- Manual load improves speed and quality
- Its simplicity improves reliability
- Air pressure = material containment pressure

#### **Dual Action Air Guns-**

- Air power in both dispensing and loading directions
- Commonly used on two component applications
- Best for experienced users

Ì

ì

ì

### **DRIVES**

#### **B-Line**

#### Manual Drives



#### **B1 Manual Drive:**

✓1/10 gallon cartridge ✓excellent value ✓light, flexible, easy to operate
✓high output for low viscosity materials ✓smooth, consistent, drip free application ✓orange powder coated ✓stores flat in a tool box, out of the way

#### **B12 Manual Drive:**

✓ 12:1 Drive (Standard power ratio) ✓ Albion's Double-Gripping Plate technology for double the life of the tool ✓ Albion's adjustable wear compensation device for no-loss trigger motion ✓ smooth action and comfortable grip ✓ slotted front cap for easy loading ✓ equipped with ladder hook pull and cartridge puncture wire

#### **B18 Manual Drive:**

✓ 18:1 drive for medium viscosity materials
✓ all the features of a B12

#### **B26 Manual Drive:**

✓ 26:1 Drive 
✓ all features of the B12 
✓ high-performance applicator
✓ easily handles high-viscosity materials and use in cold weather

- **B1 Manual Drive:**
- 200 lb force
- handymans tool
- B12 Manual Drive:
- 375 lb forceall around tool
- B18 Manual Drive:
- 700 lb forcemore power

#### **B26 Manual Drive:**

- 900 lb force
- high thrust for thick msterials

#### Albion ENGINEERING Tidbit ™


#### Why Ratchet and Smooth Rod Caulking Guns:

\* Rachet Rod tools were the first tools built to dispense caulk. They were, and still are, great tools for dispensing low viscosity (watery) materials and when multiple short applications are used.

\* In 1933 Albion invented and patented the

Smooth Rod Caulking Gun enabling the caulker to do long applications with little or no imperfections. In other words, a Smooth Rod Caulking Gun provides a smoother bead of caulk.

evolution toward the past....



#### Viper Line

#### Manual Drives



#### H10, R5, and R6 Manual Drives-

 Basic guns designed for simple jobs. Typically offered at hard-IDEF R ware, paint and

DIY stores. We add to their value with our engineering and quality control. Drives in this category are R5, R6B & H10.

# H10 Manual Drive



**H10 Manual Drive:** 



✓ 10:1 power ratio 
✓ smooth hex rod nozzle cutter

> ✓ easy, out-of-the-way storage with its light, flat desian

R6 Manual Drive

# al Drive R5 and R6 Manual Drives-

 Excellent for low cost sealants and applications where there is a significant amount of start and stops, due to the inherent drip-free design of a ratchet drive. Nozzle cutter and puncture wire.

#### **R5 Manual Drive:**

✓ 5:1 power ratio

✓ disposable, low usage tool

#### **R6 Manual Drive:**

✓ 6:1 power ratio

#### **Albion Professional Line**

#### Air-Powered Drives





Dual Action ir-Powered Drive

#### Single Action and Dual Action Air-Powered Drives-

Unlike a Manual tool, an air-powered gun has a few unique qualities.

- to regulate the flow of material, simply adjust the air pressure regulator
- manual force is not required to create pressure within the MCU
- the thickness of the material and the pressure supplied determine the speed of material dispensing

#### Single Action Air-Powered Drive:

✓ air power allows for smooth dispensing ✓ manual loading improves speed and quality vits simplicity improves reliability

#### **Dual Action Air-Powered Drive:**

✓ air power in both dispensing and loading directions

#### **AT Dual Action Air-Powered Drive:**

- ✓ large 4" air cylinder for fast dispensing of twin cartridge material
- ✓ ergonomic suitcase handle

### **DRIVES**

#### **BATTERY POWERED DISPENSING TOOLS**



- Total Dispensing Control set maximum speed rate and fine tune with variable speed trigger
- High Productivity as incredible as this seems, a joint 1/4" x 1/8" and the length of a football field can be filled in less than 2 minutes; with a rod speed of 23 inches per minute, jobs get done faster
- Power Efficient dispense over 185 latex 10 oz cartrides or over 60 cold urethane 10 oz cartridges on one charge (compact battery)
- minute fast charger





How Fast is Fast! A Cordless Gun can dramatically decrease the amount of time on a work site. For example a DL-59-T13E with a 2" barrel can fill a 1/4 inch x 1/8 inch joint the length of a football field in less than 2 minutes.

That's greater than 150 feet per minute. And unlike an air-powered tool, there are no hoses to get in the way. Albion's Cordless guns are the only tools that can consistently perform to such high standards for extended periods of time. Below is a Standard Usage Chart contractors refer to when estimating the amount of material needed for a specific job. By knowing the width and depth of a joint, a contractor can then calculate the number of feet possible from a single gallon of material. The next chart, "How Fast is Fast", shows how many feet of material can be applied per minute using an Albion battery powered tool.

		Usage	Chart i	for Star	ndard S	ealant b	ased o	n one g	allon:
hart	depth of joint			Wid	th of j	ioint		,	
age c	<b>Jum</b>	1/4"	1/2"	3/4"		1 1/4"	1 1/2"	1 3/4"	2"
rial us	1/8"	616 ft							
standard material usage chart	1/4"		154 ft						
andarı	3/8"			68 ft					
S	1/2"				39 ft	31 ft	26 ft	22 ft	19 ft

# <u>How Fast is Fast?</u> How about filling a joint the length of a football field in less than two minutes! See the chart below.

	model	In	stallati	lation Speeds with a Cordless Drive: width of joint				>	
	model	1/4"	1/2"	3/4"		1 1/4"	1 1/2"	1 3/4"	2"
speed	DL-59-T13E 2" Barrel Diameter	193 ft per minute	<b>48</b> ft per minute	<b>21</b> ft per minute	<b>12</b> ft per minute	10 ft per minute	<b>8</b> ft per minute	<b>7</b> ft per minute	<b>6</b> ft per minute
S	770-20E 2 <sup>5</sup> /8" Barrel Diameter	per	<b>83</b> ft per minute	<b>37</b> ft per minute	<b>21</b> ft per minute	per	<b>14</b> ft per minute	<b>12</b> ft per minute	<b>10</b> ft per minute
	103-15E 3 <sup>3</sup> /8" Barrel Diameter	<b>549</b> ft per minute	137 ft per minute	<b>61</b> ft per minute	<b>34</b> ft per minute	<b>27</b> ft per minute	<b>23</b> ft per minute	<b>20</b> ft per minute	<b>17</b> ft per minute

### 10oz BULK GUNS (1/10 Gallon) & VARIATIONS



#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### Core Tools

#### These Albion guns are commonly used by the serious professional for multiple applications

- Tools utilize leather pistons instead of plastic pistons, enabling them to accept a wider range of materials and provide a much improved performance
- All 2" diameter metal barrel guns are designed to also accept standard 1/10 gallon cartridges (A 29-5 ejector is suggested for ease of application)

#### DL-24-T13

#### Special Deluxe Manual Gun

375 lb<sub>f</sub> 120 psi

- (see page 10 for Drive information)
- · steel barrel for durability standard <sup>1</sup>/<sub>2</sub> inch round metal nozzle

#### DL-24-T13A Air-Powered Gun

\* 120 psi

- (see page 13 for Drive information)
- manual pull allows user better loading sensitivity
- · optional regulator enables better flow control

#### DL-24-T13E **Cordless Gun**

950 lb,



(18V heavy duty battery powered) (see page 14 for Drive information)

- fast- 20 seconds at full speed to dispense entire load
- . power— 3 times the thrust of a standard manual drive
- flow control— instant drive disengagement
- · ergonomic design- reduces wrist strain
- · dispensing control- adjustable trigger speed
- duration— 150+ loads on one charge
- includes— (1) 18 volt Lithium-ion battery; 30 minute charger & Hytrel piston
- · Lithium-ion battery supplies full power until totally drained
- . fully assembled ready to go right out of the box (see page 89 for 18V Cordless Accessories)
- \*\*\* when ordering an 18V cordless gun without battery & charger add an "N" to the end of the part number

# **100Z BULK GUNS & VARIATIONS**

#### 10oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

Model Description Thrust Pressure

#### 10oz Barrel Type Variations

• Aluminum (see page 7 for Barrel information)

DL-24-T33 Special Deluxe Manual Gun 375 lb<sub>f</sub> 120 psi DL-24-T33E Cordless Gun 18V 950 lb<sub>f</sub> 300 psi



Special Deluxe Plus



#### **10oz Thrust Variations**

 Special Deluxe Plus & Ultra for extremely thick material (see page 9 for Thrust and page 10 for Drive information)

Special Deluxe Plus Drive Manual Guns Double the thrust of a standard drive

DL-24-T13P Steel barrel 700 lb $_{\rm f}$  240 psi DL-24-T33P Aluminum barrel 700 lb $_{\rm f}$  240 psi

Ultra Drive Manual Guns Four times the thrust of a standard drive



#### **10oz Nozzle Variations**

• (3) 235-3 Orange Cone nozzles and (1) 421-G01 Ring Cap replaces (1) 426-G01 Front Cap and (1) 32-55 1/2 inch round nozzle

#### Steel Barrel Guns (see page 7 for Barrel information)

 DL-24-T17
 Special Deluxe Manual Gun
 375 lb₁
 120 psi

 DL-24-T17A
 Air-Powered Gun
 \*→
 120 psi

 DL-24-T17E
 Cordless Gun 18V
 950 lb₁
 300 psi

#### Aluminum Barrel Guns (see page 7 for Barrel information)



#### **10oz Clip Cap Variations**

 1/4 Turn Clip Cap replaces Standard Thread cap. Easy on/off— (Threaded caps improve seal and reduce the tendency of leakage; extra care is required with clip cap tools) 26-6 replaces 426-G01 standard cap

DL-24C Deluxe Manual Gun 375 lb, 120 psi

# 100z **BULK GUNS** & VARIATIONS

#### 10oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

Model

Description

Thrust

Pressure



#### 10oz Price Variations

• It all comes down to how hard and frequently you use a tool; the following are engineered to provide you with the same level of success in the application



**B-LINE:** with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability; guns feature rotat-

ing swivel handle, leather pistons and accept all Albion bulk and sausage qun accessories

(see page 12 for Drive information)

R12R10 Manual Gun (12:1 Drive) 375 lb<sub>f</sub> 120 psi Manual Gun (26:1 Drive) 900 lb<sub>f</sub> B26B10 300 psi



#### **10oz Special Applications**

Tools for unique iobs

#### **Dual Directional Air-Powered Gun:**

Commonly used in industrial or underwater applications

565-1 Standard Gun

1/10 Gallon Convertible: Deluxe tools assembled as Bulk with Cartridge Convertible Kit included— for special applications cartridges can be used with Bulk Metal Nozzles

Deluxe Gun - Cartridge/Bulk 375 lb₄ 120 psi DL-810-01E Cordless Gun - Cartridge/Bulk 18V 950 lb, 300 psi

# Albion ENGINEERING <u>Tidbit</u>™

#### **Bending Nozzles**—

Aluminum Bending Nozzles (32-112, 113, and 114) are designed to allow you to customize a nozzle to reach



hard to reach areas. They can easily be cut, bent or crimped to make a job a success.

Ì

# **100Z BULK GUNS & VARIATIONS**

10oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

Model Description

Thrust Pressure

#### Albion ENGINEERING Tidbit ™

# Dramatically Increase Your Productivity with the DDT Delamination Detection Tool:

Albion's Delamination
Detection Tool, the DDT (p/n
875-1), improves the process
of detecting voids with hammers or chains by about
500%. The DDT is safe to
use, helps avoid repetitive
motion injuries, reduces wrist
strain, and prevents ladder
accidents.

Conveniently, it adapts to most medium and heavy duty broom sticks and paint poles (available upon request) and accepts standard 3/4" cray-

on and paint markers for onthe-spot marking of delaminated areas. The surfaces it can be used on include con-



crete slabs, columns, walls, beams, tile surfaces, and masonry. The DDT is ideal for inspecting wide ranges of surfaces like parking garages, bridge decks, support structures, balconies, and tunnels. For more information visit www.ddt-tool.com.

#### Albion ENGINEERING Tidbit™







<u>Swiveling Barrel:</u> For applying material in difficult situations, Albion has engineered a special feature that allows the user to adjust the barrel and nozzle 360 degrees. By unloosening the adjustable lock ring, the user can modify the swivel resistance.

# 20oz BULK GUNS (1/2 Pint) & VARIATIONS



#### The Professional's Preferred Choice

Model

Description

Thrust

Pressure

#### Core Tools

# These Albion guns are commonly used by the serious professional for multiple applications

- Tools utilize leather pistons instead of plastic pistons, enabling them to accept a wider range of materials and provide a much improved performance
- All metal barrel guns are designed to also accept standard 1/10 gallon cartridges; (A 29-5 ejector is required for ease of application)

#### DL-45-T13

# Special Deluxe Manual Gun

375 lb<sub>f</sub> 120 psi

(see page 10 for Drive information)

Our most popular model

· steel barrel for durability

• standard 1/2 inch round metal nozzle

DL-45-T13A Air-Powered Gun

\* 120 psi

(see page 13 for Drive information)
• manual pull allows user better loading sensitivity

· optional regulator enables better flow control

DL-45-T13E Cordless Gun

950 lb<sub>f</sub> 300 psi

18V

(18V heavy duty battery powered) (see page 14 for Drive information)

• fast— 30 seconds to dispense entire load at full speed

- power— 3 times the thrust of a standard manual drive
- . flow control- instant drive disengagement
- ergonomic design— reduces wrist strain
- · dispensing control- adjustable trigger speed
- duration 50+ loads on one charge
- includes— (1) 18 volt Lithium-ion battery; 30 minute charger
- Lithium-ion battery supplies full power until totally drained
- fully assembled— ready to go right out of the box (see page 89 for 18V Cordless Accessories)
- \*\*\* when ordering an 18V cordless gun without battery & charger add an "N" to the end of the part number

# 200z **BULK GUNS** & VARIATIONS

#### 20oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications



Model

Special Deluxe Plus

Description



Thrust

Ultra

Pressure

#### **20oz Thrust Variations**

 Special Deluxe Plus & Ultra for extremely thick material (see page 10 for Thrust information)

Special Deluxe Plus Manual Guns Double the thrust of a standard drive Steel barrel 700 lb<sub>f</sub> 240 psi DL-45-T13P Teflon® barrel DL-45-T23P

700 lb<sub>f</sub> 240 psi 700 lb<sub>f</sub> 240 psi DI -45-T33P Aluminum barrel

Ultra Manual Guns Four times the thrust of a standard drive

DL-45-T13U Steel barrel (previously UL-45-T13) 1100 lb, 360 psi 1100 lb<sub>f</sub> DL-45-T23U Teflon® barrel 360 psi 1100 lb, Aluminum barrel DL-45-T33U 360 psi





#### **20oz Nozzle Variations**

 (3) 235-3 Orange Cone nozzles and (1) 421-G01 Ring Cap replaces (1) 426-G01 Front Cap and (1) 32-55 1/2 inch round nozzle

Steel Barrel Guns (see page 7 for Barrel information)

DL-45-T17	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi		
440-11	Special Deluxe Manual Gun	375 lb <sub>f</sub>	200 psi		
	(32-55 nozzle only)				
440-12	Special Deluxe Manual Gun	375 lb <sub>f</sub>	200 psi		
440-17	Special Deluxe Manual Gun	375 lb <sub>f</sub>	200 psi		
	(cone nozzle only)				
DL-45-T17A	Air-Powered Gun	*	120 psi		
DL-45-T17E	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi		
Teflon® Rarrel Guns (see page 7 for Barrel information)					

Teflon<sup>®</sup> Barrel Guns (see page 7 for Barrel information)

DL-45-T27	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-45-T27A	Air-Powered Gun	375 lb <sub>f</sub>	120 psi
DL-45-T27E	Cordless Gun 18V	950 lb.	300 psi

Aluminum Barrel Guns (see page 7 for Barrel information)

DL-45-T37	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-45-T37E*	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi

440 Series guns are special kits. All bulk versions have 222-2 expanders in the leather pistons and a 416-G01 hook pull. Most have both 235-3 cone nozzles (w/421-G01 cap) and a 33-55 metal nozzle (w/426-G01 cap). See notes for exceptions. Sold only through distributors. Minimum order quantity is 96 guns.

#### 20oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

Model Description Thrust Pressure

#### 20oz Barrel Type Variations

- Teflon® & Aluminum (see page 7 for Barrel information)
- Teflon® coated barrel reduces piston friction; easier to pump

and clean			
DL-45-T23	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
440-21	Special Deluxe Manual Gun (32-55 nozzle only)	375 lb <sub>f</sub>	200 psi
440-22	Special Deluxe Manual Gun	375 lb <sub>f</sub>	200 psi
440-27	Special Deluxe Manual Gun (cone nozzle only)	375 lb <sub>f</sub>	200 psi
DL-45-T23A	Air-Powered Gun	* _	120 psi
DL-43-123A	All I OWCICA dall		
DL-45-T23E	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi
		950 lb <sub>f</sub>	
DL-45-T23E	Cordless Gun 18V	950 lb <sub>f</sub> 375 lb <sub>f</sub> 950 lb <sub>f</sub>	•

1/4 Turn



Thread



#### **20oz Clip Cap Variations**

- 1/4 Turn Clip Cap replaces Standard Thread cap; easy on/off—
- (Threaded caps improve seal and reduce the tendency of leakage; extra care is required with clip cap tools); 26-6 replaces 426-G01 standard cap

 DL-45C-T13
 Special Deluxe Manual Gun
 375 lb<sub>f</sub>
 120 psi

 DL-45C-T13P
 Special Deluxe Plus Manual Gun
 700 lb<sub>f</sub>
 240 psi

 DL-45C-T17
 Special Deluxe Manual Gun w/cones (3 orange cones vs standard ½ inch nozzle)
 375 lb<sub>f</sub>
 120 psi



 It all comes down to how hard and frequently you use a tool; the following are engineered to provide you with the same level of success in the application

DELUXE LINE: Excellent midrange tool; square rod technology; customizable—accepts all Albion pistons, nozzles, & barrels; replacement parts available

(see page 10 for Drive information)

DL-45-01 Deluxe Manual Gun 375 lb<sub>f</sub> 120 psi



B-LINE: with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability; quns feature rotating

swivel handle, leather pistons and accept all Albion bulk and sausage gun accessories

(see page 12 for Drive information)

B12B20 Manual Gun (12:1 Drive) 375 lb<sub>f</sub> 120 psi B26B20 Manual Gun (26:1 Drive) High Thrust 900 lb<sub>f</sub> 300 psi

Thrust

Pressure

# 200z **BULK GUNS** & VARIATIONS

20oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

20oz Special Applications

Description

Model

Tools for unique jobs



<u>**Dual Directional Air-Powered Gun:**</u> Commonly used in industrial or underwater applications

746-2 Standard Gun ★→ 120 ps



<u>Push Pull Gun:</u> Best for thin materials where loading and unloading can be accomplished by hand

PD-45-T17 Push Pull Gun with cone nozzle \*-> 30 psi (3 orange cones vs standard 1/2 inch nozzle)



Extension Guns: Crack guide pin to improve control & adjustable wheel assembly for comfortable upright dispensing; excellent for traffic detector inductance loops, pavement expansion joints, and roof membrane lap joints

703-G11 Special Deluxe Manual Gun 375 lb<sub>f</sub> 120 psi 700-G01 Air-Powered Extension Gun ★ 120 psi 862-G02 Manual, Air, or Cordless Ext. Gun Kit 375 lb<sub>f</sub> 120 psi (fits DL-59-T13 [Manual], DL-59-T13A [Air], and DL-59-T13E [Cordless] tools)

# Albion ENGINEERING Tidbit™

#### Standard Leather Piston Packing Replacements—

All Bulk models come equipped with the standard Soft Leather Cup.

- Recommended for general purpose applications and to improve dispensing performance.
- Flexible, long-lasting, and durable—easily handles harsh abrasives and solvents.
- Best all-around chemical resistance.

To customize your tools for specific types of adhesives and sealants see SYNTHETIC UPGRADES. (page 79 for more details.)

Required Maintenance: Leathers must be soaked in light weight oil between cleanings to retain their sealing properties.

part 21-1 2 inch diameter piston part 21-8 2<sup>5</sup>/8 inch diameter piston part 21-4 3<sup>5</sup>/8 inch diameter piston

#### 30oz BULK GUNS (1 Quart) & VARIATIONS



The Professional's Preferred Choice

Model Description Thrust Pressure

#### **Core Tools**

# These Albion guns are commonly used by the serious professional for multiple applications

- Tools utilize leather pistons instead of plastic pistons, enabling them to accept a wider range of materials and provide a much improved performance
- All metal barrel guns are designed to also accept standard 1/10 gallon cartridges (A 29-5 ejector is required for ease of application)

#### DL-59-T13

#### Special Deluxe Manual Gun

375 lb, 120 psi

Our most popular model

• steel barrel for durability with standard 1/2 inch round metal nozzle

#### DL-59-T13A Air-Powered Gun

120 psi

(see page 13 for Drive information)

manual pull allows user better loading sensitivity

optional regulator enables better flow control

#### DL-59-T13E Cordless Gun

950 lb<sub>f</sub> 300 psi



(18V heavy duty battery powered)

IBV LITHIUM

- fast— 35 seconds to dispense entire load at full speed
- power— 3 times the thrust of a standard manual drive
- flow control- instant drive disengagement
- ergonomic design— reduces wrist strain
- · dispensing control- adjustable trigger speed
- duration— 50+ loads on one charge
- includes— (1) 18 volt Lithium-ion battery; fast 30 minute charger
- Lithium-ion battery supplies full power until totally drained
- fully assembled— ready to go right out of the box (see page 89 for 18V Cordless Accessories)
- \*\*\* when ordering an 18V cordless gun without battery & charger add an "N" to the end of the part number

# 3007 BULK GUNS

#### 30oz VARIATIONS: Tools built for unique applications

\* Barrel Type \* Thrust \* Nozzles \* Clip Caps \* Price \* Special Applications

Model Description Thrust Pressure 30oz Barrel Type Variations

# Teflon® & Aluminum (see page 7 for Barrel information)

Teflon® Barrel Teflon® coated barrel reduces piston friction & eases cleaning DL-59-T23 Special Deluxe Manual Gun 375 lb₄ 120 psi Air-Powered Gun DL-59-T23A \* 120 psi DL-59-T23E Cordless Gun 18V 950 lb, 300 psi Lighter weight <u>Aluminum</u> Special Deluxe Manual Gun DL-59-T33 375 lb₄ 120 psi DL-59-T33E Cordless Gun 18V 950 lb, 300 psi



#### **30oz Clip Cap Variations**

- 1/4 Turn Clip Cap replaces Standard Thread cap. Easy on/off-
- (Threaded caps improve seal and reduce the tendency of leakage: extra care is required with clip cap tools); 26-6 replaces 426-G01 standard cap

DL-59C-T13 Special Deluxe Manual Gun 375 lb, 120 psi DL-59C-T13P Special Deluxe Plus Manual Gun 700 lb. 240 psi



Special Deluxe Plus



#### **30oz Thrust Variations**

 Special Deluxe Plus & Ultra for extremely thick material (see page 10 for Thrust information)

Special Deluxe Plus Manual Guns Double the thrust of a standard drive DL-59-T13P Steel barrel 700 lb<sub>f</sub> 240 psi DL-59-T23P Teflon® barrel 700 lb<sub>f</sub> 240 psi DL-59-T33P Aluminum barrel 700 lb<sub>f</sub> 240 psi Ultra Manual Guns Four times the thrust of a standard drive

DL-59-T13U	Steel barrel (previously UL-59-T13)	1100 lb <sub>f</sub>	360 psi
DL-59-T23U	Teflon® barrel (previously UL-59-T23)	1100 lb <sub>f</sub>	360 psi
DL-59-T33U	Aluminum barrel	1100 lb <sub>f</sub>	360 psi

# 30oz BULK GUNS

#### 30oz VARIATIONS: Tools built for unique applications

\* Barrel Type \* Thrust \* Nozzles \* Clip Caps \* Price \* Special Applications

Model Description Thrust Pressure

#### 30oz Nozzle Variations

(3) 235-3 Orange Cone nozzles and (1) 421-G01 Ring Cap replaces
 (1) 426-G01 Front Cap and (1) 32-55 1/2 inch round nozzle

<b>Steel Barrel Guns</b>	(see page 7 for Barrel information)
--------------------------	-------------------------------------

DL-59-T17	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
440-14	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-59-T17A	Air-Powered Gun	*	120 psi
DL-59-T17E	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi

#### Teflon Barrel Guns (see page 7 for Barrel information)

DL-59-T27	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
440-24	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-59-T27A	Air-Powered Gun	375 lb <sub>f</sub>	120 psi
DL-59-T27E	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi

#### **Aluminum Barrel Guns** (see page 7 for Barrel information)

DL-59-T37	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-59-T37E	Cordless Gun 18V	950 lb <sub>f</sub>	300 psi

440 Series guns are special kits. All bulk versions have 222-2 expanders in the leather pistons and a 416-G01 hook pull. Most have both 235-3 cone nozzles (w/421-G01 cap) and a 33-55 metal nozzle (w/426-G01 cap). See notes for exceptions. Sold only through distributors. Minimum order quantity is 96 guns.



### 30oz Price Variations

 It all comes down to how hard and how frequently you use a tool; the following are engineered to provide you with the same level of success in the application



**B-LINE:** with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass

the competition in value and durability; guns feature rotating swivel handle, leather pistons and accept all Albion bulk and sausage gun accessories

#### (see page 2 for Drive information)

B12B30	Manual Gun (12:1 Drive)	375 lb <sub>f</sub>	120 psi
B26B30	Manual Gun (26:1 Drive) High Thrust	900 lb <sub>f</sub>	300 psi
B12B30W	Manual Gun (12:1 Drive)	375 lb <sub>f</sub>	120 psi
	(with neonrene niston (n/n 21-16) for	water hased	nroducts

Pressure

Thrust

# 30oz BULK GUNS

#### 30oz VARIATIONS: Tools built for unique applications

\* Barrel Type \* Thrust \* Nozzles \* Clip Caps \* Price \* Special Applications

**30oz Special Applications** 

Description

Tools for unique jobs

Model



Large Diameter Barrel: 25/8" Diameter. Note: as barrel diameter increases, pressure drops compared to a 2" barrel



<u>Dual Directional Air-Powered Gun:</u> Commonly used in industrial or underwater applications



Push Pull Gun: Best for thin materials where loading and unloading can be accomplished by hand

PD-59-T17 Push Pull Gun with cone nozzle 30 psi (3 orange cones vs standard 1/2 inch nozzle)



Extension Guns: Crack guide pin to improve control & adjustable wheel assembly for comfortable upright dispensing; excellent for traffic detector inductance loops, pavement expansion joints, and roof membrane lap joints

703-G12Special Deluxe Manual Gun $375 \text{ lb}_f$ 120 psi700-G02Air-Powered Gun\* 120 psi862-G02Extension Gun Kit $375 \text{ lb}_f$ 120 psi

(fits DL-59-T13 [Manual], DL-59-T13A [Air], and DL-59-T13E [Cordless] tools)

# 450z BULK GUNS (11/2 Quart) & VARIATIONS



#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### **Core Tools**

# These Albion guns are commonly used by the serious professional for multiple applications

- Tools utilize leather pistons instead of plastic pistons, enabling them to accept a wider range of materials and provide a much improved performance
- 25" long barrel for floor, roof deck, or difficult to reach areas

#### DL-79-T13

#### Special Deluxe Manual Gun

375 lb<sub>f</sub> 120 psi

(see page 10 for Drive information)

steel barrel for durability
 standard <sup>1</sup>/<sub>2</sub> inch round metal nozzle

DL-79-T13A

#### Air-Powered Gun

\_\_\_\_\_ 120 psi

(see page 13 for Drive information)

· manual pull allows user better loading sensitivity

· optional regulator enables better flow control

\*\*\* when ordering any cordless gun without battery & charger add an "N" to the end of the part number

#### Albion ENGINEERING Tidbit™

# Albion offers two battery-powered cordless drives: 12Volt and 18Volt.

Both are powered by lightweight, long-lasting, fast-recharging Lithium lon batteries

The rod speed (not under load) for both models is 21 to 23 inches per minute

- . Heavy Duty drive pushes with 950 lbs. of force
- Over 80 gun models for Bulk, Sausage, Cartridge and Multi-Component dispensing



- . Best for thick materials & twin-cartridges
- · Standard Duty drive pushes with 400 lbs. of force
- 3 gun models for 20oz Sausages, 10oz Cartridges & Quart Cartridges



- 30% lighter than comparable 18V models
- Best for standard materials like acrylic, silicone & urethane.

# 450z **BULK GUNS** & VARIATIONS

45oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

700-G03

#### **45oz Special Applications**

Description

Tools for unique jobs

Model

Extension Guns: Crack guide pin to improve control & adjustable wheel assembly for comfortable upright dispensing; excellent for traffic detector inductance loops, pavement expansion joints, and roof membrane lap joints

700-G03 Air-Powered Extension Gun \*\_\_\_\_ 120 psi

#### Albion ENGINEERING Tidbit ™

# Can you dispense grout or mortar with an Albion gun?



Thrust

Pressure

Yes, all Albion bulk guns can dispense grout or mortar. Our models DL-45-T13 (manual) DL-45-T13A (pneumatic) or DL-45-T13E (cordless battery) are the most popular for this application, but larger (up to 80oz) and smaller (as little as 10oz) guns work equally well. The standard 1/2" round metal nozzle #32-55 allows for efficient placement of mortar between stone or brick and clean up with water is minimal. For special situations substitute smaller nozzles (down to 1/8") or larger (up to 3/4"). For grouting between tiles consider one of our metal slot nozzles. Or, substitute our #235-3 tapered plastic cone nozzle and trim the opening to any size from 1/8" to 1-3/4".

To load the gun, remove the front cap, pull the rod completely back and load the barrel of the gun by troweling in your mix. Some polymer modified products can be loaded by sucking them up into the barrel, the same method used with caulks.

Tap the side of the barrel frequently during loading cementitious products to remove voids. When using a cement-based mortar or grout you may need to modify your mix. A wetter mix flows better, but too wet and you can get separation of the water and aggregate inside the barrel. The addition of a latex masonry additive (AKA milk) will also make dispensing easier and help keep the mix together. If you are doing a large quantity of pointing with water based products and the leather pistons require frequent maintenance consider replacing the front cup with a #21-16 Nitrile Rubber piston. There is more information on grouting on our web site www.albioneng.com in the **Product Resources** section under **F**requently **A**sked **Q**uestions.

# 80oz BULK GUNS (21/2 Quart) & VARIATIONS



#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### **Core Tools**

# These Albion guns are commonly used by the serious professional for multiple applications

 Tools utilize leather pistons instead of plastic pistons, enabling them to accept a wider range of materials and provide a much improved performance

improved performance					
<u>103-15</u>	Special Deluxe Manual Gun (see page 10 for Drive information)  • steel barrel for durability  • jumbo 3/4 inch round metal nozzle	375 lb <sub>f</sub>	50 psi		
200-5	Air-Powered Gun (see page 14 for Drive information)  manual pull allows user better loadir optional regulator enables better flov		120 psi ity.		
103-15E	Cordless Gun (18V heavy duty battery powered)	950 lb <sub>f</sub>	105 psi		
(see page 14 for Drive information)  • fast— 30 seconds to dispense entire load at full speed • power— 3 times the thrust of a standard manual drive • flow control— instant drive disengagement • ergonomic design— reduces wrist strain • dispensing control— adjustable trigger speed • duration— 25+ loads on one charge • includes— (1) 18 volt Lithium-ion battery; fast 30 minute charger & leather piston • Lithium-ion battery supplies full power until totally drained • fully assembled— ready to go right out of the box					
(see page 89 for 18V Cordless Accessories)  *** when ordering an 18V cordless gun without battery & charger add an					
to the end of the part number					

# **800Z BULK GUNS & VARIATIONS**

#### 80oz VARIATIONS: Tools built for unique applications

\*Barrel Type \*Thrust \*Nozzles \*Clip Caps \*Price \*Special Applications

Description Thrust Pressure

#### **80oz Thrust Variations**

Model

. Special Deluxe Plus & Ultra for extremely thick material (see page 10 for Thrust information)

Special Deluxe Plus Manual Guns Double the thrust of a standard drive 103-15P Steel barrel 700 lb, 100 psi 700 lb<sub>f</sub> 103-16P Steel barrel w/cones 100 psi (3 orange cones vs standard 1/2 inch nozzle)

Ultra Manual Guns Four times the thrust of a standard drive

Steel barrel 103-15U 1100 lb<sub>f</sub> 150 psi 103-16U Steel barrel with cones 1100 lb<sub>f</sub> 150 psi (3 orange cones vs standard 1/2 inch nozzle)



#### **80oz Nozzle Variations**

 (3) 235-3 Orange Cone nozzles and (1) 421-G01 Ring Cap replaces (1) 426-G01 Front Cap and (1) 32-55 1/2 inch round nozzle

Steel Barrel Guns (see page 7 for Barrel information)

375 lb<sub>f</sub> Special Deluxe Manual Gun 103-16 50 psi Air-Powered Gun - 120 psi 200-7 -103-16E Cordless Gun 18V 950 lb<sub>f</sub> 105 psi



### **80oz Special Applications**

Tools for unique jobs

Extension Guns: Crack guide pin to improve control & adjustable wheel assembly for comfortable upright dispensing; excellent for traffic detector inductance loops, pavement expansion joints, and roof membrane lap joints

375 lb<sub>f</sub> 733-G11 Special Deluxe Manual Gun 50 psi 720-G01 Air-Powered Extension Gun \*\_\_\_ 120 psi

# 2007 **SAUSAGE GUNS**

#### 200z **Sausage Guns & Variations**



#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### **Core Tools**

#### These Albion guns are commonly used by the serious professional for multiple applications

Special Deluxe Manual Gun DL-45-T14 375 lb, 120 psi (see page 10 for Drive information)

- · steel barrel for durability
  - standard <sup>1</sup>/<sub>2</sub> inch round metal nozzle
  - 21-20 Teflon® Piston for sausage or bulk
- DL-45-T14A Air-Powered Gun (previously 100-10) \* 120 psi (see page 13 for Drive information)
  - Teflon® piston (see page 84 for Piston Information)
  - optional regulator (p/n 137-5) enables better flow control 950 lb<sub>f</sub> 300 psi

### DL-45-T14E

**Cordless Gun** 



(18V heavy duty battery powered)

- fast- 30 seconds to dispense entire load at full speed
- power— 3 times the thrust of a standard manual drive
- flow control- instant drive disengagement
- ergonomic design- reduces wrist strain
- dispensing control- adjustable trigger speed
- . (3) 235-3 orange cones instead of the standard
- 1/2 inch round nozzle
- duration— 150+ loads on one charge
- includes— (1) 18 volt Lithium-ion battery; fast 30 minute charger & Hytrel piston

PPX

- · Lithium-ion battery— supplies full power until totally drained
- . fully assembled- ready to go right out of the box (see page 89 for 18V accessories)

\*\*\* when ordering any 18V cordless gun without battery & charger add an "N" to the end of the part number

E12S20 Cordless Gun 400 lb<sub>f</sub> 130 psi (12V standard duty battery powered)



- lighter weight— alternative to heavy duty 18V cordless
- fast- dispense standard sealants in 30 seconds
- · control— variable speed trigger and auto reverse for no drip
- long lasting— 12V Lithium-lon battery dispenses up to 50 sausage packs on a single charge (see page 90 for 12V accessories)

# 200z **Sausage Guns** & Variations

20oz VARIATIONS: Tools built for unique applications

\* Piston \* Barrel Type \* Thrust \* Price \* Special Applications

Model Description Thrust Pressure

#### **20oz Price Variations**

 It all comes down to how hard and frequently you use a tool; the following are engineered to provide you with the same level of success in the application



DELUXE LINE: Excellent midrange tool; square rod technology; customizable accepts all Albion pistons, nozzles, & barrels; replacement parts available. (3) 235-3 Orange cones instead of the standard 1/2 inch round nozzle. (see page 10 for Drive information.)

Deluxe Manual Gun w/**Teflon**® Piston DL-45-02 375 lb₄ DL-45-05 Deluxe Manual Gun w/Polyfinger Piston 375 lb. 120 psi



B-LINE: with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass

the competition in value and durability; guns feature rotating swivel handle, 873-35 bulk piston for occasional use, and accept all Albion bulk and sausage gun accessories; includes spare bulk piston (p/n 873-35) (see page 12 for Drive information)

B12S20 Manual Gun (12:1 Drive) 375 lb<sub>f</sub> 120 psi B18S20 Manual Gun (18:1 Drive) 700 lb₄ 230 psi B26S20 Manual Gun (26:1 Drive) High Thrust 900 lb<sub>f</sub>

#### 20oz Special Applications

Tools for unique jobs



#### **Dual Directional Air-Powered Gun:**

Commonly used in industrial or underwater applications 746-1 Standard Gun 120 psi



Extension Guns: Crack guide pin to improve control & with adjustable wheel assembly for comfortable upright dispensing; excellent for traffic detector inductance loops, pavement expansion joints, and roof membrane lap joints

703-G15 Special Deluxe Manual Gun 375 lb₄ 120 psi 700-G05 Air-Powerd Gun \* 120 psi 862-G02 Manual, Air, or Cordless Extension Kit 375 lb, 120 psi (fits DL-59-T13 [Manual], DL-59-T13A [Air], and DL-59-T13E [Cordless] tools)

# 200z **SAUSAGE GUNS** & VARIATIONS

20oz VARIATIONS: Tools built for unique applications

\*Piston \*Barrel Type \*Thrust \*Price \*Special Applications

Model Description Thrust Pressur

#### 20oz Barrel Type Variations

DI 45 TO4

• Teflon® & Aluminum (see page 7 for Barrel information)

Special Deluye Manual Gun

 Teflon® coated barrel reduces piston friction; easier to pump and clean

275 lb

120 nei

DL-43-124	Special Deluxe Mariual Guil	J/J IDf	120 psi
440-26	Special Deluxe Manual Gun	375 lb <sub>f</sub>	200 psi
	( <b>Teflon</b> ® piston)		
DL-45-T24A	Air-Powered Gun	*	120 psi
DL-45-T24E	Cordless Gun	950 lb <sub>f</sub>	300 psi
• Aluminum	Lighter weight		
DL-45-T34	Special Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-45-T34E	Cordless Gun	950 lb <sub>f</sub>	300 psi



#### **20oz Piston Variations**

Polyfinger or Hytrel. (see page 79 for piston information.)

Polyfinger Piston: • low cost piston option (p/n 47-39) (10 pack)

ullet (3) 235-3 Orange cones instead of the standard  $^{1}$ /2 inch round nozzle

#### Steel Barrel


DL-45-T15 Special Deluxe Manual Gun 375 lb₁ 120 psi DL-45-T15A Air-Powered (previously 100-13) ★→ 120 psi

Hytrel Piston: • stiff piston with sharp edges to prevent bag wrap (p/n 21-24)

#### Steel Barrel

DL-45-T18 Special Deluxe Manual Gun 375 lb<sub>f</sub> 120 psi DL-45-T18A Air-Powered Gun \*→ 120 psi

440 Series guns are special kits. All bulk versions have 222-2 expanders in the leather pistons and a 416-G01 hook pull. Most have both 235-3 cone nozzles (w/421-G01 cap) and a 33-55 metal nozzle (w/426-G01 cap). See notes for exceptions. Sold only through distributors. Minimum order quantity is 96 guns.



# 200z **Sausage Guns** & Variations

20oz VARIATIONS: Tools built for unique applications

\* Piston \* Barrel Type \* Thrust \* Price \* Special Applications

7

Model

Special Deluxe Plus

Description



Ultra

Pressure

Thrust

#### 20oz High Thrust Variations

• Special Deluxe Plus & Ultra for extremely thick material (see page 9 for Thrust information)

Special Delux	ke Plus Manual Guns Double the thru	st of a stan	dard drive			
DL-45-T14P		700 lb <sub>f</sub>	240 psi			
DL-45-T24P	<b>Teflon</b> <sup>®</sup> barrel	700 lb <sub>f</sub>	240 psi			
DL-45-T34P	Aluminum barrel	700 lb <sub>f</sub>	240 psi			
<u>Ultra Manual Guns</u> Four times the thrust of a standard drive						
Ultra Manual	Guns Four times the thrust of a standa	ard drive				
	Guns Four times the thrust of a standa Steel barrel (previously UL-59-T13)		360 psi			
DL-45-T14U		1100 lb <sub>f</sub>	360 psi 360 psi			

#### **20oz Nozzle Variations**

•(3) 235-3 Orange Cone nozzles and (1) 33-55 Metal nozzle 440-16 Steel Barrel 375 lb<sub>f</sub> 120 psi

#### **13oz Volume Variations**

B12S13	Manual Gun (12:1) Drive)	375 lb <sub>f</sub>	120 psi
DL-32-T14E	18V Cordless Aluminum Barrel	950 lb <sub>f</sub>	300 psi

440 Series guns are special kits. All bulk versions have 222-2 expanders in the leather pistons and a 416-601 hook pull. Most have both 235-3 cone nozzles (w/421-601 cap) and a 33-55 metal nozzle (w/426-601 cap). See notes for exceptions. Sold only through distributors. Minimum order quantity is 96 guns.

#### Albion ENGINEERING Tidbit ™







Swiveling Barrel: For applying material in difficult situations, Albion has engineered a special feature that allows the user to adjust the barrel and nozzle 360 degrees. By unloosening the adjustable lock ring, the user can modify the swivel resistance.

# 10oz **SAUSAGE GUNS**

#### 10oz **Sausage Guns & Variations**



#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### Core Tools

These Albion guns are commonly used by the serious professional for multiple applications

All steel barrel for durability

DL-24-T14 Special Deluxe Manual Gun 375 lb<sub>f</sub> 120 psi (see page 10 for Drive information)

- · steel barrel for durability
- standard 1/2 inch round metal nozzle.

Air-Powered Gun (previously 100-10) \* 120 psi DL-24-T14A (see page 13 for Drive information)

- **Teflon**® piston (see page 84 for Piston Information)
- optional regulator (p/n 137-5) enables better flow control 950 lb. 300 psi

DL-24-T14E **Cordless Gun** 

18 V

(18V heavy duty battery powered)

- fast— 30 seconds to dispense entire load at full speed
- power— 3 times the thrust of a standard manual drive
- · flow control- instant drive disengagement
- ergonomic design--- reduces wrist strain
- dispensing control— adjustable trigger speed
- (3) 235-3 orange cones instead of the standard 1/2 inch round nozzle
- duration— 150+ loads on one charge
   includes— (1) 18 volt Lithium-ion battery; fast 30 minute charger & Hytrel piston
- Lithium-ion battery— supplies full power until totally drained
- fully assembled— ready to go right out of the box

\*\*\* when ordering any 18V cordless gun without battery & charger add an "N" to the end of the part number

#### Albion ENGINEERING Tidbit ™

#### **Polyfinger Pistons:**

When care of tools is an issue this piston was designed to be replaced after a few days of application. Low cost replacement piston (p/n 47-39)



## 100z **Sausage Guns** & Variations

#### 10oz VARIATIONS: Tools built for unique applications

\*Piston \*Barrel Type \*Thrust \*Price \*Special Applications

Model Description Thrust Pressure

#### **10oz Price Variations**

 Just like with the B-Line Series, it all comes down to how hard and how frequently you use a tool; the following are engineered to provide you with the same level



DELUXE LINE: Excellent midrange tool; square rod technology; customizable—accepts all Albion pistons, nozzles, & barrels; replacement parts available

(3) 235-3 Orange cones instead of the standard 1/2 inch round nozzle (see page 2 for Drive information)

DL-24-02 Deluxe Manual Gun w/**Teflon**® Piston 375 lb<sub>f</sub> 120 psi DL-24-05 Deluxe Manual Gun w/Polyfinger Piston 375 lb<sub>e</sub> 120 psi





**B-LINE:** with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass

the competition in value and durability; guns feature rotating swivel handle, quick change front cap; included with each gun are (3) narrow nozzles, (3) cones, and (2) extra pistons

(see page 12 for Drive information)

 $\begin{array}{lll} \text{B12S10} & \text{Manual Gun (12:1 Drive)} & 375 \, \text{lb}_{\text{f}} & 120 \, \text{psi} \\ \text{B26S10} & \text{Manual Gun (26:1 Drive) High Thrust} & 900 \, \text{lb}_{\text{f}} & 300 \, \text{psi} \end{array}$ 

Polyfinger



Hytrel



#### **10oz Piston Variations**

#### Polyfinger or Hytrel. (see page 79 for piston information.)

**Polyfinger Piston:** • low cost piston option; replacement packets available, *p/n 47-39*. (10 pack). • (3) *p/n 235-3* Orange cones instead of the standard ¹/2 inch round nozzle

#### **Steel Barrel**

DL-24-T15 Special Deluxe Manual. 375  $lb_f$  120 psi DL-24-T15A Air-Powered \*  $\longrightarrow$  120 psi

#### **Aluminum Barrel**

DL-24-T35 Special Deluxe Manual 375  $lb_f$  120 psi

Hytrel Piston: ● stiff piston designed to scrape barrel walls (p/n 21-24)
Steel Barrel

DL-24-T18 Special Deluxe Manual 375 lb<sub>f</sub> 120 psi

## 1007 CARTRIDGE GUNS

#### 10oz Cartridge Guns & Variations



#### The Professional's Preferred Choice

Model Description **Thrust** Pressure

#### Core Tools

These Albion guns are commonly used by the serious professional for multiple applications

846-1

846-1A

846-1F

#### Special Deluxe Manual Gun (see page 10 for Drive information)

375 lb<sub>f</sub> 120 psi

- durability— composite carriage means added strength
- · easy applications— carriage swivels
- square rod— 4 times the life of a standard rod
- Air-Powered Gun \*--120 psi

(see page 13 for Drive information) full barrel containment— improved air seal and safety

• optional regulator (p/n 137-5) enables better flow control Cordless Gun \*\*\* 950 lb,

(18V heavy duty battery powered)

(see page 14 for Drive information) 18 V

- fast— 20 seconds to dispense entire load at full speed
- power- 3 times the thrust of a standard manual drive
- flow control—instant drive disengagement
- ergonomic design- reduces wrist strain
- · dispensing control- adjustable trigger speed
- duration— 180+ loads on one charge
- includes— (1) 18 volt Lithium-ion battery; fast 30 minute charger
- · Lithium-ion battery supplies full power until totally drained
- fully assembled—ready to go right out of the box (see page 89 for 18V Accessories)
- \*\*\* when ordering any 18V cordless gun without battery & charger add an "N" to the end of the part number


F12

12 volt

#### Cordless Gun

400 lb<sub>f</sub> 130 psi

(12V standard duty battery powered) (see page 14 for Drive information)



- . fast- dispense 10oz cartridge in 25 seconds
- · control- variable speed trigger and auto reverse for no drip
- long lasting— 12V Lithium-lon battery dispenses 100+ cartridges on a single charge

(see page 90 for 12V Accessories)

## **100Z CARTRIDGE GUNS & VARIATIONS**

10oz VARIATIONS: Tools built for unique applications

\*Metal Carriage \*Thrust \*Full Barrel \*B-Line \*Hex & Ratchet Rod \*Extension Guns

Model Description Thrust Pressure



#### 10oz Metal Carriage Variations

- · Light and strong, legendary durable metal carriage
- Out of the way puncture wire included (see page 10 for Drive information)

139-3	Plated Special Deluxe Gun	375 lb <sub>f</sub>	120 psi
783-2	Swivel Carriage Special Deluxe Gun	375 lb <sub>f</sub>	120 psi
380-5	Black Epoxy Powder Coated Special	375 lb <sub>f</sub>	120 psi
	Deluxe Gun		
370-3	1/2 Barrel Utility Drive Gun	375 lb <sub>f</sub>	120 psi



Special Deluxe Plus




Ultra

#### **10oz Thrust Variations**

• Special Deluxe Plus & Ultra for extremely thick material (see page 10 for Thrust information)

Special Deluxe Plus Manual GunsDouble the thrust of a standard drive846-1PComposite carriage700 lbf value240 psi380-5PMetal carriage700 lbf value240 psi

Ultra Manual Guns Four times the thrust of a standard drive



## 1007 CARTRIDGE GUNS & VARIATIONS

#### 10oz VARIATIONS: Tools built for unique applications

\*Metal Carriage \*Thrust \*Full Barrel \*B-Line \*Hex & Ratchet Rod \*Extension Guns

Description Thrust **DL-24C** 

#### 10oz Full Barrel Variations

 Designed to be adaptable with many of Albion's metal nozzles for special applications

DL-24	Deluxe Manual Gun	375 lb <sub>f</sub>	120 psi
DL-24C	Deluxe Manual Gun w/1/4 turn Clip Cap	375 lb <sub>f</sub>	120 psi
DL-810-01	Deluxe Convertible Manual Gun	375 lb <sub>f</sub>	120 psi
	(used for Cartridge & Bulk applications,	)	



 It all comes down to how hard and frequently you use a tool; the following are engineered to provide you with the same level of success in the application



B-LINE: with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability

(see page 12 for Drive information)

B1	Manual Skeleton Gun (7:1 Drive) no drip	200 lb <sub>f</sub>	65 psi
B12	Manual Gun (12:1 Drive) cartridge puncture tool	375 lb <sub>f</sub>	120 psi
B18	Manual Gun (18:1 Drive)	700 lb <sub>f</sub>	230 psi
B26	Manual Gun (26:1 Drive) High Thrust	900 lb <sub>f</sub>	300 psi

#### Albion ENGINEERING Tidbit™

## Why Ratchet and Smooth Rod Caulking Guns:

\* Rachet Rod tools were the first tools built to dispense caulk. They were, and still are, great tools for dispensing low viscosity (watery) materials and when multiple short applications are used.

\* In 1933 Albion invented and patented the Smooth Rod Caulking Gun— emabling the caulker to do long applications

with little or no imperfections. In other words, a Smooth Rod Caulking Gun provides a smoother bead of caulk.

\* Some Smooth Rod Caulking

Guns have been designed so that they don't drip after dispensing. What the designers have really done is create a Smooth Rod caulking Gun that acts like a ratchet gun— an evolution toward the past... .

## 1007 CARTRIDGE GUNS & VARIATIONS

#### 10oz VARIATIONS: Tools built for unique applications

\*Metal Carriage \*Thrust \*Full Barrel \*B-Line \*Hex & Ratchet Rod \*Extension Guns

## 10oz Hex Rod & Ratchet Rod Variations

Description



Thrust



. Hex Rod: commonly used in the paint and DIY markets (see page 13 for Drive information)

H10 Manual Skeleton Gun (10:1 Drive) 250 lb<sub>f</sub> 80 psi w/seal punch tool: spout cutter: ladder hook

H10D Manual Skeleton Gun (10:1 Drive) 250 lbf 80 psi w/no drip; seal punch tool; spout cutter; ladder hook

H10XD Manual Half Barrel (10:1 Drive) w/no drip; seal punch tool; spout cutter; ladder hook



 Ratchet Rod: simple Ratchet tools commonly used in paint. DIY and retail industries

(see page 13 for Drive information)

Manual Half Barrel Gun (5:1 Drive) 125 lb<sub>4</sub> 150 lb<sub>f</sub> R6B Manual Half Barrel Gun (6:1 Drive) 50 psi w/seal punch tool; spout cutter; ladder hook; wrist strap

#### 10oz Extension Variations





• 24" Extension gun eliminates the need for hard to pump long nozzles and is ideal for most materials. Add additional 8" increments (p/n 395-G07) to extend reach (see page 10 for Drive information) 400-G01 Deluxe Manual Gun

#### Albion ENGINEERING Tidbit ™



to a higher level. For

## **Adjustment Screws Mean Longer Tool Life:**



example, Albion's adjustment tool technology means increased life of the gun— as the tool wears you can adjust the screw to remove the wasted motion.

Ì

ì

#### The Professional's Preferred Choice

Model Description Thrust Pressure

#### **Core Tools**

These Albion guns are commonly used by the serious professional for multiple applications

405-15

#### Special Deluxe Manual Gun 375 lb<sub>f</sub> 60 psi (see page 10 for Drive information)

- · durability- steel carriage means added strength
- · easy applications— carriage swivels
- square rod— 4 times the life of a standard round rod

405-15A Air-Powered Gun 120 psi

- (see page 13 for Drive information) · full barrel containment - improved air seal and safety
- optional regulator (p/n 137-5) better flow control

E12Q Cordless Gun 400 lb<sub>f</sub>

(12V standard duty battery powered) (see page 14 for Drive information)

12 volt

- fast- dispense 28oz cartridge in 45 seconds
- · control- variable speed trigger and auto reverse for no drip
- long lasting— 12V Lithium-lon battery dispenses up to 40 cartridges on a single charge

(see page 90 for 12V Accessories)

#### Albion ENGINEERING Tidbit ™

#### Cove Base Nozzles:

Albion offers 3 Cove Base Premium and 3 Cove Base Standard nozzles. Nozzles are all-metal construction with steel parts zinc plated for corrosion resistance.



Albion Engineering Co. 856-235-6688 www.albioneng.com \* (force is not required in air-powered guns; air pressure in = material pressure)




## 2807 CARTRIDGE GUNS & VARIATIONS

#### 28oz VARIATIONS: Tools built for unique applications

\*Metal Carriage \*Thrust \*Full Barrel \*B-Line \*Hex & Ratchet Rod \*Extension Guns

Thrust Pressure Description



#### 28oz Metal Carriage Variations

- · Light and strong, legendary durable metal carriage
- Guns come with Joist Follower (p/n 802-G01) inset, that adjusts for surface variations with spout length
- · Out of the way puncture wire included (see page 10 for Drive information)

340-3 Deluxe Manual Gun 375 lb<sub>f</sub> 70 psi 375-3 Utility Manual Gun 350 lb<sub>f</sub> 65 psi



 Special Deluxe Plus for extremely thick material (see page 10 for Thrust information)

Special Deluxe Plus Manual Guns Double the thrust of a standard drive 405-15P Standard gun w/ Swivel Metal Carriage 700 lb<sub>f</sub>



#### 28oz Full Barrel Variations

. Designed to be adaptable with many of Albion's metal nozzles for special applications

(see page 74 for Nozzle information)

#### **Standard Nozzle**

770-18	Special Deluxe Manual Gun	375 lb <sub>f</sub>	60 psi
770-18A	Air-Powered Gun	*	120 psi
770-18E	Cordless Gun	950 lb,	170 psi

#### **Cove Base Nozzle**

770-17	Special Deluxe Manual Gun	375 lb <sub>f</sub>	60 psi
770-17A	Air-Powered Gun	*	120 psi
770-17E	Cordless Gun	950 lb <sub>f</sub>	170 psi

## 2807 CARTRIDGE GUNS & VARIATIONS

28oz VARIATIONS: Tools built for unique applications

\*Metal Carriage \*Thrust \*Full Barrel \*B-Line \*Hex & Ratchet Rod \*Extension Guns

Description Thrust



- It all comes down to how hard and frequently you use a tool; the following are engineered to provide you with the same level of success in the application
- . Guns feature rotating swivel handle, wear compensation device



**B-LINE:** with the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability

150 psi

(see page 12 for Drive information)

B12Q Manual Gun (12:1 Drive) 375 lb₄ 50 psi cartridge puncture tool B260 Manual Gun (26:1 Drive) High Thrust 900 lb,

28oz Hex Rod & Ratchet Rod Variations

. Ratchet Rod: simple Ratchet tools commonly used in paint, DIY and retail industries

(see page 13 for Drive information)

Half Barrel Manual Gun (6:1 Drive) 150 lb<sub>f</sub> w/seal punch tool; spout cutter; ladder hook, wrist strap

Hex Rod: commonly used in the paint and DIY markets

(see page 13 for Drive information)

H100 Manual Skeleton Gun (10:1 Drive) 250 lb<sub>f</sub> 50 psi

w/seal punch tool; spout cutter; ladder hook

#### 28oz Extension Variations



 Pre-assembled; kits assembled onto any DL-59 tool (see page 10-13 for Drive information)

( )	,		
704-G11	Special Deluxe Manual Gun	375 lb <sub>f</sub>	50 psi
554-G02	Deluxe Manual Gun	375 lb <sub>f</sub>	50 psi
702-G01	Air-Powered Extension Gun	*	120 psi
862-G01	Manual, Air, or Cordless Extension Kit	375 lb <sub>f</sub>	50 psi

(fits DL-59-T13 [Manual], T13 [Air], and T13E [Cordless] tools)

#### **Technical Reference Information**

Review "how to build a gun" (page 5) with an emphasis on the high powered drives. The break down is the same for two component tools — nozzle, MCU, and drive.

**Nozzle:** The nozzle actually mixes the two materials together; therefore, the material containment unit requires more pressure to generate the flow out of the nozzle. Generally speaking, more elements in a mixer or smaller size increases pressure. (The material manufacturer carefully selects and specifies the nozzle required for their material to obtain a proper mix. Variation from that specification is not recommended.)

<u>Material Containment Unit:</u> The material manufacturer selects the specific cartridges which properly fit their material and the application. Be aware that:

- The face of cartridges and their size determine the proper tool category.
- Larger size cartridges are more economical, but they make the gun system heavier and the material exponentially harder to dispense.

#### (Force=Pressure X Area)

<u>Drive:</u> The increased number of variables makes selecting a drive system far more critical. Be aware that:


- Thick material requires a high thrust drive system. Manual tools need more pumps for the material to flow.
- Air guns require a larger air cylinder to generate the dispensing force and flow rate.
- Cordless tools must be carefully matched up with the application.

Throughout the catalog the force and material containment unit pressures are listed with each tool. In this section it is important to compare tools and the pressures they generate.

For example: Material packaged in 300x300ml and 750x750ml cartridges, which to select? The pressure required in the MCU to dispense the material is the same. Then:

750x750 ml System requires a 778-1U gun which can generate 81 psi 300x300 ml System requires a 505-9U gun which can generate 205psi The best system changes in relation to the viscosity:

Thick — the 300x300ml System Thin — the 750x750ml System



#### **Bayonet Style Cartridge Specifications**

Unique characteristics of the cartridges in this category:

- . Designed to easily slide into a dispensing tool and to be held rigidly
- Sturdy one piece design with solid multi-seal pistons.(50cc)
- Static mixers specific to cartridge style and material are required to ensure proper mix

50ml Cartridges: Compact package (cartridge length 4<sup>27</sup>/32 inches); tools are generally small and compact; most popular tools are the Composite Gun (871-1) and the R-Line Gun (R6750i)

Note: the view below is an example, but not exclusively a representation of the cartridge face





Cartridge Ratio: Outside Diameters (in.):

180ml (6oz), 240ml (8oz), and 360ml (12oz) Cartridges: Unique

application cartridges similar to the 50cc cartridges; known cartridges are all 1:1 ratio, 1 <sup>1</sup>/<sub>4</sub> inches in diameter

Note: the view below is an example, but not exclusively a representation of the cartridge face



Cartridge Volume: Outside Lengths (in.):



Static Mixers (see page 64): Static mixers are designed specifically to materials packaged in the cartridges; in order to ensure you select the



correct static mixer for your application you will need to contact either the material manufacturer or Albion by phone or e-mail

When choosing the correct static mixer for a specific application there are many variables to take into consideration: material being dispensed, volume of material per application, and how well the two materials mix with each other; in addition, Static mixers are available in round or square configurations, diameters, lengths, and varying elements



#### The Professional's Preferred Choice

Ratio Model Description **Thrust** Pressure<sup>+</sup>

#### **Core Tools**

These Albion guns are commonly used by the serious professional for two component applications

375 lb<sub>f</sub>

180 psi

#### 50ml Cartridges: 600-1

1	1:1	960-1	Single Action Air-Powered Gun	375 lb <sub>f</sub>	420 psi
	180 1:1	ml (60z) Ca 535-1 550-1	artridges: Manual Utility Gun Dual Action Air-Powered Gun	375 lb <sub>f</sub>	180 psi

Manual Utility Gun

**Manual Utility Gun** 

#### 240ml (8oz) Cartridges: 535-2 550-2

550-3

1:1

360	ml (12oz)	Cartridges:		
1:1	535-3	Manual Utility Gun	375 lb₄	180 psi
1.1	EEO O	Duel Astion Air Dowered Con	JI J IU <sub>f</sub>	100 081

**Dual Action Air-Powered Gun** 

**Dual Action Air-Powered Gun** 

## Albion ENGINEERING Tidbit ™ Thrust Pressure == ľ ľ \*Material pressure developed inside the material containment unit (barrel); Pressure (PSI) is what moves material out of the nozzle

BAYONET STYLE CARTRIDGE VARIATIONS: Tools built for unique applications

\*B-Line \* Composite \* R-Line

Ratio Model Description Thrust Pressure<sup>+</sup>



#### **B-Line Variations**

• With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability guns feature full carriage containment units

#### 180ml (6oz) Cartridges:

360ml (12oz) Cartridges:

1:1	B26T180	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	450 psi
240ml	(8oz) Cartri	dges:		
1:1	B26T240	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	450 psi

1:1 B26T360 Manual Gun (26:1 Drive) 900 lb<sub>f</sub> 450 psi



## **Composite Variations**

Compact light weight Ratchet gun, well balanced versitle tool

871-1 50ml Manual Gun

#### 50ml Cartridges:

1:1

2:1			
4:1	871-2	50ml Manual Gun	140 lb <sub>f</sub> 150 psi
10:1	871-3	50ml Manual Gun	140 lb <sub>f</sub> 200 psi

140 lb₁ 150 psi

## R-Line Variations

 low cost simple Ratchet gun with full retainers holding the cartridge secrely in place for accurate dispensing

#### 50ml Cartridges:

1:1	R6T50i	Manual Gun	180 lb <sub>f</sub>	200 psi
2:1				
4:1				
10:1		Manual Gun	180 lb₄	270 psi

ì

Ì

## **MULTI-COMPONENT GUNS**


#### Albion ENGINEERING Tidbit ™

#### Adjustment Screws Mean Longer Tool Life:



B-Line Tools are engineered to a higher level; for

example, Albion's adjustment tool technology means increased life of the gunas the tool wears you can adjust the screw to remove the wasted motion



#### Albion ENGINEERING Tidbit ™

#### **Dramatically Increase Your Productivity with the DDT Delamination Detection Tool:**

Albion's Delamination Detection Tool the DDT (p/n 875-1), improves the process of detecting voids with hammers or chains by about 500%; the DDT is safe to use, helps avoid repetitive motion injuries, reduces wrist strain, and prevents ladder accidents; conveniently, it adapts to

most medium and heavy duty broom sticks and paint poles (available upon request) and accepts standard 3/4" crayon and paint markers for on-the-spot

marking of delaminated areas: the surfaces it can be used on include concrete

slabs, columns, walls, beams, tile surfaces, and masonry; the DDT is ideal for inspecting wide ranges of surfaces like parking garages, bridge decks, support structures, balconies, and tunnels; for more information visit www.ddt-tool.com

#### Albion ENGINEERING Tidbit™

#### A Variable Speed Trigger Offers Additional Fine **Tuning Control—**

Albion's unique Variable Speed Trigger means complete control during an application; by fine tuning the rate of an application there's truly complete control in creating smooth beads, blending, and ease in applying material around corners



#### 200 and 400 Series Cartridge Specifications

200 Series (6.5oz) Cartridges: Compact package designed to contain a combined total of 200ml, or 6.5 ounces, of material; the total cartridge length is 513/16 inches; the cartridge piston design allows most tools to handle at least two different ratios with no adjustments required; (Most common tool used- B26T200)

Note: the 3/4 view below is an example, but not exclusively a representation of the cartridge face







100x100 100x50


100x25 100x10 115/32 x 115/32 123/32 x 17/32 115/16 x 31/32 25/32 x 23/32

400 Series (13.5oz) Cartridges: Compact package designed to contain a combined total of 400ml, or 13.5 ounces, of material; the total cartridge length is 73/4 inches; the cartridge piston design allows most tools to handle at least two different ratios with no adjustments required (Most common tool used— B26T400)

Note: the view below is an example, but not exclusively a representation of the cartridge face



Cartridge Ratio: Volume (ml): Outside Diameters (in.):



1:1 2:1 4.1 10.1 200x200 200x100 200x50 200x20 13/4 x 13/4 1<sup>1</sup>/<sub>16</sub> x 1<sup>15</sup>/<sub>32</sub> 1<sup>9</sup>/<sub>32</sub> x 1<sup>5</sup>/<sub>32</sub> 221/3 x 27/32



Connecting Nut & Static Mixer: see p. 64 for assorted Static Mixer nozzles

#### Albion ENGINEERING Tidbit ™

#### AT Guns-



**PATENTED** 

1100 lb<sub>f</sub> 411 psi



The Pro	fessional	l's Pret	ferred	Choice

Ratio Model Description Thrust Pressure<sup>+</sup>

#### Core Tools

794-1U

These Albion guns are commonly used by the serious professional for two component applications

Ultra Manual Gun

#### 200 Series

2:1	1100 lb <sub>f</sub> 401 psi
4:1	1100 lb <sub>f</sub> 377 psi
10:1	1100 lb <sub>f</sub> 330 psi
1:1 <b>E18T200 Cordless 18V</b>	950 lb <sub>f</sub> 355 psi
2:1	950 lb <sub>f</sub> 346 psi
400 Series	
1:1 937-1U Ultra Manual Gun	1100 lb <sub>f</sub> 284 psi
2:1	1100 lb <sub>f</sub> 277 psi
4:1	1100 lb <sub>f</sub> 267 psi
10:1	1100 lb <sub>f</sub> 221 psi
1:1 AT400 Standard Configuration	1130 lb <sub>f</sub> 292 psi
Dual Action Air-Powered Gun	
2:1	1130 lb <sub>f</sub> 284 psi
4:1 AT400X4 Standard Configuration	1130 lb <sub>f</sub> 274 psi
10:1 AT400X10 Standard Configuration	1130 lb <sub>f</sub> 227 psi
1:1 AT400-S Suitcase Configuration	1130 lb <sub>f</sub> 292 psi
Dual Action Air-Powered Gun	
2:1	1130 lb <sub>f</sub> 284 psi
4:1 AT400X4-S Suitcase Configuration	1130 lb <sub>f</sub> 274 psi
10:1 AT400X10-S Suitcase Configuration	1130 lb <sub>f</sub> 227 psi
1:1 <b>E18T400 Cordless 18V</b>	950 lb <sub>f</sub> 245 psi
2:1	950 lb <sub>f</sub> 239 psi
4:1 E18T400X4 Cordless 18V	950 lb <sub>f</sub> 231 psi
10:1 E18T400X10 Cordless 18V	950 lb <sub>f</sub> 190 psi

## 200ml & 400ml MULTI-COMPONENT GUNS

#### 200 & 400 SERIES VARIATIONS: Tools built for unique applications

#### \* B-Line \* Thrust

Ratio Model Description Thrust Pressure



#### 200 & 400 Series B-Line Variations

 With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability; guns feature full carriage containment units

#### 200 Series (6.5oz): our most popular model

	(0.002). 00	ii iiioot populai iiioaoi	
1:1 2:1	B18T200*	Manual Gun (18:1 Drive)	700 lb <sub>f</sub> 250 psi
1:1	B26T200*	Manual Gun (26:1 Drive)	900 lb <sub>f</sub> 336 psi
4:1 10:1	B26T200X4 B26T200X10	Manual Gun (26:1 Drive) Manual Gun (26:1 Drive)	900 lb <sub>f</sub> 308 psi 900 lb <sub>f</sub> 232 psi

#### 400 Series (13.5oz): our most popular model

1:1 2:1	B26T400*	Manual Gun (26:1 Drive)		270 psi 227 psi
4:1	B26T400X4	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	218 psi
10:1	B26T400X10	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	181 psi

<sup>\* (</sup>can dispense 1:1 or 2:1 cartridges) (see p. 50 for Cartridge Specifications)



## 200 & 400 Series Thrust Variations

 Special Deluxe Plus & Utility plus for extremely thick material; see page 10 for Drive information

#### Special Deluxe Plus Manual Guns Double the thrust of a standard drive

1:1	794-1P	200 Series Manual Gun	700 lb <sub>f</sub> 262 psi
2:1			
4:1			

10:1

#### Utility Plus Drive Guns Four times the thrust of a standard drive

1:1	857-1P	200 Series Manual Gun	600 lbf 224 psi
2.1			

(see p. 50 for Cartridge Specifications)

Ì

ĺ

#### Albion ENGINEERING Tidbit ™

# Dramatically Increase Your Productivity with the DDT Delamination Detection Tool:

Albion's Delamination
Detection Tool, the DDT (p/n
875-1), improves the process
of detecting voids with hammers or chains by about
500%; the DDT is safe to use,
helps avoid repetitive motion
injuries, reduces wrist strain,
and prevents ladder accidents;
conveniently; it
adapts to most
medium and heavy

medium and heavy duty broom sticks and paint poles (available upon request) and accepts standard 3/4" crayon and paint markers for on-the-sport m

ers for on-the-spot marking of delaminated areas; the surfaces it can be used on include concrete slabs,



columns, walls, beams, tile surfaces, and masonry; the DDT is ideal for inspecting wide ranges of surfaces like parking garages, bridge decks, support structures, balconies, and tunnels; for more information visit www.ddt-tool.com

#### Albion ENGINEERING Tidbit ™

#### **Barrel Diameter Affects Pressure:**

For example using a Bulk gun with a 25/8" diameter generates 700 lb force, however, if the diameter increases to 33/8" the force drops to 375 lb force; basically the initial force generat-





ed by the drive is spread out over a larger area (diameter) and so the pressure drops accordingly

#### Albion ENGINEERING Tidbit ™

#### **Rotating Rods: 4 Times the Life**



Albion's square smoth drive rod rotates 4 times for longer life than a standard round tool rod



#### 300 Series and "Stubby" Cartridge Specifications

Unique characteristics of the cartridges in this category:

- Either a 2 Piece snap-together or a molded one piece cartridge.
- Outside diameters for the 1:1 are 1<sup>15</sup>/32 x 1<sup>15</sup>/32 inches; outside diameters for the 2:1 are 115/32 x 11/16 inches
- . Designed to easily slide into a dispensing tool and to be held rigidly.
- . Multiple ratios fit one dispensing tool with no alterations to the tool.
- · Require "bell" shape mixer with locking nut. (544-7)

300 Series Cartridges: Compact package designed to contain 10oz, or 300ml (150x150ml), of material or 7.5oz, or 225ml (150x75ml). Cartridge total length 8<sup>1</sup>/2 inches. Most common tool used is the B26T300.

"Stubby 150" Cartridges: Compact package designed to contain 5oz, or 150ml (75x75ml), of material. Similar cartridge design but generally a one piece molded design and shorter in length. Total length

4<sup>1</sup>/2 inches.

Note: the view below is an example, but not exclusively a representa-





Cartridge Style:

150 Series Cartridge "A": 150 Series Cartridge "B": "Stubby 150" Cartridge:

Ratio/ml:

Ratio/Part Number:

(1:1) 150x150; (2:1) 150x75 (1:1) 741-G03; (2:1) 741-G03 (1:1) 150x150; (2:1) 150x75 (1:1) 741-G03; (2:1) 741-G05 (1:1) 75x75 (1:1) 741-G06



#### The Professional's Preferred Choice

Ratio Model Description Thrust Pressure+

**Core Tools** 

These Albion guns are commonly used by the serious professional for two component applications

## 300 Series

1:1	590-4P	Special deluxe Plus Manual Gun	700 lb <sub>f</sub>	257 psi
2:1				
1:1	585-1	<b>Dual Action Air-Powered Gun</b>	700 lb <sub>f</sub>	257 psi

#### 300 SERIES VARIATIONS: Tools built for unique applications

\*B-Line \* Special Applications \* Utility Plus

Ratio Model Description Thrust Pressure+



#### 300 B-Line Variations

· With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability; guns feature full carriage containment units

300 3611	<del>85.</del>			
1:1	B18T300	Manual Gun (18:1 Drive)	700 lb <sub>f</sub>	257 psi
2:1				
1:1	B26T300	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	330 psi
2:1				
1:1	B18T300V	Manual Gun (18:1 Drive)	700 lb <sub>f</sub>	257 psi
2:1				
10:1	B18T330I	Manual Gun (18:1 Drive)	700 lb <sub>f</sub>	210 psi
10.1	D1010001	Wandar dan (10.1 Dilve)	700 IDf	210 psi

#### "Stubby 150":

Manual Gun (18:1 Drive) 700 lb<sub>f</sub> 343 psi B18T150V (see p. 50 for Cartridge Specifications)

#### **300 Special Applications**

Tools for unique iobs



#### 200 and 300 Series:

1.1 806-2P Utility Plus Manual Gun 600 lb<sub>f</sub> 220 psi



Ball Screw Gun Rotary manual motion which generates extreme pressures inside the cartridge.

Ball Screw Manual Gun 1:1 540-10 Extreme

#### 600 Series Cartridge Specifications

Unique characteristics of the cartridges in this category:

- Either a 2 Piece snap-together or a molded one piece cartridge
- . Designed to easily slide into a dispensing tool and to be held rigidly
- . Multiple ratios fit one dispensing tool with no alterations to the tool
- · Require "bell" shape mixer with locking nut (544-7)

of

600 Series Cartridges: Compact package designed to contain multi ratio products; the total cartridge length is 81/2 inches. (Most common tool used is the B26T600)

Note: the 3/4 view below is an example, but not exclusively a representation











10:1 300x30ml (110z)2 x 3/4 741-G02 741-G06

	Volume	(ml):
Outside D	iameters	(in.):
Cartridge	Part Nur	nber:
	Cartridg	e "A"
	Cartridge	e "B"

Cartridge Ratio:

1:1	2:1	4:1	
300x300ml	300x150ml	300x75ml	
(22oz)	(15oz)	(12.5oz)	
2 x 2	2 x 1 <sup>15</sup> /32	2 x 1 <sup>1</sup> /16	
741-G02	741-G02	741-G02	
7/11 CO2	7/11 CO2	7/11 COE	



Connecting Nut & Static Mixer: see p. 64 for assorted Static Mixer nozzles


#### Albion ENGINEERING Tidbit ™

#### **Engineering History**—

Albion was founded in 1929 by F. Karl Schneider and in 1935 he patented the first Smooth Rod Drive Caulking Gun; for three







ī



#### The Professional's Preferred Choice

Ratio Model Description Thrust Pressure<sup>+</sup>

#### Core Tools

These Albion guns are commonly used by the serious professional for two component applications

#### 600 Series

1:1 505-90	Ultra Manual Gun	1100 lb <sub>f</sub>	205 psi
2:1		1100 lb <sub>f</sub>	271 psi
4: <u>1</u>		1100 lb <sub>f</sub>	327 psi
1:1 <b>E18T600</b>	18V Cordless	950 lb <sub>f</sub>	167 psi
2:1 <b>E18T600X2</b>	18V Cordless	950 lb <sub>f</sub>	222 psi
1:1 <b>AT600</b>	Standard Configuration	1130 lb <sub>f</sub>	90 psi
	<ul> <li>Dual Action Air Powered gun</li> </ul>		
2: <u>1</u>			
1:1 AT600-S	Suitcase Configuration	1130 lb <sub>f</sub>	90 psi
2:1			
2:1 <b>AT600X2</b>	Standard Configuration	1130 lb <sub>f</sub>	90 psi
2:1 AT600X2-S	Suitcase Configuration	1130 lb <sub>f</sub>	90 psi

To receive any AT-Line gun in a sturdy protective plastic carry case (P/N 1001-1) add the letter C to the part number



#### 600 SERIES VARIATIONS: Tools built for unique situations

\* B-Line \* Thrust \* Special Applications Ratio Model Description Thrust Pressure B26T600

#### 600 B-Line Variations

· With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability; guns feature full carriage containment units

#### 600 Series:

3	<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	11001			
	1:1	B26T600	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	167 psi
	2:1		Our most popular model	900 lb <sub>f</sub>	227 psi*
	2:1	B26T600X2	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	222 psi
	1:1			900 lb <sub>f</sub>	167 psi
	4:1	B26T375	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	268 psi
	10:1	B18T380i	Manual Gun (18:1 Drive)	700 lb <sub>f</sub>	236 psi



#### **600 Series Thrust Variations**

Special Deluxe Plus & Utility plus for extremely thick material; see page 10

#### Special Deluxe Plus Manual Guns Double the thrust of a standard drive

1:1	505-9P	Standard Gun	700 lb <sub>f</sub> 130 psi
2:1			700 lb <sub>f</sub> 173 psi
4:1			700 lb <sub>f</sub> 280 psi

#### **600 Special Applications**



Special Deluxe Plus Manual Guns; Double the thrust of a standard drive. Rods with overhead design; see page 10 for Drive information

1:1	505-10P	Standard Gun	700 lb <sub>f</sub> 130 psi
2:1	505-12P	Standard Gun	700 lb <sub>f</sub> 173 psi
540	-9	A STATE OF THE PARTY OF THE PAR	

Ball Screw Gun Rotary manual motion which generates extreme pressures inside the cartridge

1:1	540-9	Standard Gun	Extreme
2:1			

#### 600 SERIES VARIATIONS: Tools built for unique situations

#### \* B-Line \* Thrust \* Special Applications

Ratio Model Description Thrust Pressure

600 Special Applications: Tools for unique jobs



Extension Guns: Stand-up extension

guns allow for comfortable dispensing at ground level.

#### **Manual Guns**

1:1	B26T600XL	Manual Gun (26:1 Drive)	900 lb	167 psi
2:1			900 lb <sub>1</sub>	222 psi
2:1	B26T600X2L	. Manual Gun (26:1 Drive)	900 lb	222 psi
1:1			900 lb	167 psi

Air-Powered Guns Designed to use a 200-7 air drive system and a B26T600XL. Components can be purchased separately or as follows:

1:1	985-1	Single Action Gun	1000 lb <sub>f</sub> 186 psi
2:1	985-3	Single Action Gun	1000 lb <sub>f</sub> 247 psi

Cordless Guns Included with each gun is (1) 982-2 18 volt Lithium-ion battery and (1) 982-3 charger

E18T600XL 18V Cordless Extension Gun 1:1 950 lb<sub>4</sub> 167 psi 2:1 E18T600X2L 18V Cordless Extension Gun 222 psi 950 lb.

## Albion ENGINEERING Tidbit ™

## Cordless Guns— State-of-the-Art Performance.

#### Portability, and Control.

- Heavy Duty all-metal gear box develops 620 lbs force; composite carriage strongest in the industry.
- High Productivity— max speed of 23 inches per minute gets the job done faster; double the power of most manual guns.
- Ergonomic— design greatly reduces trigger-hand fatigue and wrist strain.
  - Total Dispensing Control—



- Power Efficient— dispense over 185 latex 10 oz cartrides or over 60 cold urethane 10 oz cartridges on one charge.
  - Auto-reverse— relieves pressure and reduces cartridge run-on.



Ì

ì

#### 1200 Series Cartridge Specifications

Unique characteristics of the cartridges in this category:

- Either a 2 Piece snap-together or a molded one piece cartridge
- . Designed to easily slide into a dispensing tool and to be held rigidly
- . Multiple ratios fit one dispensing tool with no alterations to the tool
- Require "bell" shape mixer with locking nut. (544-7)

1200 Series Cartridges: Compact package designed to contain multiratio products. The total cartridge length is 81/2 inches

Note: the 3/4 view below is an example, but not exclusively a representation of













Cartridge Ratio:

1:1 (440z)

2.1 (30.50z)

4:1 (27.50z)

6.1 Volume (ml): 600x600ml 600x300ml 600x150ml 600x100ml 600x30ml (25.5oz)

2<sup>13</sup>/<sub>16</sub> x 2 2<sup>13</sup>/<sub>16</sub> x 1<sup>15</sup>/<sub>32</sub> 2<sup>13</sup>/<sub>16</sub> x 1<sup>1</sup>/<sub>4</sub> 2<sup>13</sup>/<sub>16</sub> x <sup>3</sup>/<sub>4</sub>

Outside Diameters (in.): 213/16 x 213/16 Cartridge Part Number:

Cartridge "A" 741-G07 Cartridge "B" 741-G07

741-G07 741-G02

741-G07 741-G03 741-G07

741-G07 741-G08 741-G06



Connecting Nut & Static Mixer: see p. 64 for assorted Static Mixer nozzles

# Albion ENGINEERING Tidbit ™

## **LADDER HOOK PULLS-**

Albion Bulk, Sausage, and Cartridge guns accept Ladder Hook Pulls that conveniently hang for ready use. Simply screw on to the piston rod of any Albion model.











## The Professional's Preferred Choice

Ratio	Model	Description	Thrust	Pressure <sup>+</sup>
-------	-------	-------------	--------	-----------------------

#### Core Tools

These Albion guns are commonly used by the serious professional for two component applications

#### 1200 Series

1:1	946-1U	Ultra Manual Gun	1100 lb <sub>f</sub> 102 psi
2:1			1100 lb <sub>f</sub> 136 psi
4:1			1100 lb <sub>f</sub> 163 psi
6: <u>1</u>			1100 lb <sub>f</sub> 174 psi
1:1	AT900	Standard Configuration	1250 lb <sub>f</sub> 100 psi
2:1			
1:1	AT900-S	Suitcase Configuration	1250 lb <sub>f</sub> 100 psi
2:1			

#### 1200 SERIES VARIATIONS: Tools built for unique situations



#### 1200 B-Line Variations

With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability guns feature full carriage containment units

#### 1200 Series Cartridges:

1:1	B26T1200	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	83 psi
2:1	B26T900	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	111 psi
4:1	B26T750	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	133 psi
6:1	B26T700	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	142 psi

#### 1500 Series Cartridge Specifications

Unique characteristics of the cartridges in this category:

- . Either a 2 Piece snap-together or a molded one piece cartridge
- . Designed to easily slide into a dispensing tool and to be held rigidly
- . Multiple ratio fit one dispensing tool with no alterations to the tool
- Require "bell" shape mixer with locking nut (544-7)

1500 Series Cartridges: Compact package designed to contain multi ratio products; the total cartridge length is 81/2 inches; (Most common tool used is the B26T1500X)



Connecting Nut & Static Mixer: see p. 64 for assorted Static Mixer nozzles



#### The Professional's Preferred Choice

Ratio	Model	Description	Thrust	Pressure <sup>*</sup>

#### Core Tools

These Albion guns are commonly used by the serious professional for two component applications

#### 1500 Series

1:1	778-1U	Ultra Manual Gun	1100 lb <sub>f</sub>	81 psi
2.5:1			1100 lb <sub>f</sub>	116 psi
5:1			900 lb <sub>f</sub>	135 psi
10:1			900 lb <sub>f</sub>	147 psi
1:1	E18T1500X	18V Cordless	950 lb <sub>f</sub>	70 psi
1:1	E18T1500	18V Cordless	950 lb <sub>f</sub>	70 psi
		<ul> <li>Side Load</li> </ul>	•	
1:1	AT1500X	Standard Configuration	1500 lb <sub>f</sub>	120 psi
1:1	AT1500X-S	Suitcase Configuration	1500 lb <sub>f</sub>	120 psi
1:1	AT1500	Standard Configuration • Side Load	1250 lb <sub>f</sub>	100 psi
1:1	AT1500-S	Suitcase Configuration • Side Load	1250 lb <sub>f</sub>	100 ps
10:1	E18T825	18V Cordless	950 lb <sub>f</sub>	127 psi
10:1	AT825	Standard Configuration	1250 lb <sub>f</sub>	100 psi
10:1	AT825-S	Suitcase Configuration	1250 lb <sub>f</sub>	100 psi

#### 1500 SERIES VARIATIONS: Tools built for unique situations

\* Ratio Set-ups \* B-Line \* Thrust \* Special Applications

Ratio Model Description Thrust Pressure

#### 1500 Ratio Set-up Variations

The standard 778-1U is available in various cartridge ratio setups

2.5:1	778-2U	Ultra Manual Gun	1100 lb <sub>f</sub>	16 psi*
5:1	778-3U	Ultra Manual Gun	1100 lb <sub>f</sub>	116 psi
10:1	778-4U	Ultra Manual Gun	1100 lb <sub>f</sub>	135 psi

1500 SERIES VARIATIONS: Tools built for unique situations \* Ratio Set-ups \* B-Line \* Thrust \* Special Applications Ratio Model Description Thrust R26TQ05

#### 1500 B-Line Variations

With the integration of Albion's state-of-the-art design and quality engineering our B-Line tools surpass the competition in value and durability guns feature full carriage containment units

#### 1500 Series Cartridges:

1:1	B26T1500X	Manual Gun (26:1 Drive) Top Load	$900 \text{ lb}_{\text{f}}$	66 psi
1:1	B26T1500	Manual Gun (26:1) Drive) Side Load	$900 \text{ lb}_{\text{f}}$	66 psi
5:1	B26T905	Manual Gun (26:1 Drive)	$900~\rm{lb_f}$	110 psi
10:1	B26T825	Manual Gun (26:1 Drive)	900 lb <sub>f</sub>	120 psi



Extension Guns: Stand-up extension guns for comfortable dispensing at ground level

#### **Manual Guns**

B26T1500XL Manual Extension Gun 900 lb, 66 psi

Air-Powered Guns Designed to use a 200-7 air drive system and a B26T1500XL; components can be purchased separately or as follows:

967-1 Single Action Gun 1.1 1,070 lb<sub>f</sub> 78 psi

Cordless Guns Designed to use a DL-24-T19E drive system and a B26T1500XL; included with each gun is (1) 982-2 18 volt Lithium-ion battery and (1) 982-3 charger; components can be purchased separately or as follows:

E18T1500XL 18V Extension Cordless Gun 950 lb, 66 psi



#### 380ml Co-Axial Cartridge Specifications

380ml Co-Axial Series (14oz): Compact package, designed to contain a combined total of 380ml, or 14oz ounces, of material; the most popular unit is a 10:1 ratio cartridge, 7<sup>1</sup>/4 inches long with an outside diameter of 2<sup>1</sup>/2 inches





Note: the view (left) is an example, but not exclusively a representation of the cartridge face



#### The Professional's Preferred Choice

Ratio Model\* Description Thrust Pressure

#### Core Tools

4:1

10:1

These Albion guns are commonly used by the serious professional for two component applications

#### 380ml Series Manual Cartridges

B26C380X4

10:1	B26C380X10	Manual Gun	900 lb <sub>f</sub>	223 psi		
380ml Series Cordless Cartridges						
4:1	E18C380X4	18V Cordless Gun	$950~\mathrm{lb_f}$	235 psi		

18V Cordless Gun

**Manual Gun** 

#### \_\_\_ Albion ENGINEERING Tidbit ™

#### **Engineering History—**

E18C380X10

Albion was founded in 1929 by F. Karl Schneider and in 1935 he patented the first Smooth Rod Drive Caulking Gun; for three generations

Albion has been in the forefront of engineering, innovation,

and design excellence

Patent No. 1986166



900 lb₄

950 lb,

223 psi

235 psi

#### AT 1200S Series Specifications



#### The Professional's Preferred Choice

Ratio Model Description **Thrust** Pressure

#### **Core Tools**

These Albion guns are commonly used by the serious professional for two component applications

AT1200S

- Suitcase Configuration
- 1,884 lb<sub>f</sub> 470 psi
- For 2-component 20oz sausage packs
- · Ergonomic Suitcase handle
- Improved manifold and 4" air cylinder make for the fastest dispensing tool in its catagory
- 150 psi max. 1 CFM
- Includes 1/4" Quick Disconnect Style J or M
- · Ergonomic design
- · Faster flow increases productivity
- · Responsive and easy reload
- · Rugged construction

AT1200S Series Sausages: Designed to reduce waste; fixed 1:1 material ratio; 2 inch diameter barrel; requires static mixer

20oz/20oz Sausage Cartridges: Unique characteristics of the

sausages in this category:

. Designed to reduce waste with a fixed 1:1 ratio.



 Sausage fits in a 2 inch diameter x 12.5 inch long barrel.



## 20oz/20oz Sausage & Static Mixers

#### Static Mixers/Manifold:

· Designed specific to materials packaged in sausage packs

#### **Pipe Style Static Mixers:**

Designed exclusively for AT1200 Twin models. Disposable Plastic type: connects directly to the manifold outlet; it has a built in 3/4 inch NPT threaded coupling, eliminating the need for separate connecting nut


Reusable Stainless Steel model: includes three 8-element plastic mixer sticks





#### 645-G05 Manifold for Twin Sausage Guns

- . Machined from a single block of aluminum
- Povides optimum flow of material
  - Includes two replaceable viton o-rings (192-6)



1:1 AT1200S-2

- (2-Hand Configuration)
- · For highway, parking structure and bridge Joint Installation
- 2-Hand Dispensing Tool
- 150 psi max. 1 CFM
- Includes 1/4" Quick Disconnect Style J or M

STANDARD APPLICATIONS— Metal Caps & Nozzles

## GUN ACCESSURIES

## Standard Applications—Front Caps for Metal Nozzles

## Standard Albion Metal Front Cap:

- Fits all "Albion" standard size Bulk and Sausage guns
- Standard <sup>3</sup>/8" NPS Thread— accepts most standard metal nozzles

# P/N: Description: 26-6 2" Clip Cap 426-G01 2" Threaded 26-28 2" Threaded\*\*\* 220-G01 25/8" Threaded\*\*\*

#### **Metal Jumbo Cap:**

7/8" -20 NEF Thread: used with Jumbo nozzles

- 70 ZO NE	i illiouu, uoou wiili o	11100 11022100	
<u>P/N:</u>	Description:		of the
26-25-2	2" Clip Cap		(40)
426-G25	2" Threaded	Jumbo Cap	One 3
220-G03	2 <sup>5</sup> /8" Threaded***		-
221-G01	3 <sup>3</sup> /8" Threaded****	426-G25	1
*** 770 Guns ***	103 and 200 Series Guns		

#### Flat Caps: (p/n 421-G05)

- Used on full barrel cartridge guns to accept Albion metal nozzles
   421-G05
- . Used with DL-24 or DL-810 series guns



#### **Standard Applications— Metal Nozzles**

- Excellent wear resistance when working on masonry & other abrasive surfaces
- Fits Albion standard bulk/sausage front cap (p/n 426-G01)



32-22 32-46 32-49 32-33 32-47 32-37 32-88 32-48 32-55 32-77

Standard Round Nozzles: provide a round bead of sealant or adhesive; commonly used to fill joints or apply adhesive to surfaces



#### 32-33

Style "A":

One piece formed construction		<u>T</u> 1
P/N	<b>Bead Diameter</b>	
32-22	1/8"	
32-49	<sup>3</sup> /16"	
32-33	1/4"	
32-88	3/8"	

32-77 5/8" 32-35\*\*\*\* <sup>3</sup>/4"

32-55

1/2"

32-47

Style "B":

Two or three piece construction

P/N Bead Diameter
32-46 1/8"
32-47 1/4"
32-48 3/8"

32-37 <sup>3</sup>/32" Grouting

(\*\*\*\*Jumbo nozzle fits a jumbo front cap (P/N 426-G25)





<sup>\*\*</sup> Used with Cartridge Air Gun only \*\*\* 770 Series Guns

#### STANDARD BULK/SAUSAGE & B-LINE— Plastic Nozzles

#### Overview: Plastic Nozzles

- Easily cut to size for the application with a utility knife
- Generally used for a few applications and discarded

#### Standard Applications—Front Caps for Plastic Nozzles

#### **Ring Cap:** (p/n 421-G01)

Used with the (p/n 235-3 & 935-3)



Cone Nozzles or (p/n 587-2) Cap Insert

<u>P/N:</u>	Description:	469-RDA with 587-2 & 421-G01
163-G02	2" Clip Cap Barrel	
421-G01	2" Threaded Barrel	
2-G16	2" Threaded Barrel**	** used with Cartridge Air Gun only



#### Plastic Nozzles—Albion Line

#### Albion Orange Cone Nozzle: (p/n 235-3)

- Fits all Albion standard Bulk/Sausage Guns with a ring cap (p/n 421-G01)
- 4.5" long

#### Bent Cone Nozzle: (p/n 935-3)

- 45 degree bend for better control
- Used with 421-G01 ring cap
- 6.5" long



#### Plastic Nozzles: B-Line

#### Standard B-Line Plastic Front Cap: (p/n 873-5)

- Fits B-Line Bulk and Sausage Guns
- Retains 873-2 Nozzle or 873-3 Black Cone Nozzle and 935-4



# Clear

#### **B-Line Clear Narrow Nozzle:**

#### (p/n 873-2)

 Fits B-Line Bulk/Sausage Guns with ring cap 873-5 to B-Line Bulk and Sausage Guns

4.5" long



873-2

#### B-Line Black Cone Nozzle: (p/n 873-3)

- Fits B-Line Bulk/sausage guns with a ring cap (p/n 873-5)
- Purchased in 10 unit packs



4.5" long

# 935-4 **Bent Cone**

## **B-Line 45 Degree Bent Cone Nozzle:** (p/n 935-4)

 45 degree bend for better control & fits all B-Line Bulk/sausage guns with a ring cap (p/n 873-5)

• 6.5" long

# Cap Adapters: (p/n 811-1)

 To adapt (p/n 873-5) black plastic B-Line cap to Albion standard 2 inch threaded steel or aluminum barrels 811-1



# CARTRIDGE NOZZLES

#### **Plastic Cartridge Nozzles**

#### Angle Shot Green Plastic Nozzle: (p/n 935-1)

- Slips over 1/10 gallon standard cartridge nozzle
- 45 degree bend for better access
- 7" long



Narrow Nozzle: (p/n 769-4-RDA)




- Easily sized for the application & generally used for a few applications and discarded
- Fits Albion standard bulk/ sausage guns with a ring cap (P/N 421-G01) and Metal Ring Cap Insert (p/n 587-2)

#### Plastic Ribbon Bead Nozzle: (p/n 1018-G01)

- Ideal for dispensing air barrier sealants
- 1/8" X 2" to 4" adjustable width
- 45 degree bend for better access
- Works with cartridge, sausage and bulk guns





## Industrial Plastic Nozzles:

- Fits industrial style "SEMCO" cartridge on pg. 76
- 1/4 NPS thread; standard Albion cap requires 27-2 Adapter

<u>P/N:</u>	Tip Diameter:	Tip Length:
383-410	1/32"	4"
383-252	<sup>1</sup> /16"	2"
383-420	<sup>1</sup> /16"	4"
383-430	3/32"	4"
383-540	1/8"	21/2"
383-640	1/8"	6"
383-1004	1/8"	10"




## SPECIAL APPLICATIONS— Metal Nozzles


## Metal Nozzles— Bendable

#### **Aluminum Bending Nozzles:**

Allows you to reach difficult locations



- Threaded base style bendable nozzles fit 426-G01 front cap
- To use with 421-G01 front cap add 966-1 adapter
- To use with B-Line front cap 873-5 add 966-2 adapter



- Fits "Albion" standard bulk and sausage guns with 421-G01 front cap and 970-G01 adapter
- Fits 873-5 B-Line front cap with 970-G02 adapter

#### **Metal Nozzle Extenders:**

- For hard to reach applications
- Available in 3, 6, 12 &
- 18"increments

Note: the longer the nozzle the harder it will be to push material through the nozzle; consideder upgrading to a high thrust gun

#### P/N: Extension Length:

248-G03 3" 248-G06 6" 248-G12 12" 248-G18 18"



**SPECIAL APPLICATIONS— Metal Caps & Nozzles** 

#### **Special Applications: Metal Caps & Nozzles**

#### **Ribbon Bead Metal Nozzles:**

 Provides ribbon or flat <sup>1</sup>/8" high beads of adhesive or sealant

P/N:	Bead Shape:
32-45	1/8" x 3/8"
32-1313	<sup>1</sup> /8" x <sup>9</sup> /16"
32-17	1/8" x 3/4"



32-17





#### **Ribbon Bead Caps:**

· Provides ribbon or flat beads of adhesion or sealant

P/N	Bead Size	Description
32-14-3	<sup>1</sup> /8" x 1"	2" Clip Cap
32-14-5	<sup>1</sup> /8" x 1"	2" Threaded
32-10-5	<sup>1</sup> /8" x 2 <sup>1</sup> /2"	2"Threaded
32-10-9	<sup>1</sup> /8" x 2 <sup>1</sup> /2"	2 <sup>5</sup> /8" Threaded***
	*** 770 Series Gu	ins
32-102-G01	1/4" x 3"	2" Threaded *

32-102-G01 1/4" x 3" 32-103-G01 1/4" x 31/2" **Ribbon Bead Cap** 32-10-5

\* See pg. 70 for plastic ribbon bead nozzle (p/n 1018-G01)

#### Fillet Metal Nozzles:

P/N:	Triangle
32-44	3/8"
32-66	<sup>7</sup> /16"
32-100	9/16"






2" Threaded

#### **Narrow Joint Nozzles:**

 To ensure material gets to bottom of a narrow joint

32-68	Nozzle Opening:	P/N:
	<sup>3</sup> /64" x <sup>7</sup> /16"	32-68
32-1212	<sup>1</sup> /16" x <sup>11</sup> /16"	32-1212
02 1211	<sup>3</sup> / <sub>32</sub> " x <sup>7</sup> / <sub>16</sub> "	32-39
32-39	1/8" x <sup>7</sup> /8"	32-38
32-33	<sup>1</sup> /8" x 1 <sup>1</sup> /2"****	32-101





#### Jumbo Nozzles:

With <sup>7</sup>/<sub>8</sub>" 20 NEF thread (fits

426-G25 front cap)		
P/N:	Bead Diameter:	
32-35	3/4"	
32-40	5/8"	
32-101	<sup>1</sup> /8" x 1 <sup>1</sup> /2"	







SPECIAL APPLICATIONS— Metal Caps & Nozzles

#### Special Applications: Metal Caps & Nozzles



- Fit 426-G01 standard Albion metal front cap
- Improves ability to reach difficult applications like applying sealant around circular structures (pipes, conduit, etc.)
- One piece formed construction with <sup>1</sup>/2" bead diameter or three piece construction with <sup>1</sup>/8" or <sup>1</sup>/4" bead diameter
- · Consider using a high thrust gun with extension nozzles

#### **Double Bead Nozzle:**

 Saves time and increases precision when installing pre-cured silicone tape profiles

#### **Double Bead Nozzle**



#### Nozzle Opening:

#### Double Bead Cap



#### **Double Bead Caps:**

Accepts Albion metal nozzles on 1<sup>1</sup>/8" centers (p/n 26-26)

# 32-16-3

#### **Narrow Joint Cap:**

For unique applications

 P/N
 Bead Size
 Description

 32-16 31/8" x 11/2"
 2" Clip Cap

 32-16 51/8" x 11/2"
 2" Threaded

#### Self-Threading Nozzle: (p/n 732-1)

Cuts its own thread on plastic quart cartridge nozzles

732-1

#### **Check Valve Nozzle:**

- Dispenses small dab of sealant per activation (p/n 903-1)
- For sealing screw heads on metal roofing

#### **Precision Metering Metal Nozzle:**

- Provides a precision ribbon bead
- Commonly used on lap joints or membrane roofing

#### P/N: Bead Shape:

446-G05 Triangular  $^{1}$ /4" high x  $1^{13}$ /16" wide

446-G06 Custom Shape\*\*





\*\* Adjustable blade can be cut to a custom shape. Max size high by 11/4" wide. Additional blades (p/n 446-H07)

#### SPECIAL APPLICATIONS— Moldings, Ports, Reducers & Couplings

**Special Applications: Cove Base Molding** 

#### **Cove Base Molding Cap or Nozzle:**



P/N	Molding Bead Details (all dispense 3/16" beads on 1" cer		
32-63	21/2"	Two Beads, Jumbo Nozzle	
	21/2"	Two Beads, Premium Cap	
32-59-G05		fits 2" Threaded Barrel	
32-59-G09		fits 2 <sup>5</sup> /8" Threaded Barrel***	
32-59-G08		fits 3 <sup>3</sup> /8" Threaded Barrel****	
	4"	Three Beads, Standard Cap	
32-41-5		fits 2" Threaded Barrel	
32-41-9		fits 2 <sup>5</sup> /8" Threaded Barrel***	
	4"	Three Beads, Premium Cap	
32-60-G05		fits 2" Threaded Barrel	
32-60-G09		fits 2 <sup>5</sup> /8" Threaded Barrel***	
32-60-G08		fits 3 <sup>3</sup> /8" Threaded Barrel****	
32-65	6"	Five Beads, Jumbo Nozzle	
	6"	Five Beads, Premium Cap	
32-56-G05		fits 2" Threaded Barrel	
32-56-G09		fits 2 <sup>5</sup> /8" Threaded Barrel***	
32-56-G08		fits 3 <sup>3</sup> /8" Threaded Barrel****	
*** 770 Guns		**** 103 and 200 Series Guns	

#### Standard Applications: Ports & Couplings

#### **Plastic Injection Ports:**

Crimp metal sleeve to seal.


#### **Injection Port Coupling:**


Easy to connect and disconnect to
 1/4" tube injection ports

P/N:	Description:		
772-4	<sup>1</sup> /2" round drill in		
772-3	surface mount		

P/N: Description:
791-3 standard 2" Bulk Gun (426-G01) to port
791-1 standard 2" Bulk Gun (426-G01) to Zerk







#### SPECIAL APPLICATIONS— Moldings, Ports, Reducers & Couplings

#### Standard Applications: Reducers & Adapters



#### **Cap Reducers:**

 Adapts large diameter barrels to standard 2" Threaded Caps and Nozzles

 P/N:
 Barrel Diameter Gun:
 P/N:
 Barrel Diameter Gun:

 187-G05
 3<sup>3</sup>/<sub>8</sub>" \*\*\*\* 297-G05
 2<sup>5</sup>/<sub>8</sub>" \*\*\*\* \*\*\*770 Guns

#### **Nozzle Thread Reducers and Couplings**






#### **Reducers:**

· Connect nozzles to caps, cartridges or extensions

	<u>l hr</u>	<u>eads:</u>	
<u>P/N:</u>	External	Internal	<u>Use</u>
27-1	<sup>1</sup> /4 NPS	<sup>1</sup> /8 NPS	to Adapt Metal Nozzles to the Industrial
			Cartridges (383 Series)
27-2	<sup>3</sup> /8 NPS	<sup>1</sup> /4 NPS	to Adapt Plastic Industrial Nozzles to
			Albion Standard 421-G01 Cap
27-7	3/8 NPS	1/8 NPS	to Adapt Small Metal Nozzles to Albion
			Standard Bulk/Sausage Guns
27-6	<sup>7</sup> /8-20	3/8 NPS	to Adapt Standard Metal Nozzles to Albion
			Jumbo Caps
171-1	3/8 NPS	<sup>9</sup> /16 NPS	to Adapt a Nozzle with <sup>3</sup> /8 NPS Threading
			to a Cap with <sup>9</sup> /16 NEF
171-2	3/8 NPS	3/8 NPS	Couple a <sup>3</sup> /8 NPS Threaded Nozzle to a
			<sup>3</sup> /8 NPS Threaded Front Cap or a Nozzle
			Extension
171-3	3/8 NPS	<sup>5</sup> /8 NC	Threaded Nozzle Coupling 3/8 NPS to
			<sup>5</sup> /8 NC

# CARTRIDGES & NOZZLES

#### 10oz Single Component Cartridges:



#### **Features**

- Fits most standard 10oz (1/10 Gallon) Cartridge Guns
- · General purpose applications
- High density polyethylene plastic
- When loading use Albion's "Caulking Loader" and Adaptor (p/n 343-H357)
- Standard Cartridge (p/n 453-1)
- Standard piston (p/n 454-1)
- Industrial Style Cartridge: Excellent selection of nozzles for precise, accurate applications (see page70)

#### **Single Component Industrial Cartridges:**



#### **Features:**

- Generally used for adhesive applications
- Unique cartridge design requiring cartridge specific tools
- Common in automatic, semi-automatic, and manually applied processes.
- Excellent selection of nozzles for precise, accurate applications.
   See Metal and Plastic Nozzles (page 70)
- When loading use Albion's Caulking Loader and 343-H361 Adaptor
- Includes piston and plug

<u>P/N:</u>	Cartridge Length:	Ounces:
383-250-C2 <sup>1</sup> /2	1 <sup>5</sup> /8 x 2 <sup>1</sup> /2	2.50z
383-250-C6	1 <sup>5</sup> /8 x 6	6oz
383-250-C8	1 <sup>5</sup> /8 x 8	8oz
383-250-C12	1 <sup>5</sup> /8 x 12	12oz

#### **GUN MODIFIERS**

#### **Leather Pistons:**

Standard Leather Piston Packing Replacements: recommended for general purpose applications. Improves dispensing performance. Flexible, long-lasting and durable. To customize your tools for specific types of adhesives and sealants see SYNTHETIC UPGRADES on page 79.

Application: Standard leather pistons for most applications.

- Toughest, easily handles harsh abrasives such as grout.
- Best all-around chemical resistance.

#### Required Maintenance:

 Leathers must be soaked in light weight oil between cleanings to retain their sealing properties.

P/N	Diameter	Load
21-1	2"	Bulk
21-7	2"	Bulk (wax impregnated)
21-8	25/8"	Bulk
21-4	33/8"	Bulk



#### Kits 47-7 (2"); 47-8 (2<sup>5</sup>/8"); 47-9 (3<sup>3</sup>/8")



#### Kits 47-1



#### Standard Piston Replacement Kits: replaces worn-out parts.

		· opiacoo ironi out partoi
P/N	<u>Diameter</u>	<u>Style</u>
<b>Deluxe Drive:</b>		
47-1	2"	Bulk
47-10	2"	Special Applications
<b>Special Deluxe</b>	Drive:	
47-7	2"	Bulk
47-8	2 <sup>5</sup> /8"	Bulk
47-9	3 <sup>3</sup> /8"	Bulk
47-13	2"	with Expander
47-42	2"	Bulk/Sausage - Teflon®
47-23	2"	Sausage - Polyfinger
Air-Powered Dr	ive:	
47-47	2"	Sausage
47-48	2"	Bulk
47-49	2"	Sausage
B-Line:		
873-22	2"	Sausage

#### **GUN MODIFIERS**

#### Expanders:

Piston Cup: The most economical way to reduce bulk caulk blow-by. Pushes uniformly on the edge of the leather piston resulting in cleaner wipe of barrel wall.

P/N	Diameter	Description
222-2	2"	Finger-type Expander
212-165	2"	"C" Expanders
212-287	33/8"	"C" Expanders



Adjustable Wedge-Type: Mechanical way to ensure the best seal. Adjust it and lock it. Prolongs life of piston.




P/N	Description
47-35	2" LEATHER cups for 5/16" square rod used in Special
	Deluxe models.
47-36	2" TEFLON® cups for 5/16" square rod used in Special
	Deluxe models.
47-37	2" LEATHER cups for 1/4" square rod used in Deluxe models.
47-38	2" <b>TEFLON</b> ® cups for 1/4" square rod used in Deluxe models.
47-46	25/8" LEATHER cups for 5/16" square rod used in Special
	Deluxe models.
47-45	33/8" LEATHER cups for 5/16" square rod used in Special
	Deluxe models.

#### **GUN MODIFIERS**

#### Piston Packing Replacements:

Synthetic Upgrades for Special Applications: Optimizes your piston assembly for various types of adhesives and sealants. Improves dispensing performance. Albion's twin single-cup system allows individual piston cup replacement. All Albion Bulk models come equipped with standard 21-1 Soft Leather Piston Cups for general purpose applications.



P/N	<u>Diameter</u>	Piston Cup Type	Load
01.10	O."	Mikella Dukhan	Dulle

21-16 2" Nitrile Rubber Bulk

Recommended for bulk applications with water based materials. Easy to clean.

Good air-gun seal

Good air-gun seal.
21-20 2" TEFLON® Bulk/Sausage

Most chemically-resistant synthetic piston available. Higher in cost, easily damaged if abused. Universal piston for bulk and sausage applications.

29-H25\* 2" Polyethylene Sausage
Polyfinger design. Disposable sausage piston. Lower cost alternative. For best
results replace after a few days work.

21-30 2" Poly Plastic Bulk Low cost bulk alternative. Food safe.

21-24 2" Hytrel Bulk/Sausage Stiff piston, with sharp edge to scrape barrel walls clean. Good chemical resistance. Recommended for sausage applications.

21-26 2" Nylon Bulk/Sausage
Same stiffness as Hytrel, but with better chemical resistance. Recommended for bulk and sausage applications.

373-6 2" Plastic Sausage For B-Line and AT1200S Sausage guns

i73-35 2" Hytrel Bulk Bulk piston for B-Line Sausage guns **GUN MODIFIERS** 

#### **Replacement Pulls:**

#### Standard T-Pull Replacements:

Aluminum cast T-Pull. Standard on Twin-Component Special Deluxe drives.

P/N 240-1	Description Aluminum Cast T-Pull.Standard on Twin-Component Special Deluxe drives.	310-1
142-4	Steel T-Pull. Standard on all Single- Component Special Deluxe drives.	416-G01
310-1	Cast Aluminum: best for Bulk loading	240-1
310-3	Steel: best for B-Line	
416-G01	Steel: best for Swing	142-4

#### **Replacement Rod and Racks:**

Stage



	P/N	Description
Special Deluxe Manual Guns:		
	255-23	DL-24 Series
	255-1	DL-45 Series
	255-3	DL-45 Sausage Guns with Teflon Piston & 770 Series
	255-5	DL-59 Series, 103 Series
	255-33	DL-79 Series
	255-28	846 Series
	255-10	380 & 139 Series
	<b>Deluxe Manual</b>	Guns:
	273-6	DL -24 Series

273-6 DL-24 Series DL-32 Series 273-5 273-3 DL-45 Series 273-18 Quart Cartridge Guns

#### Ultra Manual Guns:

819-14 DL-24 Series

819-6 DL-45 Bulk and Sausage Guns 819-2 DL-59 Series, 103 Series

819-9 846 Series

Air Guns:

190-H19 DL-24 Series

190-H06 DL-45 Series

DI-59 Series, 103 Series 190-H07

#### **18V Cordless Guns:** Lithium-ion Series

DL-24 Series 993-G03 DL-45 Series & 770 Series 993-G02 993-G01 SDL-59 Series, 103 Series 993-G04 846 Series


993-G05 405-15E 993-G13 DL-32 Series

#### **BULK LOADING ACCESSORIES**

#### Overview: Bulk Loading Accessories

Loading a bulk gun can be difficult and messy; the following items improve productivity and reduce mess

- 1. Loading Sleeve— designed to keep the material off the outside of the barrel by sliding over the barrel when loading
- Follow Plate— designed to minimize the material's exposure to air and improve the loading process; specific technique or familiarity required to successfully use this accessory
- 3. Caulking Loader— designed to mechanically load material in a tool both quickly and easily; loaders are designed to fit specific pails; read the information below before selecting the correct loader







Material end

Assembled on gun

Sleeve keeps material off barrel.

 For 2 inch diameter models only; slips over and locks on to the gun barrel to keep end free of material

P/N:	Description:	P/N:	Description:
33-3	Clip Cap Barrel Guns	33-10	NEW! Flexible Sleeve

#### Straight & Tapered Pails, Follow Plates

#### Follow Plates:

 Designed to fit inside pail; more specific requirements below





#### **Straight Metal Pails:**

P/N	Description	Pail- Inside Diameter
117-12	2 Gallon for Threaded Barrel Gun	6 <sup>7</sup> /16"
117-13	2 Gallon for Clip Cap Barrel Gun	6 <sup>7</sup> /16"
117-14	2 Gallon for Threaded Barrel Gun	8 <sup>3</sup> /8"
117-15	2 Gallon for Clip Cap Barrel Gun	8 <sup>3</sup> /8"
117-16	5 Gallon for Threaded Barrel Gun	10 <sup>7</sup> /8"
117-17	5 Gallon for Clip Cap Barrel Gun	10 <sup>7</sup> /8"

#### Plastic or Steel Tapered or Straight Sided Pails: standard units

consist of steel plates and Neoprene rubber seals

P/N	<u>Description</u>	Pail- Inside Diameter	
		(Minimum)	(Maximun)
504-G01	2 Gallon for Threaded Barrel Gun	7 <sup>3</sup> /4"	9"
504-G02	2 Gallon for Clip Cap Barrel Gun	7 <sup>3</sup> /4"	9"
504-G07	5 Gallon for Threaded Barrel Gun	9 <sup>7</sup> /8"	11 <sup>3</sup> /8"
504-G08	5 Gallon for Clip Cap Barrel Gun	9 <sup>7</sup> /8"	11 <sup>3</sup> /8"
504-G09	504-G01 w/Viton Seal	7 <sup>3</sup> /4"	9"
504-G10	504-G02 w/Viton Seal	7 <sup>3</sup> /4"	9"
504-G11	504-G07 w/Viton Seal	97/8"	11 <sup>3</sup> /8"
504-G12	504-G08 w/Viton Seal	97/8"	11 <sup>3</sup> /8"
504-G13	20 Liter, Threaded	10"	12"

#### **BULK LOADING ACCESSORIES**

#### **Caulking Loaders:**

- Quick clean method of filling bulk guns and cartridges
- Designed to fit specific pails depending on the pail size and a standard 2-inch diameter threaded barrel gun
- Adaptors available to fit all Albion model dispensing tools/cartridges

#### Pump Style — Standard Unit:

P/N	Description	Pail- Insid	Pail- Inside Diameter		
		(Minimum)	(Maximun)		
344-7	2 Gallon Pail	7 <sup>3</sup> /4"	9"		
344-4	5 Gallon Pail — Straight Side Metal or Plastic Pail	11 <sup>5</sup> /16"			
344-4TP	5 Gallon Pail — Metal Tapered Pail	10 <sup>3</sup> /4"	11 <sup>5</sup> /16"		
344-4PL	5 Gallon Pail — Plastic Tapered Pail	9 <sup>3</sup> /4"	11 <sup>5</sup> /16"		

#### Screw Style — Standard Unit:

COLCAN OLYIC	Otunuuru Onit.		
<u>P/N</u>	Description	Pail- Insid	de Diameter
		(Minimum)	(Maximun)
344-6	5 Gallon Pail — Straight Side	11 <sup>5</sup> /16"	
	Metal or Plastic Pail		
344-6TP	5 Gallon Pail — Metal Tapered Pail	10 <sup>3</sup> /4"	11 <sup>5</sup> /16"
344-6PL	5 gallon pail — Plastic Tapered Pail	93/4"	11 <sup>5</sup> /16"

Note: improved chemical-resistant Viton rubber seals are available; add (-V) to the part number; i.e. 344-7-V





#### Caulking Loader Adapters:

Fastens to all Albion Caulking Loaders

Description

 Allows loader to work with different gun styles and to be used to fill cartridges

#### **Gun Styles:**

P/N

. ,	2000:15:10:1	
343-H353	2" Clip Cap Barrel Guns	
228-G03	2 <sup>5</sup> /8" Diameter Barrel Guns (770 Series Guns)	
228-G04	$3^3/8$ " Diameter Barrel Guns (103 & 200 Series Guns)	
Cartridge Styles:		
P/N	Description	

1714	Description
343-H351	2 <sup>1</sup> /2" Diameter — (Quart)
343-H349	2" Diameter
343-H357	1 <sup>7</sup> /8" Diameter — 1/10 Gallon and 300ml Two Component
343-H361	1 <sup>5</sup> /8" Diameter
228-G06	75ml Two Component
228-G07	150ml Two Component
228-G10	750ml Two Component
242 11445	Dioton Stabilizar

Piston Stabilizer

#### **BULK LOADING ACCESSORIES— Mixers, Cleaning & Joint Tools**

#### Mixers:

#### **Catalyst Mixer:**

- · Popular because of its smooth, easy mixing action
- Excellent for color pack or two component urethane applications
- Mixer fits <sup>1</sup>/<sub>2</sub>" drill chuck





P/N	Description	Blade	Shaft Length
381-G01	5 Gallon Pail	6"	18"
381-G02	2 Gallon Pail	4"	18"
381-G03	Stand Up 5 Gallon Pail	6"	28"
381-G04	Stand Up 2 Gallon Pail	4"	28"

#### **Mixing Paddle:**

Fast blending of low viscosity materials; fits 1/4" drill chuck

P/N	<b>Description</b>	Shaft Length
162-G02	One Galllon Pail Mixer	8"
162-G03	5 Gallon Pail Mixer	18"

#### **Prop Mixer:**

- Stainless Steel twin propeller mixer for low viscosity materials
- Outer ring shell prevents container punctures; fits 1/4" drill chuck

P/N	Description	Blade	Shaft Length
230-HS	1-2 Gallon Pail Mixer	21/2"	15"
230-PS	5 Gallon Pail Mixer	5"	21"

#### Bulk Barrel Brush:

 Brass bristle brush used to clean inside of 2" diameter PLATED STEEL barrels

P/N	<u>Description</u>
800-G01	Curved Handle for Manual Cleaning
800-G02	Straight Shank for Use with Drill
800-H01	Head Replacement

Not recommended for use on Teflon® coated barrels.

#### Joint Tools:



#### C.A.T. Spatulas:

- Elliptical Spline Radius Tip
- · Easily creates specific hourglass sealant cross-section
- Available in 1058-Plastic or 922-Stainless Steel
- Plastic includes both passive and aggressive tips shapes
   Invented by Wayne BelCher, United Professional Caulking & Restoration, Inc.

#### Plastic C.A.T. Spatulas:

Chemical resistant, non-marking, 8<sup>3</sup>/₄" long

		4
P/N	Description	Width
1058-G01	8-piece plastic C.A.T. set	
1058-G02	4-piece plastic C.A.T. set - small	ler sizes
1058-G03	4-piece plastic C.A.T. set - large	r sizes
1058-125P	Plastic - Passive Tip #10	1 <sup>1</sup> / <sub>4</sub> "
1058-150P	Plastic - Passive Tip #20	1 <sup>1</sup> / <sub>2</sub> "
1058-100A	Plastic - Aggressive Tip #30	1
1058-100P	Plastic - Passive Tip #40	1
1058-75A	Plastic - Aggressive Tip #50	3/4"
1058-087P	Plastic - Passive Tip #60	7/8"
1058-087A	Plastic - Aggressive Tip #70	7/ <sub>8</sub> "
1058-075P	Plastic - Passive Tip #80	3/4"


#### **Stainless Steel C.A.T. Spatulas:**

Curved steel handle, ground and tapered

P/N	<u>Description</u>	Width
922-G01	6-piece Stainless Steel set	
922-3S	Stainless Blade 3" long	7/ <sub>8</sub> "
922-4S	Stainless Blade 4" long	3/4
922-5S	Stainless Blade 5" long	7/ <sub>8</sub> "
922-6S	Stainless Blade 4" long	1"
922-8S	Stainless Blade 41/4" long	1 <sup>1</sup> / <sub>4</sub> "
922-10S	Stainless Blade 45/8" long	11/2"

#### **Caulking ACCESSORIES— Joint Tools**

#### **Joint Tools:**



Streamline Spatulas: 958 Series

#### Mini-Joint Tooling Kit: (p/n 556-G01)

 Three hard plastic doubled-ended tools providing the following widths: 1/8", 1/4", 5/16", 3/8", 7/16", 1/2"

#### **Tooling Joints:**

- Ensure good adhesion to substrates; Albion joint tools also offer:
- · Proper flexibility for perfect finished joints
- Easy solvent clean-up (no plastic components)
- Premium grade stainless steel
- Rounded tips for standard applications
- Easy to modify for unique applications

#### Classic Spatulas:

 The original hardwood handled classic spatula well known to professionals

258-3TPS 3" Long Tapered Blade Tapers from 5/8" to 3	3/8"
200 011 0 0 Long raporou blado raporo from 70 to	
258-3S 3" Long Straight Blade <sup>5</sup> /8"	
258-4S 4" Long Straight Blade 3/4"	
258-4TPS 4" Long Tapered Blade 7/16"	
258-5S 5" Long Straight Blade <sup>13</sup> /16"	
258-5TPS 5" Long Tapered Blade 1/2"	
258-6S 6" Long Straight Blade 1"	
258-8S 8" Long Straight Blade 1 <sup>1</sup> / <sub>4</sub> "	
258-10S	

#### Streamline Spatulas:

Curved steel handle: same blade specifications as 258 Series

		p
P/N	Description	
958-G01	Streamline Spatula Set; 7 I	Piece Bevelled Handle Standard Spatulas
958-3TPS	3" Long Tapered Blade	Tapers from <sup>5</sup> /8" to <sup>3</sup> /8"
958-3S	3" Long Straight Blade	5/8"
958-4S	4" Long Straight Blade	3/4"
958-5S	5" Long Straight Blade	13/16"
958-6S	6" Long Straight Blade	1"
958-8S	8" Long Straight Blade	1 <sup>1</sup> /4"
958-10S	10" Long Straight Blade	1 <sup>1</sup> /2"

#### **BULK LOADING ACCESSORIES— Mixers, Cleaning & Joint Tools**

#### **Joint Tools:**



#### **Scraping Tools:**

- · Rigid stainless steel construction with offset hardwood handle
- · Ground knife edge designed to scrape excess material off substrates
- Excellent for saw or flush joints where material overflows the joint
- · Excellent for scraping material off container sidewalls

P/N	Blade Measurement
258-33715	2" Wide x 5" Long
258-33719	2 <sup>1</sup> /2" Wide x 8" Long
258-33718	2" Wide x 8" Long

#### **Caulk Knife:**

P/N

- Used to remove old caulk and to clean joints
- · All steel construction provides additional durability when sliding over rough, stony, or concrete surfaces
- Padded foam grip for comfort
- Holds standard utility blade (blade not included)

P/N	<b>Length</b>	P/N	<b>Length</b>
816-G01	12"	816-G03	24"
816-G02	18"		

#### **Backer Rod Insertion Tools:**

Description

Fully adjustable and places the Backer Rod at any desired depth

640-5	Standard Model: includes 4 insertion wheels and 1 tamping
	blade for <sup>1</sup> /8", <sup>1</sup> /4", <sup>3</sup> /8", <sup>1</sup> /2" wide
	joints
640-6	Corner Model: designed for packing
	joints in a corner; includes <sup>1</sup> /8",
	1/4", 3/8", 1/2" wide insertion wheels
640-3 (set)	Includes both Standard & Corner
640-3 (set)	Includes both Standard & Corner Models
640-3 (set) 640-4	
, ,	Models
, ,	Models Road Model: similar to 640-5,
, ,	Models Road Model: similar to 640-5, except handle is reinforced with
, ,	Models Road Model: similar to 640-5, except handle is reinforced with resin and tamping blade is omitted so



#### **Wheel Accessories:**

640-G20

4.	
	1
-	
A	1
A	
Tr.	

Joint Widths	Use with 640-3	Use with 640-4 & 5
1/8"	640-G06	640-602
1/4"	640-G07	640-G03
3/8"	640-G08	640-G04
1/2"	640-G09	640-G05

41/2" Wheel Accessory: for 1/4" wide saw cut joints up to 2" deep

#### **BULK LOADING ACCESSORIES— Joint Tools & Heat Chest**

#### Hot Pot<sup>™</sup>



#### Hot Pot™

Change the caulking conditions anytime; sustains sealants, coatings, and adhesives at usable temperatures, even in the coldest conditions (p/n 939-1)

- Heavy gauge steel pail with lid
- 15" high x 18" wide interior
- 120 VAC plug-in
- Ability to hold a case of 10oz cartridges, 20oz sausages, two 2-gallon pails or one 5 gallon pail
- · Warms material to optimal temperature in 20 minutes
- Easy maintenance with repair parts (heat chest kit (p/n 174-G03) contains all interior parts - no enclosure)

#### **Special Tools**

#### **Delamination Detection Tool (DDT)**: (p/n 875-1)

Dramatically increase your speed and accuracy in detecting invisible delamination, voids, and hollows below the surface of concrete compared with tapping with hammers or dragging chains; use for inspecting concrete slabs, parking garages, bridge decks, balconies and tunnels

#### P/N Description

875-1 Delamination Detection Tool 876-1 4' - 8' Telescopic Pole for DDT 876-2 6' - 12' Telescopic Pole for DDT

#### **Heavy Duty Contractor Tool Bag:** (p/n 968-1)

Keep all your caulking tools together in one place; features include:

- Professional quality
- Heavy duty nylon
- Double handles, zippered top, shoulder strap
- 29 pockets
- 30" x 10" x 10"
- Large enough to comfortably hold several of our largest bulk guns, including cordless guns
- Convenient pockets on inside and outside to keep spare nozzles, caps, spatulas and other accessories within easy reach
- Stay open top makes it easy to add and remove tools

<sup>\*</sup>Albion would like to credit the contributions made by Philip Porter of the Masonry Preservation Group

#### AIR ACCESSORIES— Regulators, Gauges, Kits, Hoses, Plugs & AT-Line

#### Air Powered



- Air Pressure Gauge (p/n 137-3)
- 1/8 NPT Regulator (p/n 137-5)
- 10" Threaded Air Hose (p/n 272-3-10)
- 1/8 NPT Regulator w/10' Threaded Air Hose (p/n 445-2)
- 1/8 NPT Quick Disconnect Plug (p/n 363-1)
- Standard Aluminum Cast T-Pull (p/n 240-1)

#### **AT-Line Accessories**



- Upper Handle (p/n 957-1)
- Suitcase Handle Adapter (p/n 957-2)
- 20oz Sausage Gun Manifold, for use with AT1200S and AT1200S-2 (p/n 645-G05)
- O-Rings, 645-G05 (p/n 192-31)
- AT1200 Handle w/Regulator (p/n 957-3), 150 psi max.
- AT1500 Handle w/Regulator (p/n 957-11), 120 psi max.
- AT900, AT825 Handle w/Regulator (p/n 957-12), 100 psi max.
- AT600, AT400 Handle w/Regulator (p/n 957-13), 90 psi max.
- Sturdy Plastic Carry Case (p/n 1001-1)

#### 18V CORDLESS GUN ACCESSORIES— Batteries, Chargers & Kits Powered by Milwaukee® RED LITHIUM™ Battery Technology



#### **Cordless Powered**

#### Compact 18v Lithium-ion Battery Pack: (p/n 982-2)

- 1.5 amp hour capacity
- Recharge time 30 minutes
- 18 V
- Equivalent run time with 40% less weight than an 18V NiCad battery Individual Cell Voltage Monitoring-ensures optimal charge and
- discharge for maximum life
- Battery Fuel Gauge Displays remaining run-time

#### High Capacity 18v Lithium-ion Battery Pack: (p/n 982-5)

- 2.8 amp hour capacity
- Recharge time 60 minutes

#### Charger for 18v Lithium-ion Batteries: (p/n 982-3)

- Recharges compact battery in 30 minutes
- 110V AC. Euro and Australian versions available.

#### 18V Lithium-ion Cordless Conversion Kits:

convert 18V Albion Lithium-ion gun to any other model

- 995-1 Conversion Kit to 846-1E
- 995-2 Conversion Kit to 405-15E
- 995-3 Conversion Kit to DL-45-T13E
- 995-4 Conversion Kit to DL-59-T13E
- 995-5 Conversion Kit to 770-20E
- Conversion Kit to 103-15E 995-6
- Conversion Kit to DL-45-T20E 995-9



#### Pulls

#### Pulls:

- 145-G15 Standard Li-lo Cordless Pull
- 310-1 Ladder Hook Pull
- 870-2 Cartridge ejector for Cordless
- \*\*See page 80 for cordless racks

# 12V CORDLESS GUN ACCESSORIES - Battery, Charger

#### Powered by Milwaukee® RED LITHIUM™ Battery Technology

#### 12V Lithium-ion Battery Pack







12 volt

#### 12V Cordless Powered

#### Compact 12V Lithium-ion Battery Pack: (p/n 1004-3)

- For use with 12V gun models E12, E12Q and E12S20
- 1.5 amp hours of runtime
- 30 minute recharge
- Delivers fade-free power in extreme jobsite conditions

#### Charger for 12V Lithium-ion Batteries: (p/n 1004-4)

- Recharges compact battery in 30 minutes
- 110V AC.

#### Albion ENGINEERING Tidbit ™

# Albion offers two battery-powered cordless drives:

12Volt and 18Volt. Both are powered by lightweight, long-lasting, fast-recharging Lithium-ion batteries. The rod speed (not under load) for both models is 21 to 23 inches per minute.



- · Heavy Duty drive pushes with 950 lbs. of force
- Over 80 gun models for Bulk, Sausage, Cartridge and Multi-Component dispensing
- · Best for thick materials & twin-cartridges



- · Standard Duty drive pushes with 400 lbs. of force
- 3 gun models for 20oz. Sausages, 10oz. Cartridges & Quart Cartridges
- 30% lighter than comparable 18V models
- Best for standard materials like acrylic, silicone & urethane

## What's New in Version 4 of Catalog 333

#### Introduction

- Expanded Table of Contents to help locate products faster pg. 3
- Details on new 12V Lithium-ion cordless Drive pg. 14

#### **Bulk Guns**

- Improved page headings to help locate guns faster
- More details on gun features, especially 18V cordless

#### Sausage Guns

New lightweight cordless 12V gun p/n E12S20 - pg. 34

#### **Cartridge Guns**

- New lightweight 10oz. cordless 12V gun p/n E12 pg. 38
- New lightweight Quart cordless 12V gun p/n E12Q pg. 42
- · More details on features of B-Line guns

#### **Multi-Compartment Guns**

- · Improved page headings to help locate guns faster
- New E18 Twin Cartridge cordless guns:
  - ▶ 200ml 1:1 & 2:1 ratio guns pg. 51
  - ▶ 400ml 1:1, 2:1, 4:1 & 10:1 ratio guns pg. 51
  - 600ml 1:1 & 2:1 ratio guns pg. 57
  - ▶ 600ml 1:1 & 2:1 ratio EXTENSION guns pg. 59
  - ▶ 1500ml 1:1 ratio EXTENSION guns pg. 64
  - 380ml 10:1 ratio COAXIAL Cartridge guns pg. 65
- New AT Air Twin Cartridge gun:
  - ▶ 1500ml 1:1 ratio SIDE-LOAD gun pg. 63
- New B26 High Thrust Manual Drive Twin Cartridge guns:
  - ➤ 380ml 4:1 & 10:1 ratio COAXIAL Cartridge guns pg. 65
  - 1500ml 1:1 ratio SIDE-LOAD gun pg. 64

#### **Accessories**

- New plastic Ribbon Bead Nozzle 1/8" x 4" p/n 1018-G01 pg. 70
- Expanded listing of replacement Pistons pg. 79
- Improved listing of replacement Rod Pulls pg. 80
- New Flexible Bulk Loading Sleeve p/n 33-10 pg. 81
- New CAT Plastic Spatulas p/n 1058-G01 pg. 84
- New CAT Stainless Steel Spatulas p/n 922-G01 pg. 84

Scan the code below to download an electronic version of Handbook & Catalog 333 for reference from your mobile device.





**ALBION Engineering Company** 1250 N. Church Street Moorestown, NJ 08057-1102 856-235-6688 Fax Toll-Free: 800-841-7132 Email: service@albioneng.com

www.albioneng.com