# SAFETY DATA SHEET



Revision Date 02-Feb-2017

Version 1

# 1. Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Product nameColor PrimeProduct code011193198

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

# 1.3 Details of the supplier of the safety data sheet

**Supplier** Dryvit Systems, Inc.

One Energy Way

West Warwick, RI 02893

(401) 822-0855

E-mail Address ehs@dryvit.com

# 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

# 2. Hazards identification

### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Carcinogenicity	Category 1A

## 2.2 Label elements

### Signal Word

Danger

# **Hazard Statements**

May cause an allergic skin reaction

May cause cancer



## **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash hands and face thoroughly after handling
Do not eat, drink or smoke when using this product

# **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Rinse skin with water/shower

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Fight fire with normal precautions from a reasonable distance

# **Precautionary Statements - Storage**

Store in accordance with local regulations

## **Precautionary Statements - Disposal**

Refer to manufacturer/supplier for information on recovery/recycling

### 2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

### 2.4 Other information

Not Applicable

# 3. Composition/Information on Ingredients

# Substance Mixture

Chemical Name	CAS-No	Weight %
Calcium carbonate (Limestone)	1317-65-3	10 - 20%
Crystalline silica (Quartz) (Respirable)	14808-60-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Propylene glycol	57-55-6	0 - 10%
Amorphous Silica	7631-86-9	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
Aluminium magnesium silicate	12174-11-7	0 - 10%
2-PROPENOIC ACID, 2-METHYL-	79-41-4	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

# 4. First aid measures

### 4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

**Inhalation** Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

**Ingestion** If swallowed, do not induce vomiting - seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

# 5. Fire-Fighting Measures

### 5.1 Extinguishing media

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

### 5.2 Special hazards arising from the substance or mixture

### **Special Hazard**

No information available

Hazardous Combustion Products No information available.

### **Explosion Data**

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

### 6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and materials for containment and cleaning up

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. Handling and storage

# 7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

# 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

# 8. Exposure controls/personal protection

### 8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Calcium carbonate	-	TWA: 15 mg/m³	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	
(Limestone) 1317-65-3		total dust TWA: 5 mg/m³ respirable	TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>			
1317-00-3		fraction	STEL. 20 Hig/III			
Crystalline silica	TWA: 0.025 mg/m <sup>3</sup>	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>
(Quartz) (Respirable)	respirable fraction	mg/m <sup>3</sup> TWA total	1 WA. 0.023 Hig/III	1 WA. 0.023 Hig/III	TWA. U. THIG/III	TVVA. 0. 10 mg/m²
14808-60-7	respirable fraction	dust				
14000 00 7		: (250)/(%SiO2 +				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction				
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		total dust	TWA: 3 mg/m <sup>3</sup>	ŭ	ŭ	
CLAY (KAOLIN)	TWA: 2 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1332-58-7	particulate matter	total dust TWA: 5				
	containing no	mg/m³ respirable				
	asbestos and <1%	fraction				
	crystalline silica,					
	respirable fraction					
Propylene glycol	-	-				TWA: 10 mg/m <sup>3</sup>
57-55-6						TWA: 50 ppm
						TWA: 155 mg/m <sup>3</sup>
Amorphous Silica	-	TWA: 20 mppcf				
7631-86-9		: (80)/(% SiO2)				
Alicentisticas I liceles del s	T10/0 - 4 / 2	mg/m³ TWA	TIMA: 4.0 : :-/2			T)A/A . 4/2
Aluminium Hydroxide 21645-51-2	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1.0 mg/m <sup>3</sup>			TWA: 1 mg/m <sup>3</sup>
	respirable fraction		T\A/A : 4 O ====/==3		TWA: 1 fibre/cm3	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Aluminium magnesium		-	TWA: 1.0 mg/m <sup>3</sup>		TWA: T fibre/cm3	TWA: 1 mg/m <sup>3</sup>
silicate 12174-11-7	respirable fraction					
2-PROPENOIC ACID.	T\//\. 20 nn~		TM/A: 20 nn~	T\\\A \: 20 nn~	T\//\. 20 nn~	T\\\A \: 20 ppm
2-PROPENOIC ACID, 2-METHYL-	TWA: 20 ppm	-	TWA: 20 ppm	TWA: 20 ppm TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 70 mg/m <sup>3</sup>	TWA: 20 ppm
79-41-4				I VVA. 70 mg/m²	i vvA. / O mg/m²	
1 5-41-4						

### 8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

# 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection

Wear protective gloves/ protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

See section 7 for more information Hygiene measures

### 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

**Physical state** Liauid

**Appearance** Viscous liquid Color Off-white Gray or Colored

liquid

Odor **Odor Threshold** No information available Faint

**Property** Values Remarks • Methods No information available Hq >8 Melting/freezing point No information available Boiling point/boiling range > 100 °C No information available Flash Point no data available No information available **Evaporation rate** No information available Flammability (solid, gas) No information available Flammability Limits in Air No information available upper flammability limit lower flammability limit No information available

Vapor pressure No information available Vapor density No information available **Specific Gravity** 0.96 - 1.80 g/cc No information available Water solubility Soluble in water No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available

No information available **Explosive properties Oxidizing Properties** No information available

9.2 Other information

Volatile organic compounds (VOC) no data available content **Density** 8.0 - 15.0 lbs/gal

# 10. Stability and Reactivity

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use

# 10.2 Chemical stability

Stable under recommended storage conditions

## 10.3 Possibility of hazardous reactions

None under normal processing.

# 10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

# 10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

# 11. Toxicological information

### 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg(Rat)	-	-
Propylene glycol 57-55-6	20000 mg/kg(Rat)	= 20800 mg/kg ( Rabbit )	-
Amorphous Silica 7631-86-9	5000 mg/kg ( Rat )	> 2000 mg/kg(Rabbit)	> 2.2 mg/L (Rat)1 h
Aluminium Hydroxide 21645-51-2	5000 mg/kg ( Rat )	-	-
2-PROPENOIC ACID, 2-METHYL- 79-41-4	1060 mg/kg ( Rat )	500 - 1000 mg/kg (Rabbit)	= 7.1 mg/L (Rat) 4 h

# 11.2 Information on toxicological effects

### Skin corrosion/irritation

**Product Information** 

- No information available
- Component Information
- No information available

# Serious eye damage/eye irritation

Product Information

- · No information available
- Component Information
- · No information available

# Respiratory or skin sensitization

Product Information

- May cause allergic skin reaction Component Information
- · No information available

# Germ cell mutagenicity

Product Information

- No information available
- Component Information
- · No information available

# Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

.

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	
Aluminium magnesium silicate 12174-11-7	-	Group 2B Group 3	-	

## Reproductive toxicity

Product Information

No information available

Component Information

• No information available

## STOT - single exposure

No information available

### STOT - repeated exposure

No information available

### Other adverse effects

Product Information

• No information available

Component Information

· No information available

# **Aspiration hazard**

Product Information

• No information available

Component Information

• No information available

# 12. Ecological information

# 12.1 Toxicity

**Ecotoxicity** No information available

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Propylene glycol 57-55-6	EC50: 96 h Pseudokirchneriella subcapitata 19000 mg/L	LC50: 96 h Oncorhynchus mykiss 51600 mg/L static LC50: 96 h Oncorhynchus mykiss 41 - 47 mL/L static LC50: 96 h Pimephales promelas 51400 mg/L static LC50: 96 h Pimephales promelas 710 mg/L	EC50: 48 h Daphnia magna 1000 mg/L Static
Amorphous Silica 7631-86-9	EC50: 72 h Pseudokirchneriella subcapitata 440 mg/L	LC50: 96 h Brachydanio rerio 5000 mg/L static	EC50: 48 h Ceriodaphnia dubia 7600 mg/L

### 12.2 Persistence and degradability

No information available.

# 12.3 Bioaccumulative potential

#### Discharge into the environment must be avoided

Chemical Name	log Pow
2-PROPENOIC ACID, 2-METHYL-	0.93
79-41-4	

#### 12.4 Mobility in soil

No information available.

# 12.5 Other adverse effects

No information available

# 13. Disposal Considerations

# 13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

# 14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

# 15. Regulatory information

### 15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

# 15.2 U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### 15.3 Pesticide Information

Not applicable

# 15.4 U.S. State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
Ethanol - 64-17-5	Carcinogen
	Developmental
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Benzophenone - 119-61-9	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen
Benzyl chloride - 100-44-7	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

# 16. Other information

NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and chemical
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	hazards - Personal protection B

# Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

02-Feb-2017

**Revision Note** 

No information available

## **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**