SAFETY DATA SHEET



Revision Date 26-May-2017

Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Quarzputz® HDP Product code 012738197

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users
Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc

One Energy Way, West Warwick, RI 02893 Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction

May cause genetic defects May cause cancer





Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Keep/Store away from clothing/ combustible materials

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS No.	Weight-%
Crystalline silica (Quartz) (Respirable)	14808-60-7	60 - 70%
Perlite	93763-70-3	0 - 10%
Calcium Metasilicate	13983-17-0	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
Ethylene oxide	75-21-8	0 - 10%
2-Propenoic acid (Acrylic Acid)	79-10-7	0 - 10%
Stoddard Solvent	8052-41-3	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for ContainmentSpills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica (Quartz) (Respirable)	TWA: 0.025 mg/m ³ respirable fraction	: (30)/(%SiO2 + 2) mg/m³ TWA total	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
14808-60-7	respirable fraction	dust				
		: (250)/(%SiO2+				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction				
Perlite	-	-	TWA: 10 mg/m ³			TWA: 10 mg/m ³
93763-70-3			TWA: 3 mg/m ³		TIMA: 40 / 2	
Calcium Metasilicate	-	-			TWA: 10 mg/m ³	
13983-17-0	T)A/A - 40/3	TMA: 453	TIMA: 40/3	TMA: 40/3	TWA: 5 mg/m ³	TMA: 40/3
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
Ethylene oxide	TWA: 1 ppm	TWA: 1 ppm	TWA: 0.1 ppm	TWA: 1 ppm	TWA: 1 ppm	TWA: 1 ppm
75-21-8	TVVA. T ppm	STEL: 5 ppm see	STEL: 1 ppm	TWA: 1.8 mg/m ³	TWA: 1 ppill TWA: 1.8 mg/m ³	TWA: 1.8 mg/m ³
70210		29 CFR 1910.1047	Adverse	1 v v v v v v v v v v v v v v v v v v v	1 vv/ t. 1.0 mg/m	STEL: 10 ppm
		20 01 11 10 10 110 11	reproductive effect			STEL: 18 mg/m ³
2-Propenoic acid	TWA: 2 ppm	-	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm	TWA: 2 ppm
(Acrylic Acid)	S*		Skin Adverse	TWA: 5.9 mg/m ³	TWA: 5.9 mg/m ³	Skin
79-10-7			reproductive effect	Skin	Skin	
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	TWA: 290 mg/m ³	TWA: 100 ppm	TWA: 100 ppm	TWA: 525 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	STEL: 580 mg/m ³	TWA: 572 mg/m ³	TWA: 525 mg/m ³	
Aluminium Hydroxide	TWA: 1 mg/m ³	-	TWA: 1.0 mg/m ³			TWA: 1 mg/m ³
21645-51-2	respirable fraction					

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

AppearanceViscous liquidColorOff-white Gray or Colored

liquid

Odor Faint Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

>8

pH

Melting/freezing point No information available

Boiling point/boiling range > 100 °C

Flash Point no data available No information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Vapor density
Specific Gravity
0.96 - 1.80 g/cc

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties

No information available
No information available

9.2 Other information

Volatile organic compounds (VOC)

content

Regulatory – 18.71 g/l

Density 8.0 - 15.0 lbs/gal

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

mg/kg mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg(Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-
Ethylene oxide 75-21-8	72 mg/kg (Rat)	-	= 800 ppm (Rat) 4 h
2-Propenoic acid (Acrylic Acid) 79-10-7	193 mg/kg (Rat)	= 295 mg/kg (Rabbit)	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L (Rat) 4 h
Aluminium Hydroxide 21645-51-2	5000 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

No information available

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

• No information available

Component Information

· No information available

Respiratory or skin sensitization

Product Information

• May cause allergic skin reaction

Component Information

· No information available

Germ cell mutagenicity

Product Information

Mutagenic

Component Information

· No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

-

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	
Ethylene oxide 75-21-8	A2	Group 1 Group 2A	Known	

Reproductive toxicity

Product Information

- No information available
- Component Information
- · No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- Component Information
- · No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Ethylene oxide 75-21-8	-	LC50: 96 h Pimephales promelas 73 - 96 mg/L	LC50: 48 h Daphnia magna 137 - 300 mg/L
2-Propenoic acid (Acrylic Acid) 79-10-7	EC50: 96 h Pseudokirchneriella subcapitata 0.17 mg/L EC50: 72 h Desmodesmus subspicatus 0.04 mg/L	LC50: 96 h Brachydanio rerio 222 mg/L semi-static	EC50: 48 h Daphnia magna 95 mg/L

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
Ethylene oxide 75-21-8	-0.3
2-Propenoic acid (Acrylic Acid) 79-10-7	0.46

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %	Weight-%
Ethylene oxide	0.1	< 1
75-21-8		

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive
ASHES (RESIDUES) - 68131-74-8	Carcinogen
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Sulphuric acid - 7664-93-9	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
ETHYL ACRYLATE - 140-88-5	Carcinogen

16. Other information

NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and chemical hazards *
HMIS_	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal protection B

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Chronic Hazard Star Legend Chronic Health Hazard

Revision Date Revision Note 26-May-2017

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision Date 20-Dec-2016

Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Freestyle®, Freestyle® Fine, Freestyle® Smooth, Freestyle® - Si

Product code 011040197

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc.

1 Energy Way

West Warwick, RI 02893

(401) 822-4100

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction

May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Keep/Store away from clothing/ combustible materials

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS-No	Weight %
Crystalline silica (Quartz) (Respirable)	14808-60-7	60 - 70%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
Stoddard Solvent	8052-41-3	0 - 10%
Amorphous Silica	7631-86-9	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%
CELLULOSE	9004-34-6	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Freestyle® - Si

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica	TWA: 0.025 mg/m ³	` ' ' '	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
(Quartz) (Respirable)	respirable fraction	mg/m ³ TWA total				
14808-60-7		dust				
		: (250)/(%SiO2+				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
21.114.044.21.00		respirable fraction				
CLAY (KAOLIN)	TWA: 2 mg/m ³	TWA: 15 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1332-58-7	particulate matter	total dust TWA: 5				
	containing no	mg/m³respirable				
	asbestos and <1%	fraction				
	crystalline silica,					
	respirable fraction	T)A/A 45 / 0	TIMA 40 / 0	T14/4 40 / 0	TMA 40 / 0	T14/4 40 / 0
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7	T14/4 / 00	total dust	TWA: 3 mg/m ³	T14/4 / 00	T14/4 / 00	
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	TWA: 290 mg/m ³	TWA: 100 ppm	TWA: 100 ppm	TWA: 525 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	STEL: 580 mg/m ³	TWA: 572 mg/m ³	TWA: 525 mg/m ³	
Amorphous Silica	-	TWA: 20 mppcf				
7631-86-9		: (80)/(% SiO2)				
		mg/m³ TWA	T1// / 0			T1111 1 1 1 2
Aluminium Hydroxide	TWA: 1 mg/m ³	-	TWA: 1.0 mg/m ³			TWA: 1 mg/m ³
21645-51-2	respirable fraction					
CELLULOSE	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³
9004-34-6		total dust TWA: 5	TWA: 3 mg/m ³			
		mg/m³respirable				
		fraction				

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous Liquid Color Off-white Gray or Colored

liquid

Odor Faint **Odor Threshold** No information available

Property <u>Values</u>

0.96 - 1.80 g/cc

Soluble in water

pН

>8 Melting/freezing point

Boiling point/boiling range > 100 °C

Flash Point no data available

Evaporation rate

Flammability (solid, gas) Flammability Limits in Air

upper flammability limit

lower flammability limit Vapor pressure

Vapor density

Specific Gravity

Water solubility

Solubility in other solvents **Partition coefficient Autoignition temperature**

Decomposition temperature

Viscosity, kinematic Viscosity, dynamic

Explosive properties Oxidizing Properties

9.2 Other information

Volatile organic compounds (VOC)

content

8.0 - 15.0 lbs/gal **Density**

Remarks • Methods

No information available

No information available

No information available

No information available No information available No information available

No information available

No information available No information available

No information available No information available

No information available

No information available

10. Stability and Reactivity

19.1 g/l

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg (Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg(Rat)	-	-
Amorphous Silica 7631-86-9	5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)	> 2.2 mg/L (Rat)1 h
Aluminium Hydroxide 21645-51-2	5000 mg/kg (Rat)	-	-
CELLULOSE 9004-34-6	-	-	> 5800 mg/m³ (Rat) 4 h

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

· No information available

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

• No information available

Component Information

· No information available

Respiratory or skin sensitization

Product Information

• May cause allergic skin reaction

Component Information

No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

•

Chemical Name	ACGIH	IARC	NTP	OSHA

011040197 - Freestyle®, Freestyle® Fine, Freestyle® Smooth,

Freestyle® - Si

Crystalline silica (Quartz)	A2	Group 1	Known	
(Respirable)				
14808-60-7				
Titanium dioxide	-	Group 2B	-	
13463-67-7		•		

Reproductive toxicity

Product Information

- No information available
- **Component Information**
- No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- Component Information
- · No information available

Aspiration hazard

Product Information

- No information available
- **Component Information**
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity No information available

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Amorphous Silica	EC50: 72 h Pseudokirchneriella	LC50: 96 h Brachydanio rerio 5000	EC50: 48 h Ceriodaphnia dubia
7631-86-9	subcapitata 440 mg/L	mg/L static	7600 mg/Ĺ

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Freestyle® - Si

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT.Not regulatedMEX.Not regulatedIMDG.Not regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies

DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
Benzophenone - 119-61-9	Carcinogen

011040197 - Freestyle®, Freestyle® Fine, Freestyle® Smooth, Freestyle® - Si

N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive
1,4-DIOXANE - 123-91-1	Carcinogen
ETHYL ACRYLATE - 140-88-5	Carcinogen

16. Other information

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and chemical hazards HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection B

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 20-Dec-2016

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision Date 05-Jun-2017 Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Sandblast®, Sandblast® - Si, Sandblast® NTX

Product code 011030198

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc

One Energy Way, West Warwick, RI 02893 Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin sensitization	Category 1
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction

May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash hands and face thoroughly after handling
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Rinse skin with water/shower

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Fight fire with normal precautions from a reasonable distance

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity 22.4031% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance

<u>Mixture</u>

Chemical Name	CAS No.	Weight-%
Crystalline silica (Quartz) (Respirable)	14808-60-7	40 - 50%
Calcium carbonate (Limestone)	1317-65-3	10 - 20%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica	TWA: 0.025 mg/m ³	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
(Quartz) (Respirable)	respirable fraction	mg/m ³ TWA total				
14808-60-7		dust				
		: (250)/(%SiO2 +				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction		T1444 40 4 0	T1444 40 4 0	
Calcium carbonate	-	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	
(Limestone)		total dust TWA: 5	TWA: 3 mg/m ³			
1317-65-3		mg/m³ respirable	STEL: 20 mg/m ³			
	T 14/4 0 / 0	fraction	T14/4 0 / 0	T14/4 0 / 0	TMA 5 / 0	T144 0 / 0
CLAY (KAOLIN)	TWA: 2 mg/m ³	TWA: 15 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1332-58-7	particulate matter	total dust TWA: 5				
	containing no	mg/m³ respirable				
	asbestos and <1%	fraction				
	crystalline silica,					
	respirable fraction	T14/4 45 / 0	TAVA 40 / 0	T14/4 40 / 0	T1444 40 / 0	T14/4 40 / 0
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		total dust	TWA: 3 mg/m ³			

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous liquid Color Off-white Gray or Colored

iquid

Odor Faint Odor Threshold No information available

Property Values Remarks • Methods

pH >8

Melting/freezing point No information available

Boiling point/boiling range > 100 °C / 212 °F

Flash Point no data available No information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information available

 Vapor pressure
 No information available

 Vapor density
 No information available

Specific Gravity 0.96 - 1.80 g/cc **Water solubility** Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) 18.00 g/l

content

Density 8.0 - 15.0 lbs/gal

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

Unknown Acute Toxicity 22.4031% of the mixture consists of ingredient(s) of unknown toxicity

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz)	500 mg/kg (Rat)	-	-
(Respirable) 14808-60-7			
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

• No information available

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

• No information available

Component Information

• No information available

Respiratory or skin sensitization

Product Information

No information available

Component Information

· No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

• No information available

Carcinogenicity

Product Information

 The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

•

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	

Reproductive toxicity

Product Information

• No information available

Component Information

• No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- **Component Information**
- · No information available

Aspiration hazard

Product Information

- No information available
- **Component Information**
- No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

Ecotoxicity effects

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT Not regulated

MEX Not regulated

IMDG Not regulated

IATA Not regulated

15. Regulatory information

15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65	
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen	
Titanium dioxide - 13463-67-7	Carcinogen	
Aluminium magnesium silicate - 12174-11-7	Carcinogen	
ASHES (RESIDUES) - 68131-74-8	Carcinogen	
Benzophenone - 119-61-9	Carcinogen	
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen	
1,4-DIOXANE - 123-91-1	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	
ETHYL ACRYLATE - 140-88-5	Carcinogen	
Acetaldehyde - 75-07-0	Carcinogen	

16. Other information

NFPA Health Hazard 1 Flammability 0 Instability 0 Physical and chemical hazards -

HMIS Health Hazard 1 Flammability 0 Physical Hazard 0 Personal protection B

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 05-Jun-2017

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision Date 01-Jun-2017 Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Sandpebble® Fine Pastel Base

Product code 011022198

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc

One Energy Way, West Warwick, RI 02893 Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Germ cell mutagenicity	Category 1A
Carcinogenicity	Category 1A

2.2 Label elements

Signal Word

Danger

Hazard Statements

Harmful if swallowed
May cause an allergic skin reaction
May cause genetic defects
May cause cancer





Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash hands and face thoroughly after handling

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Rinse skin with water/shower

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Fight fire with normal precautions from a reasonable distance

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

37.3207% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

<u>Substance</u>

Mixture

The product contains no substances known to be hazardous to health in concentrations which need to be taken into account

Chemical Name	CAS No.	Weight-%
Crystalline silica (Quartz) (Respirable)	14808-60-7	30 - 40%
Calcium carbonate (Limestone)	1317-65-3	30 - 40%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
Stoddard Solvent	8052-41-3	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. **Sensitivity to Static Discharge** No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. Methods for cleaning up

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica	TWA: 0.025 mg/m ³	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
(Quartz) (Respirable)	respirable fraction	mg/m³ TWA total				
14808-60-7		dust				
		: (250)/(%SiO2 +				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA respirable fraction				
Calaium aarbanata			T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Calcium carbonate (Limestone)	-	TWA: 15 mg/m ³ total dust TWA: 5	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	
1317-65-3		mg/m³ respirable	STEL: 20 mg/m ³			
1017-00-0		fraction	OTEL. 20 mg/m			
CLAY (KAOLIN)	TWA: 2 mg/m ³	TWA: 15 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1332-58-7	particulate matter	total dust TWA: 5	3	3	- 3	3.
	containing no	mg/m3 respirable				
	asbestos and <1%	fraction				
	crystalline silica,					
	respirable fraction					
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7		total dust	TWA: 3 mg/m ³			
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	TWA: 290 mg/m ³	TWA: 100 ppm	TWA: 100 ppm	TWA: 525 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	STEL: 580 mg/m ³	TWA: 572 mg/m ³	TWA: 525 mg/m ³	

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous liquid Color Off-white Gray or Colored

quid

Odor Faint Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pН

Melting/freezing point No information available

Boiling point/boiling range > °C

Flash Point no data available No information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) 16.45 g/l

content

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 37.3207% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 872.00 mg/kg mg/l

Numerical measures of toxicity: Component Information

Chemical Na	me	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica ((Respirable 14808-60-) '	500 mg/kg (Rat)	•	-
Titanium diox 13463-67-		10000 mg/kg (Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

· No information available

Component Information

• No information available

Serious eye damage/eye irritation

Product Information

· No information available

Component Information

• No information available

Respiratory or skin sensitization

Product Information

No information available

Component Information

• No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

No information available

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz)	A2	Group 1	Known	
(Respirable)				
14808-60-7				
Titanium dioxide	-	Group 2B	-	

01-Jun-2017 - 011022198 - 1 - AGHS - English -

13463-67-7		

Reproductive toxicity

Product Information

- No information available
- Component Information
- · No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

- No information available
- **Component Information**
- No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

5.0929 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

15. Regulatory information

15.1 International Inventories

TSCA Complies

DSL
EINECS/ELINCS
ENCS
IECSC
KECL
PICCS
AICS
NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
Benzophenone - 119-61-9	Carcinogen
N-(3,4-dichlorophenyl)-N,N-dimethylurea - 330-54-1	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

1,4-DIOXANE - 123-91-1	Carcinogen
ETHYL ACRYLATE - 140-88-5	Carcinogen

16. Other information

NFPA Health Hazard 0 Flammability 0 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 0 Flammability 0 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

01-Jun-2017

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision Date 05-Jun-2017

Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Sandpebble® Pastel Base

Product code 011021198

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use No information available

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc

One Energy Way, West Warwick, RI 02893 Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Acute toxicity - Oral	Not Classified
Acute toxicity - Dermal	Not Classified
Acute toxicity - Inhalation (Gases)	Not Classified
Acute toxicity - Inhalation (Vapors)	Not Classified
Acute toxicity - Inhalation (Dusts/Mists)	Not Classified
Skin corrosion/irritation	Not Classified
Serious eye damage/eye irritation	Not Classified
Respiratory sensitization	Not Classified
Skin sensitization	Category 1
Germ cell mutagenicity	Not Classified
Carcinogenicity	Category 1A

Reproductive toxicity	Not Classified
Specific target organ toxicity (single exposure)	Not Classified
Specific target organ toxicity (repeated exposure)	Not Classified
Aspiration toxicity	Not Classified

2.2 Label elements

Signal Word

Danger

Hazard Statements

May cause an allergic skin reaction May cause cancer





Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use personal protective equipment as required
Do not eat, drink or smoke when using this product
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash hands and face thoroughly after handling

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eve irritation persists: Get medical advice/attention

Rinse skin with water/shower

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Fight fire with normal precautions from a reasonable distance

Precautionary Statements - Storage

Store in accordance with local regulations

Precautionary Statements - Disposal

Refer to manufacturer/supplier for information on recovery/recycling

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

24.2465% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

<u>Substance</u>

<u>Mixture</u>

Chemical Name	CAS No.	Weight-%
Crystalline silica (Quartz) (Respirable)	14808-60-7	40 - 50%

Calcium carbonate (Limestone)	1317-65-3	10 - 20%
CLAY (KAOLIN)	1332-58-7	0 - 10%
Titanium dioxide	13463-67-7	0 - 10%
Aluminium Hydroxide	21645-51-2	0 - 10%
CELLULOSE	9004-34-6	0 - 10%
Stoddard Solvent	8052-41-3	0 - 10%
Hexahydro-1,3,5-tris(hydroxyethyl)-s-triazine	4719-04-4	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations. Keep from freezing.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica (Quartz) (Respirable) 14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	: (30)/(%SiO2 + 2) mg/m³ TWA total dust	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
14000-00-7		: (250)/(%SiO2+				
		5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
0.1.		respirable fraction	T1444 40 / 0	T14/4 40 / 0	TMA 40 / 0	
Calcium carbonate	-	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	
(Limestone)		total dust TWA: 5	TWA: 3 mg/m ³			
1317-65-3		mg/m³ respirable fraction	STEL: 20 mg/m ³			
	T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	T\\\\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	T\\\\ \ \ \ F \ \ \ \ \ \ \ \ \ \ \ \ \	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
CLAY (KAOLIN) 1332-58-7	TWA: 2 mg/m ³	TWA: 15 mg/m ³ total dust TWA: 5	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³
1332-56-7	particulate matter	mg/m³ respirable				
	containing no asbestos and <1%	fraction				
	crystalline silica,	iraction				
	respirable fraction					
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7	1 vv/t. 10 mg/m	total dust	TWA: 3 mg/m ³	TVV/t. To mg/m	TVVV. To mg/m	TVV/t. To mg/m
Aluminium Hydroxide	TWA: 1 mg/m ³	-	TWA: 1.0 mg/m ³			TWA: 1 mg/m ³
21645-51-2	respirable fraction					
CELLULOSE	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 10 mg/m ³
9004-34-6		total dust TWA: 5	TWA: 3 mg/m ³			
		mg/m³ respirable				
		fraction				
Stoddard Solvent	TWA: 100 ppm	TWA: 500 ppm	TWA: 290 mg/m ³	TWA: 100 ppm	TWA: 100 ppm	TWA: 525 mg/m ³
8052-41-3		TWA: 2900 mg/m ³	STEL: 580 mg/m ³	TWA: 572 mg/m ³	TWA: 525 mg/m ³	

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection If splashes are likely to occur, wear:. Tightly fitting safety goggles.

Skin and body protection Wear protective gloves/ protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid

Appearance Viscous liquid Color Off-white Gray or Colored

liquid

Odor Faint Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

рН

Melting/freezing point No information available

Boiling point/boiling range > °C

Flash Point no data available No information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient

No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) 16.74 g/l

content

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

.

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 24.2465% of the mixture consists of ingredient(s) of unknown toxicity

 Oral LD50
 99,999.00 mg/kg

 Dermal LD50
 99,999.00 mg/kg

 Gas
 99,999.00 mg/l

 LC50 (Dust/Mist)
 99,999.00 mg/l

 LC50 (Vapor)
 99,999.00 mg/l

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg(Rat)	-	-
Titanium dioxide 13463-67-7	10000 mg/kg (Rat)	-	-
Aluminium Hydroxide 21645-51-2	5000 mg/kg (Rat)	-	-
CELLULOSE 9004-34-6	-	-	> 5800 mg/m³ (Rat) 4 h

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

• No information available

Component Information

· No information available

Serious eye damage/eye irritation

Product Information

• No information available

Component Information

· No information available

Respiratory or skin sensitization

Product Information

• No information available

Component Information

• No information available

Germ cell mutagenicity

Product Information

• No information available

Component Information

· No information available

Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

_

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
Titanium dioxide 13463-67-7	-	Group 2B	-	

Reproductive toxicity

Product Information

• No information available

Component Information

· No information available

STOT - single exposure

No information available

STOT - repeated exposure

No information available

Other adverse effects

Product Information

• No information available

Component Information

· No information available

Aspiration hazard

Product Information

• No information available

Component Information

· No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

5.327 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Discharge into the environment must be avoided

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

Ozone Not Applicable

13. Disposal Considerations

13.1 Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Not regulated

14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulated

15. Regulatory information

15.1 International Inventories

IATA

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC**

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
Aluminium magnesium silicate - 12174-11-7	Carcinogen
Benzophenone - 119-61-9	Carcinogen
1,4-DIOXANE - 123-91-1	Carcinogen
ETHYL ACRYLATE - 140-88-5	Carcinogen
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive

16.	Other	inform	nation
	U 11101		IGUOII

<u>NFPA</u>	Health Hazard 0	Flammability 0	Instability 0	Physical and chemical hazards -
HMIS	Health Hazard 0	Flammability 0	Physical Hazard 0	Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date

05-Jun-2017

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet