# SAFETY DATA SHEET



Revision Date 13-Apr-2016

Version 1

## 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Product name RAPID PATCH Product code 013016

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users
Restrictions on use No information available

Uses advised against

Not suitable for use in homeworker (DIY) applications

## 1.3 Details of the supplier of the safety data sheet

**Supplier** Dryvit Systems, Inc

One Energy Way,

West Warwick, RI 02893

Phone Number: (401) 822-4100 Toll Free Number: (800) 556-7752

E-mail Address ehs@dryvit.com

## 1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3 - (H335)

### 2.2 Label elements

## Signal Word

Danger

### **Hazard Statements**

Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation



### **Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Use only outdoors or in a well-ventilated area

### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

#### 2.4 Other information

Not Applicable

**Unknown Acute Toxicity** 

19.9166% of the mixture consists of ingredient(s) of unknown toxicity

## 3. Composition/Information on Ingredients

### Substance Mixture

Chemical Name	CAS-No	Weight %
Crystalline silica (Quartz) (Respirable)	14808-60-7	20 - 30%
PORTLAND CEMENT	65997-15-1	10 - 20%
SOLID GLASS SPHERES	65997-17-3	10 - 20%
CALCIUM OXIDE/LIME	1305-78-8	10 - 20%
Calcium carbonate (Limestone)	1317-65-3	0 - 10%
ALUMINUM OXIDE	1344-28-1	0 - 10%
Aluminum Sulfate	10043-01-3	0 - 10%

Mullite	1302-93-8	0 - 10%
CLAY (KAOLIN)	1332-58-7	0 - 10%
CALCIUM SULFATE HEMIHYDRATE	13397-24-5	0 - 10%
ASHES (RESIDUES)	68131-74-8	0 - 10%
Talc	14807-96-6	0 - 10%
MAGNESIUM OXIDE	1309-48-4	0 - 10%
HYDROCARBON DISTILLATE	64742-65-0	0 - 10%

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

### 4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

# 5. Fire-Fighting Measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

### 5.2 Special hazards arising from the substance or mixture

#### **Special Hazard**

No information available

Hazardous Combustion Products No information available.

#### **Explosion Data**

Sensitivity to Mechanical Impact No information available.

Sensitivity to Static Discharge Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard. No information available.

#### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

None required.

### 6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

#### 6.3 Methods and materials for containment and cleaning up

**Methods for Containment** Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

## 8. Exposure controls/personal protection

### 8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	<b>British Columbia</b>	Alberta	Quebec	Ontario TWAEV
Crystalline silica (Quartz) (Respirable) 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	: (30)/(%SiO2 + 2) mg/m³ TWA total dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction : (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>
PORTLAND CEMENT 65997-15-1	TWA: 1 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction TWA: 50 mppcf <1% Crystalline silica	TWA: 10 mg/m³ TWA: 3 mg/m³	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m³ TWA: 5 mg/m³	TWA: 1 mg/m³
SOLID GLASS SPHERES 65997-17-3	TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable fraction	-	TWA: 1 fibre/cm3 TWA: 5 mg/m³	TWA: 5 mg/m³ TWA: 1 fibre/cm3	TWA: 10 mg/m³	TWA: 1 fibre/cm3 TWA: 5 mg/m <sup>3</sup>

CALCIUM OXIDE/LIME 1305-78-8	TWA: 2 mg/m³	TWA: 5 mg/m³	TWA: 2 mg/m³	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m³	TWA: 2 mg/m³
Calcium carbonate (Limestone) 1317-65-3	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	
ALUMINUM OXIDE 1344-28-1	TWA: 1 mg/m³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 1.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Aluminum Sulfate 10043-01-3	-	-		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	
Mullite 1302-93-8	TWA: 1 mg/m <sup>3</sup> respirable fraction	-	TWA: 1.0 mg/m <sup>3</sup>			TWA: 1 mg/m <sup>3</sup>
CLAY (KAOLIN) 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
CALCIUM SULFATE HEMIHYDRATE 13397-24-5	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
ASHES (RESIDUES) 68131-74-8	TWA: 1 mg/m³ Cu dust and mist	-				
Talc 14807-96-6	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
MAGNESIUM OXIDE 1309-48-4	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ fume, total particulate	TWA: 10 mg/m <sup>3</sup> TWA: 3 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

## 8.2 Appropriate engineering controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

### 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Wear protective gloves/ protective clothing.

**Respiratory protection** Effective dust mask. If exposure limits are exceeded or irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn.

**Hygiene measures** See section 7 for more information

## 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Solid Appearance Powder

ColorOff-white or GrayOdorNo information available

Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH

Melting/freezing pointNo information availableBoiling point/boiling rangeno data availableNo information available

Flash Point Evaporation no data available No information available

rate Flammability (solid, gas) Flammability Limits

as) Flammability Limits

No information available

in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information available

Vapor density No information available

**Specific Gravity** 

Water solubility Soluble in water

Solubility in other solvents No information available

Partition coefficient No information available

Autoignition temperature

Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties No information available

Oxidizing Properties No information available

9.2 Other information

Volatile organic compounds (VOC) no data available

content

### 10. Stability and Reactivity

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use

10.2 Chemical stability

Stable under recommended storage conditions

#### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

## 10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

## 10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

# 11. Toxicological information

#### 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 19.9166% of the mixture consists of ingredient(s) of unknown toxicity

**Oral LD50** 2,922.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg(Rat)	-	-
CALCIUM OXIDE/LIME 1305-78-8	500 mg/kg(Rat)	-	-
ALUMINUM OXIDE 1344-28-1	5000 mg/kg ( Rat )	-	-
Aluminum Sulfate 10043-01-3	1930 mg/kg ( Rat )	-	-
ASHES (RESIDUES) 68131-74-8	2000 mg/kg ( Rat )	-	-

## 11.2 Information on toxicological effects

#### Skin corrosion/irritation

Product Information

· No information available

Component Information

· No information available

## Serious eye damage/eye irritation

Product Information

No information available

Component Information

· No information available

### Respiratory or skin sensitization

Product Information

• No information available

Component Information

· No information available

#### Germ cell mutagenicity

Product Information

No information available

Component Information

• No information available

## Carcinogenicity

Product Information

• The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

· Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA

Crystalline silica (Quartz) (Respirable) 14808-60-7	A2	Group 1	Known	
ASHES (RESIDUES) 68131-74-8	-	Group 1	Known	
HYDROCARBON DISTILLATE 64742-65-0	A2	Group 1	-	

### Reproductive toxicity

Product Information

- No information available Component Information
- No information available

### STOT - single exposure

No information available

### STOT - repeated exposure

No information available

#### Other adverse effects

Product Information

- No information available
- **Component Information**
- No information available

### **Aspiration hazard**

Product Information

- No information available
- Component Information
   No information available

# 12. Ecological information

### 12.1 Toxicity

**Ecotoxicity** No information available

27.9503 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
CALCIUM OXIDE/LIME 1305-78-8	-	LC50: 96 h Cyprinus carpio 1070 mg/L static	-
Talc 14807-96-6	-	LC50: 96 h Brachydanio rerio 100 g/L semi-static	-
HYDROCARBON DISTILLATE 64742-65-0	-	LC50: 96 h Oncorhynchus mykiss 5000 mg/L	EC50: 48 h Daphnia magna 1000 mg/L

### 12.2 Persistence and degradability

No product level data available.

## 12.3 Bioaccumulative potential

Some components of this material have some potential to bioaccumulate but not all have been tested

### 12.4 Mobility in soil

No information available.

#### 12.5 Other adverse effects

No information available

## 13. Disposal Considerations

#### 13.1 Waste treatment methods

Dispose of in accordance with local regulations. This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

## 14. Transport Information

DOTNot regulatedMEXNot regulatedIMDGNot regulatedIATANot regulated

## 15. Regulatory information

#### 15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### 15.2 U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ALUMINUM OXIDE	1.0
1344-28-1	
ASHES (RESIDUES)	1.0 0.1
68131-74-8	

11853G - RAPID PATCH Revision Date 13-Apr-2016

#### 15.3 Pesticide Information

Not applicable

### 15.4 U.S. State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
Titanium dioxide - 13463-67-7	Carcinogen
Lead - 7439-92-1	Carcinogen Developmental Female Reproductive Male Reproductive
Mercury - 7439-97-6	Developmental
Cadmium - 7440-43-9	Carcinogen Developmental Male Reproductive
chromium(+6) cation - 18540-29-9	Carcinogen Developmental Female Reproductive Male Reproductive

40	041		•		4.5
16	Oth	ar II	nto	rma	ition
IV.	$\sim$ LII	CI II			ILIVII

NFPA_	Health Hazard 1	Flammability 0	Instability 0	Physical and chemical hazards -
<u>HMIS</u>	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal protection X

### Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 26-Jan-2017

**Revision Note** 

No information available

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**