SAFETY DATA SHEET



Revision Date 22-Mar-2017

Version 1

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Rapidry DM 35-50

Product code 023035

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Restricted to professional users

Restrictions on use

Uses advised against Not suitable for use in homeworker (DIY) applications

1.3 Details of the supplier of the safety data sheet

Supplier Dryvit Systems, Inc.

One Energy Way

West Warwick, RI.02893

(401) 822-4100

E-mail Address ehs@dryvit.com

1.4 Emergency telephone number

Emergency telephone number Chemtrec: +1 703-527-3887 ex-USA

Chemtrec: 1-800-424-9300 USA

2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3 - (H335)

2.2 Label elements

Signal Word

Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause cancer
May cause respiratory irritation



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor

IF ON SKIN: Wash with plenty of water and soap
Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

2.3. Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

2.4 Other information

Not Applicable

Unknown Acute Toxicity

4.6056% of the mixture consists of ingredient(s) of unknown toxicity

3. Composition/Information on Ingredients

Substance Mixture

Chemical Name	CAS-No	Weight %
Crystalline silica (Quartz) (Respirable)	14808-60-7	40 - 50%
PORTLAND CEMENT	65997-15-1	10 - 20%
CALCIUM OXIDE/LIME	1305-78-8	0 - 10%
Calcium carbonate (Limestone)	1317-65-3	0 - 10%
Aluminum Sulfate	10043-01-3	0 - 10%
ALUMINUM OXIDE	1344-28-1	0 - 10%

CALCIUM SULFATE HEMIHYDRATE	13397-24-5	0 - 10%
CLAY (KAOLIN)	1332-58-7	0 - 10%
CALCIUM SULFATE	7778-18-9	0 - 10%
ASHES (RESIDUES)	68131-74-8	0 - 10%
MAGNESIUM OXIDE	1309-48-4	0 - 10%

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been witheld as a trade secret.

4. First aid measures

4.1 Description of first-aid measures

General advice If symptoms persist, call a physician.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician if irritation develops or persists.

Skin contact Immediate medical attention is not required. Call a physician if irritation develops or

persists.

Inhalation Immediate medical attention is not required. Get medical attention if symptoms occur. Call a

physician if irritation develops or persists.

Ingestion If swallowed, do not induce vomiting - seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician No information available.

5. Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

5.2 Special hazards arising from the substance or mixture

Special Hazard

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge No information available.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created

by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the

6.2 Environmental precautions

Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological information.

6.3 Methods and materials for containment and cleaning up

expertise of employees in the area responding to the spill.

Methods for Containment Spills and leaks are not likely. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep out of the reach of children. Store in

accordance with local regulations.

Materials to Avoid Strong oxidizing agents. Strong acids. Strong bases.

8. Exposure controls/personal protection

8.1 Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
Crystalline silica	TWA: 0.025 mg/m ³	: (30)/(%SiO2 + 2)	TWA: 0.025 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.10 mg/m ³
(Quartz) (Respirable)	respirable fraction	mg/m ³ TWA total				
14808-60-7		dust				
		: (250)/(%SiO2 + 5) mppcf TWA				
		respirable fraction				
		: (10)/(%SiO2 + 2)				
		mg/m³ TWA				
		respirable fraction				
PORTLAND CEMENT	TWA: 1 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³
65997-15-1	particulate matter	total dust TWA: 5	TWA: 3 mg/m ³		TWA: 5 mg/m ³	
	containing no	mg/m³respirable				
	asbestos and <1%	fraction TWA: 50				
	crystalline silica,	mppcf <1% Crystalline				
	respirable fraction	silica				
CALCIUM	TWA: 2 mg/m ³	TWA: 5 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³
OXIDE/LIME	· · · · · · = · · · · g · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · = · · · · g · · · ·	· · · · · · = · · · · g · · · ·	
1305-78-8						
Calcium carbonate		TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	
(Limestone)		total dust TWA: 5	TWA: 3 mg/m ³			
1317-65-3		mg/m³respirable	STEL: 20 mg/m ³			
Alamaiaana Oakata		fraction		TIMA: 0 / 2	TIMA: 0 / 2	
Aluminum Sulfate 10043-01-3	-	-		TWA: 2 mg/m ³	TWA: 2 mg/m ³	
ALUMINUM OXIDE	TWA: 1 mg/m ³	TWA: 15 mg/m ³	TWA: 1.0 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1 mg/m ³
1344-28-1	respirable fraction	total dust TWA: 5	TVVA. 1.0 mg/m²	TVVA. TO HIG/III	TWA. TO HIG/III	TVVA. TIIIg/III
1044 20 1	respirable fraction	mg/m³respirable				
		fraction				
CALCIUM SULFATE	TWA: 10 mg/m ³	TWA: 15 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
HEMIHYDRATE	inhalable fraction	total dust	TWA: 3 mg/m ³		TWA: 5 mg/m ³	
13397-24-5		TWA: 5 mg/m ³	STEL: 20 mg/m ³			

		respirable fraction				
CLAY (KAOLIN) 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 5 mg/m³	TWA: 2 mg/m ³
CALCIUM SULFATE 7778-18-9	TWA: 10 mg/m³ inhalable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m³ TWA: 5 mg/m³	TWA: 10 mg/m ³
ASHES (RESIDUES) 68131-74-8	TWA: 1 mg/m³ Cu dust and mist	-				
MAGNESIUM OXIDE 1309-48-4	TWA: 10 mg/m ³ inhalable fraction	TWA: 15 mg/m³ fume, total particulate	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³

8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

8.3 Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection Wear protective gloves/ protective clothing.

Respiratory protection Effective dust mask. If exposure limits are exceeded or irritation is experienced,

NIOSH/MSHA approved respiratory protection should be worn.

Hygiene measures See section 7 for more information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Physical state
 Solid

 Appearance
 Powder
 Color
 Off-white or Gray

Odor No information available Odor Threshold No information available

Property Values Remarks • Methods

pН

Melting/freezing pointNo information availableBoiling point/boiling rangeNo information availableFlash PointNo information available

Evaporation rate

Flammability (solid, gas)

No information available

Flammability Limits in Air upper flammability limit

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 1.60 - 2.80 g/cc

Water solubility
Soluble in water

Solubility in other solvents
Partition coefficient
No information available
No information available

Autoignition temperature Decomposition temperature

Viscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive propertiesNo information availableOxidizing PropertiesNo information available

9.2 Other information

Volatile organic compounds (VOC) no data available

content

Density 14.0 - 23.0 lbs/gal

10. Stability and Reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use

•

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to Avoid

Do not freeze. To avoid thermal decomposition, do not overheat.

10.5 Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6 Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological information

11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity 4.6056% of the mixture consists of ingredient(s) of unknown toxicity

Oral LD50 4,832.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Crystalline silica (Quartz) (Respirable) 14808-60-7	500 mg/kg(Rat)	-	-
CALCIUM OXIDE/LIME 1305-78-8	500 mg/kg(Rat)	-	-
Aluminum Sulfate 10043-01-3	1930 mg/kg (Rat)	-	-
ALUMINUM OXIDE 1344-28-1	5000 mg/kg (Rat)	-	-
CALCIUM SULFATE 7778-18-9	3000 mg/kg (Rat)	-	-
ASHES (RESIDUES) 68131-74-8	2000 mg/kg(Rat)	-	-

11.2 Information on toxicological effects

Skin corrosion/irritation

Product Information

Corrosive to skin. Contact with skin may cause irritation or severe burns and scarring.
 Component Information

• No information available

Serious eye damage/eye irritation

Product Information

· Risk of serious damage to eyes

Component Information

• No information available

Respiratory or skin sensitization

Product Information

· May cause allergic skin reaction

Component Information

· No information available

Germ cell mutagenicity

Product Information

Mutagenic

Component Information

No information available

Carcinogenicity

Product Information

 The table below indicates whether each agency has listed any ingredient as a carcinogen Component Information

• Contains a known or suspected carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica (Quartz)	A2	Group 1	Known	
(Respirable) 14808-60-7				
ASHES (RESIDUES) 68131-74-8	-	Group 1	Known	

Reproductive toxicity

Product Information

- No information available Component Information
- No information available

STOT - single exposure

No information available

STOT - repeated exposure

• May cause adverse liver effects

Other adverse effects

Product Information

- No information available
- **Component Information**
- No information available

Aspiration hazard

Product Information

- No information available
- Component Information
- · No information available

12. Ecological information

12.1 Toxicity

Ecotoxicity

No information available

9.6616 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Ecotoxicity effects

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
CALCIUM OXIDE/LIME 1305-78-8	-	LC50: 96 h Cyprinus carpio 1070 mg/L static	-
CALCIUM SULFATE 7778-18-9	-	LC50: 96 h Lepomis macrochirus 2980 mg/L static LC50: 96 h Pimephales promelas 1970 mg/L static	-

12.2 Persistence and degradability

No product level data available.

12.3 Bioaccumulative potential

Some components of this material have some potential to bioaccumulate but not all have been tested

12.4 Mobility in soil

No information available.

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with federal, state, and local regulations.

14. Transport Information

MEX. Not regulated

MEX. Not regulated

MOS Not regulated

Not regulated

Not regulated

15. Regulatory information

15.1 International Inventories

TSCA DSL EINECS/ELINCS ENCS IECSC KECL PICCS AICS NZIOC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

15.2 U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ALUMINUM OXIDE	1.0
1344-28-1	
ASHES (RESIDUES)	1.0 0.1
68131-74-8	

15.3 Pesticide Information

Not applicable

15.4 U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Crystalline silica (Quartz) (Respirable) - 14808-60-7	Carcinogen
ASHES (RESIDUES) - 68131-74-8	Carcinogen
METHANOL - 67-56-1	Developmental
Acetaldehyde - 75-07-0	Carcinogen

16. Other information

NFPA Health Hazard 2 Flammability 0 Instability 0 Physical and chemical hazards *

HMIS Health Hazard 2 Flammability 0 Physical Hazard 0 Personal protection E

Leaend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 22-Mar-2017

Revision Note

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet