



1. **IDENTIFICATION**

Phone:

Website:

Emergency:

Product Identifier: Recommended Use: Use Restrictions: Company: Address:

US Thin Patch VO

Cementitious Repair Mortar For industrial use only US Concrete Products 16 Greenmeadow Drive #202 Timonium, MD 21093 1-866-827-8727 www.uscproducts.com 1-800-424-9300

2. <u>HAZARD IDENTIFICATION</u>



Physical Hazards: Health Hazards: Environmental Hazards:	Not Classified Skin Corrosion/Irritation Serious Eye Damage/Irritation Sensitization, Skin Carcinogenicity STOT, Repeated Exposure Not Classified.	Category 2 Category 1 Category 1 Category 1A Category 2 (Lung)
Signal Word:	DANGER!	
Hazard Statements:		ye damage. May cause an allergic skin reaction.
	May cause cancer. Causes damage to or	rgans (lungs) through prolonged or repeated
	exposure.	
Precautionary Statements:		
Prevention:	been read and understood. Wear protect protection. Do not breathe dust, fumes, ventilated area. Do not eat, drink, or sn after handling. Contaminated clothing s	Do not handle until all safety precautions have tive gloves/protective clothing/eye protection/face or vapors. Use only outdoors or in a well- noke when using this product. Wash thoroughly should not be allowed out of the workplace.
Response:	advice/attention. If in eyes: Rinse cautic contact lenses, if present and easy to do medical advice/attention. If inhaled: Ro	If skin irritation or rash occurs: Get medical ously with water for several minutes. Remove o. Continue rinsing. If eye irritation persists: Get emove victim to fresh air and keep at rest in a l a poison center/doctor if you feel unwell.
Storage:	Store locked up. Store in a well-ventilat	ted place. Keep cool.
Disposal:	Dispose of contents/container in accord regulations.	lance with local/regional/national/international

Hazards not otherwise Classified (HNOC): Can form explosive air-dust mixtures, avoid creating dust.



US Thin Patch VO *Cementitious Repair Mortar* SAFETY DATA SHEET

3.

COMPOSITION INFORMATION

Chemical Name	CAS Number	Weight %
Crystalline Silica, Quartz	14808-60-7	40-60
Portland Cements	65997-15-1	20-40
CSA Cement	93662-00-4	10-30
Kaolin	92704-41-1	< 5

Composition Note: This product is a mixture. Hazardous ingredients are listed above. May include other nonhazardous ingredients. May include other trace ingredients, see Section 15.

4. FIRST-AID MEASURES **Eye Contact:** Immediately flush eyes with plenty of cool water for at least 15 minutes while holding the eyes open. Remove contact lenses if present and easy to do. If you experience redness, burning, blurred vision, or swelling consult a physician immediately. Remove contaminated clothing and product, immediately wash affected area with soap **Skin Contact:** and water. Do not apply greases or ointments. If rash or irritation occurs consult a physician. **Ingestion:** Rinse mouth immediately. Do not induce vomiting. Consult a physician. Inhalation: Remove patient to fresh air. Give oxygen or artificial respiration if needed. If patient continues to experience difficulty breathing, consult a physician. Irritant effects. Symptoms include itching, burning, redness and tearing. Permanent eve **Most Important Symptoms:** damage, including blindness could result. Discomfort in the chest, shortness of breath, coughing. **General Information:** Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse. 5. **FIRE-FIGHTING MEASURES** Suitable Extinguishing Media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). **Additional Information:** Can form explosive air-dust mixtures, avoid creating dust. Hazards during Fire-Fighting: During a fire, gases hazardous to health may be formed. **Fire-Fighting Procedures:** Use standard fire-fighting procedures and consider the hazards of other involved materials. In case of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn. Move containers from fire area if you can do so without risk. Cool containers with flooding quantities of water until well after fire is out. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. 6. ACCIDENTAL RELEASE MEASURES **Personal Precautions:** Keep unnecessary personnel away. Avoid generating dust. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust. Ensure adequate ventilation. If the concentration of dust exceeds the permissible exposure limit wear a respirator. **Clean-up Methods:** Avoid dry sweeping. Do not use compressed air to clean spilled silica sand. Use water spraying/flushing or ventilated or HEPA filtered vacuum cleaning system. Dispose of in closed containers. **Environmental Precautions:** Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so.



7. HANDLING AND STORAGE

Handling:

Storage:

Avoid generating dust. Mechanical ventilation or local exhaust ventilation is recommended. Use all available work practices to control dust exposure, such as water sprays. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Avoid contact with eyes, skin, and clothing. Do not breathe dust. Wear a respirator if dust concentrations exceed permissible exposure limits. Do not permit dust to collect and build up on work surfaces, use good housekeeping. Avoid contact with unhardened cement products. Observe good industrial hygiene practices. Use dust collection to trap dust produced during loading and unloading. Store in a closed container away from incompatible materials (See Section 10 of the SDS). Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Protect against physical damage.

8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

Protective Measure: Eye Protection: Hand Protection: Skin and Body Protection:	Wear appropriate personal protective equipment. Wear chemical splash goggles or safety glasses with side shield. Wear chemical-resistant gloves such as: Nitrile, neoprene, butyl. Wear long sleeve shirt/long pants and other clothing as required to minimize contact. In
	case of dust production, dust-proof clothing. Avoid contact with unhardened cement products, if contact occurs wash immediately with soap and water.
Respirator Protection:	Use a NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits.
General Hygiene:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Engineering Controls:	Mechanical ventilation or local exhaust ventilation is recommended. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and emergency shower.

Exposure Limits:

Component	OSHA	ACGIH	NIOSH
	(PEL)	(TLV)	Pocket Guide
Quartz (CAS 14808-60-7)	$\frac{10}{\% SiO_2 + 2} \frac{mg}{m^3} m^3$ (respirable)	0.025 mg/m ³ (respirable)	0.05 mg/m ³ (respirable)
CSA Cement	5 mg/m ³ (Respirable)	1 mg/m ³ (respirable)	5 mg/m ³ (Respirable)
(CAS 65997-16-2)	15 mg/m ³ (Total dust)		15 mg/m ³ (Total dust)
Portland Cements	5 mg/m ³ (Respirable)	1 mg/m ³ (respirable)	5 mg/m ³ (Respirable)
(CAS 65997-15-1)	15 mg/m ³ (Total dust)		15 mg/m ³ (Total dust)
Kaolin	5 mg/m ³ (Respirable)	2 mg/m ³ (respirable)	5 mg/m ³ (Respirable)
(CAS 92704-41-1)	15 mg/m ³ (Total dust)		10 mg/m ³ (Total dust)



US Thin Patch VO *Cementitious Repair Mortar* SAFETY DATA SHEET

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid	Freezing/Melting Point:	N/A
Form:	Powder	Boiling Point:	N/A
Color:	Gray	Flash Point:	N/A
Odor:	Characteristic	Evaporation Rate:	N/A
Odor Threshold:	N/A	Specific Gravity:	2.7
рН:	N/A	VOC:	0 g/L
Flammability:	N/A	U/L Flammability:	N/A
Vapor Pressure:	N/A	Vapor Density:	N/A
Solubility:	N/A	Kow:	N/A
Decomposition:	N/A	Viscosity:	N/A

10. STABILITY AND REACTIVITY

11.

Reactivity: Chemical Stability: Condition to Avoid: Substances to Avoid: Hazardous Reactions: Decomposition Products:	Stable and non-reactive under normal conditions of use and storage. Stable and non-reactive under normal conditions of use and storage. Conditions which generate dust. Avoid unintentional contact with water. Strong oxidizers. Strong acids and bases. Ammonium salts. Aluminum metal. The product is stable if stored and handled as prescribed/indicated. Strong bases are formed on the addition of water. Carbon dioxide, carbon monoxide, oxides of nitrogen, other organic compounds.
TOXILOGICAL INFORMAT	ION
Information on likely routes of e	xposure:
Ingestion:	Expected to be a low ingestion hazard.
Inhalation:	Irritation to nose and respiratory tract.
Skin contact:	Causes skin irritation. May cause sensitization by skin contact.
Eye contact:	Causes serious eye damage. Particles can cause corneal abrasion.
Information on toxicological effe	rts.
Acute toxicity:	Occupational exposure to the substance or mixture may cause adverse effects.
Skin corrosion/irritation:	Causes skin irritation.
Eye damage/eye irritation:	Causes serious eye damage.
Respiratory sensitization:	Not a respiratory sensitizer.
Skin sensitization:	May cause sensitization by skin contact.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	May cause cancer.
eur enrogement,	IARC Monographs. Overall Evaluation of Carcinogenicity
	Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.
	NTP Report on Carcinogens
	Quartz (CAS 14808-60-7) Known To Be Human Carcinogen
Reproductive toxicity:	No data available.
Aspiration hazard:	No data available.
Specific target organ toxicit	v:
Single exposure	No data available.
Repeated exposure	Causes damage to organs (lungs) through prolonged or repeated exposure (inhalation). Repeated or prolonged exposure to Respirable silica dust will cause lung damage in the form of silicosis. Symptoms include progressively more difficult breathing, cough, fever, and weight loss. Acute silicosis can be fatal.



US Thin Patch VO Cementitious Repair Mortar SAFETY DATA SHEET

	Further information:	fully investigated. Hazard data above is e Some workers with certain pre-existing n	, and chemical properties may not have been stimated based on best available information. nedical conditions such as: asthma, allergies, ions, or who may be particularly susceptible sure to this material.			
12.	ECOLOGICAL INFORMATION					
	Ecotoxicity: Persistence and degradability: Bioaccumulative potential: Mobility in soil: Other adverse effects:	exclude the possibility that large or freque effect on the environment Not readily biodegradable. Not expected to bioaccumulate. No data available. No other adverse environmental effects (or	nentally hazardous. However, this does not ent spills can have a harmful or damaging e.g. ozone depletion, photochemical ozone global warming potential) are expected from			
13.	DISPOSAL CONSIDERATION	<u> 18</u>				
	Waste Disposal of Substance: Container Disposal:	waterways or ditches with chemical or us accordance with local/regional/national/in Empty containers or liners may retain son even after container is emptied. Empty co	s/water supplies. Do not contaminate ponds, ed container. Dispose of contents/container in nternational regulations. ne product residues; follow label warnings ontainers should be taken to an approved waste			
	Disposal of Cured Product:	handling site for recycling or disposal. Grind or chip off surface. Solid material of considerations	does not require special disposal			
14.	TRANSPORTATION INFORMATION					
	United States Department Of Transportation (USDOT):	Not regulated as a hazardous material by D	OT.			
	International Air Transportation					
	Association (IATA):	Not regulated as a dangerous good.				
	International Maritime Dangerous Goods Code (IMDG):	Not regulated as a dangerous good.				
		Read safety instructions, SDS and emergen nnex II of MARPOL 73/78 and the IBC C				
	This information does not cover all specific regulatory or operational requirements of this product. The classifications for transportation may vary by container volume or different regional or national regulations.					
15.	REGULATORY INFORMATI	<u>ON</u>				
	US Federal Regulations:	This product is a "Hazardous Chemical" as Standard, 29 CFR 1910.1200.	defined by the OSHA Hazard Communication			
	TSCA Section 12(b) Export Notif US. OSHA Specifically Regulated CERCLA Hazardous Substance 1	Substances (29 CFR 1910.1001-1050):	Not regulated. Not listed. Not listed.			

.



US Thin Patch VO Cementitious Repair Mortar

SAFETY DATA SHEET

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories:					
Immediate	Delayed	Fire	Pressure	Reactivity	
Yes	Yes	No	No	No	

SARA 302 Extremely hazardous substance: SARA 311/312 Hazardous chemical: SARA 313 (TRI reporting):

No Yes Not regulated.

US State Right-To-Know Lists


Chemical	Massachusetts RTK	New Jersey Work and Community RTK Act	Pennsylvania Worker and Community RTK Law	Rhode Island RTK
Portland Cement (65997-15-1)	Listed	Listed	Listed	
Quartz (14808-60-7)	Listed	Listed	Listed	

US. California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer, birth defects, or reproductive harm.

Component	Regulation	% In Blend (approx.)	Remark
Quartz (14808-60-7)	ACGIH	60-75	Carcinogenic
Formaldehyde (50-00-0)	ACGIH	Trace	Carcinogenic
Titanium Dioxide (13463-67-7)	ACGIH	Trace	Carcinogenic

This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR.

WHMIS Hazard Classification




International Inventories

Country or Region	Inventory	On Inventory? (Yes/No)
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes



US Thin Patch VO *Cementitious Repair Mortar* SAFETY DATA SHEET





US Thin Patch VO *Cementitious Repair Mortar* SAFETY DATA SHEET

Safety Data Sheet (SDS) is prepared in compliance with the requirements of OSHA 29 CFR Part 1910.1200. The information it contains is offered in good faith as accurate as of the date of this SDS. This SDS is provided solely for the purpose of conveying health, safety, and environmental information. No warranty, expressed or implied, is given. Health and Safety precautions may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.