

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 1/10  
(30606144/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## MasterSeal 350 PART B

#### Recommended use of the chemical and restriction on use

Recommended use\*: for industrial and professional users

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Chemical family: No data available.

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Skin Corr./Irrit.	1B	Skin corrosion/irritation
Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Repr.	2 (fertility)	Reproductive toxicity
Repr.	2 (unborn child)	Reproductive toxicity
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

#### Label elements

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 2/10  
(30606144/SDS\_GEN\_US/EN)

Pictogram:



Signal Word:  
Danger

Hazard Statement:

H302	Harmful if swallowed.
H361	Suspected of damaging fertility. Suspected of damaging the unborn child.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P273	Avoid release to the environment.
P260	Do not breathe dust or mist.
P202	Do not handle until all safety precautions have been read and understood.
P270	Do not eat, drink or smoke when using this product.
P264	Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P310	Immediately call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P303 + P361 + P352	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301 + P330	IF SWALLOWED: rinse mouth.
P391	Collect spillage.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	-------------------------------------------------------------------------------

### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

DANGER:  
HARMFUL IF SWALLOWED.

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 3/10  
(30606144/SDS\_GEN\_US/EN)

MAY BE HARMFUL IF INHALED.  
MAY CAUSE BURNS.  
Avoid contact with the skin, eyes and clothing.  
Wash thoroughly after handling.  
Keep container tightly closed.

### 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
90-72-2	>= 10.0 - < 15.0 %	2,4,6-tris(dimethylaminomethyl)phenol
9046-10-0	>= 20.0 - < 25.0 %	alpha-(2-Aminomethylethyl)-omega-(2-aminomethylethoxy)- poly(oxy(methyl-1,2-ethanediyl))
84852-15-3	>= 50.0 - < 75.0 %	Phenol, 4-nonyl-, branched
2579-20-6	>= 7.0 - < 10.0 %	1,3-Cyclohexanedimethanamine

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
84852-15-3	>= 40.0 - <= 70.0 %	Phenol, 4-nonyl-, branched
9046-10-0	>= 15.0 - <= 40.0 %	alpha-(2-Aminomethylethyl)-omega-(2-aminomethylethoxy)- poly(oxy(methyl-1,2-ethanediyl))
90-72-2	>= 7.0 - <= 13.0 %	2,4,6-tris(dimethylaminomethyl)phenol
2579-20-6	>= 5.0 - <= 10.0 %	1,3-Cyclohexanedimethanamine

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

##### If on skin:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

##### If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Do not induce vomiting. Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 4/10  
(30606144/SDS\_GEN\_US/EN)

---

Hazards: No applicable information available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:  
water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon dioxide, carbon monoxide, nitrogen oxides, fumes/smoke, carbon black, corrosive gases/vapours

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

### Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.  
For large amounts: Pump off product.

---

## 7. Handling and Storage

### Precautions for safe handling

Keep away from sources of ignition - No smoking. Keep container tightly sealed. Handle and open container with care.

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 5/10  
(30606144/SDS\_GEN\_US/EN)

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

Protect from temperatures below: 5 °C

The packed product must be protected from temperatures below the indicated one.

Protect from temperatures below: 40 °F

The packed product must be protected from temperatures below the indicated one.

## 8. Exposure Controls/Personal Protection

### Advice on system design:

No applicable information available.

### Personal protective equipment

#### Respiratory protection:

Wear a NIOSH-certified (or equivalent) respirator as necessary.

#### Hand protection:

Wear chemical resistant protective gloves., Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Tightly fitting safety goggles (chemical goggles) and face shield.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	amine-like	
Odour threshold:		No applicable information available.
Colour:	colourless	
pH value:	12 - 13	( 25 °C)
Melting point:		No applicable information available.
Boiling point:	> 200 °C	
Sublimation point:		No applicable information available.
Flash point:	> 93.34 °C	(calculated)
Flammability:	not determined	
Lower explosion limit:		No applicable information available.

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 6/10  
(30606144/SDS\_GEN\_US/EN)

Upper explosion limit:		No applicable information available.
Autoignition:	approx. 240 °C	Literature data.
Vapour pressure:		No applicable information available.
Density:	approx. 0.95 g/cm <sup>3</sup> 7.95 lb/USg	( 25 °C)
Relative density:		No applicable information available.
Bulk density:		not applicable
Vapour density:		No applicable information available.
Partitioning coefficient n-octanol/water (log Pow):		not applicable
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:		No applicable information available.
Viscosity, kinematic:		No applicable information available.
Solubility in water:		insoluble
Solubility (quantitative):		No applicable information available.
Solubility (qualitative):	No applicable information available.	
Evaporation rate:		No applicable information available.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

### Conditions to avoid

See MSDS section 7 - Handling and storage.

### Incompatible materials

zinc, aluminium, oxidizing agents, strong alkalies, acids

### Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### Acute Toxicity/Effects

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 7/10  
(30606144/SDS\_GEN\_US/EN)

### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion.

*Information on: alpha-(2-Aminomethylethyl)-omega-(2-aminomethylethoxy)- poly(oxy(methyl-1,2-ethanediyl))*

*Assessment of acute toxicity:*

*Of low toxicity after single ingestion. Of low toxicity after short-term skin contact. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.*

*Information on: 2,4,6-tris(dimethylaminomethyl)phenol*

*Assessment of acute toxicity:*

*Of moderate toxicity after single ingestion. EU-classification*

### Oral

Type of value: ATE

Value: 1,450 mg/kg

### Inhalation

No applicable information available.

### Dermal

No applicable information available.

### Assessment other acute effects

No applicable information available.

### Irritation / corrosion

Assessment of irritating effects: Causes burns.

*Information on: Phenol, 4-nonyl-, branched*

*Assessment of irritating effects: Corrosive! Damages skin and eyes.*

*Information on: alpha-(2-Aminomethylethyl)-omega-(2-aminomethylethoxy)- poly(oxy(methyl-1,2-ethanediyl))*

*Assessment of irritating effects: Corrosive! Damages skin and eyes.*

*Information on: 2,4,6-tris(dimethylaminomethyl)phenol*

*Assessment of irritating effects: Eye contact causes irritation. Skin contact causes irritation.*

## **Chronic Toxicity/Effects**

### Reproductive toxicity

*Information on: Phenol, 4-nonyl-, branched*

*Assessment of reproduction toxicity: The results of animal studies suggest a fertility impairing effect.*

### Experiences in humans

According to experience, the product is considered to be harmless to health if used in the correct manner.

### Other Information

The product has not been tested. The statement has been derived from the properties of the individual components.

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 8/10  
(30606144/SDS\_GEN\_US/EN)

### Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

---

## 12. Ecological Information

### Toxicity

Aquatic toxicity  
Assessment of aquatic toxicity:  
No data available concerning aquatic toxicity.

#### Aquatic toxicity

*Information on: alpha-(2-Aminomethylethyl)-omega-(2-aminomethylethoxy)- poly(oxy(methyl-1,2-ethanediyl))*

*Assessment of aquatic toxicity:*

*Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.*

-----

### Additional information

Other ecotoxicological advice:  
Acutely toxic for aquatic organisms. Do not allow to enter soil, waterways or waste water channels. The product has not been tested. The statement has been derived from the properties of the individual components.

Do not allow to enter soil, waterways or waste water channels. According to experience, the material has no harmful effect on the environment.

---

## 13. Disposal considerations

### Waste disposal of substance:

Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.

### Container disposal:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## 14. Transport Information

### Land transport

USDOT

Hazard class:	8
Packing group:	II
ID number:	UN 3145
Hazard label:	8
Proper shipping name:	ALKYLPHENOLS, LIQUID, N.O.S. (contains NONYLPHENOL)



# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29  
Version: 3.0

Page: 9/10  
(30606144/SDS\_GEN\_US/EN)

### Sea transport

IMDG

Hazard class: 8  
Packing group: II  
ID number: UN 3145  
Hazard label: 8  
Marine pollutant: YES  
Proper shipping name: ALKYLPHENOLS, LIQUID, N.O.S. (contains NONYLPHENOL)

### Air transport

IATA/ICAO

Hazard class: 8  
Packing group: II  
ID number: UN 3145  
Hazard label: 8  
Proper shipping name: ALKYLPHENOLS, LIQUID, N.O.S. (contains NONYLPHENOL)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Not hazardous;

#### HMIS III rating

Health: 3 Flammability: 1 Physical hazard: 0

---

## 16. Other Information

#### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2014/04/29

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING

# Safety Data Sheet

## MasterSeal 350 PART B

Revision date : 2014/04/29

Version: 3.0

Page: 10/10

(30606144/SDS\_GEN\_US/EN)

---

WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET